创建procedure

```
create or replace procedure test_v21 as
begin
select 'alter table QZJ_INTERFACE_V21.' || tab_code || ' shrink space;'
 from QZJ_ETL_V21.SYS_TABLE_LIST
 where TAB_USED = 1
 order by TAB_SNO;
 end;
SQL窗口选中语句点击运行时报错:
原因: 变量长度不够
解决方法: 将结果集缓冲区调大
解决方法: 将execute immediate stmt; 最后的分号去掉
--grant create job to qzj_etl_v21;
begin
   DBMS_SCHEDULER. CREATE_JOB
          (
             job_name => 'QZJ_DAILY_V21'
            ,start_date => to_timestamp('2017-12-27 13:00', 'YYYY-MM-DD HH24:MI:SS')
            ,repeat_interval => 'FREQ=DAILY; INTERVAL=1'
            , end_date
                        => NULL
            , job_class => 'DEFAULT_JOB_CLASS'
            , job_type
                         => 'PLSQL_BLOCK'
            , job_action => 'BEGIN
    SP_QZJ_DAILY_V21;
```

```
END;
             , enabled
                            => TRUE
           );
end;
*/
/*
create or replace procedure p_db_mantainace_v21 is
  stmt Varchar2(80);
begin
  for stmt in (
  select 'alter table QZJ_INTERFACE_V21.' |\ |\  tab_code |\ | ' shrink space;'
    from QZJ_ETL_V21.SYS_TABLE_LIST
    where TAB\_USED = 1
   order by TAB_SNO
 )
 Loop
   DBMS_OUTPUT.PUT_LINE('stmt');
   --execute immediate 'stmt';
 End Loop;
 end;
 show error
 */
```