

## 创建用户并赋权限

预发布：

```
create database mipbase;
//create user mipbase@'172.15.12.*' identified by 'MzVaHDTyAM3l';
grant usage on *.* to mipbase@'172.15.12.%';
grant SELECT, INSERT, UPDATE, DELETE on mipbase.* to mipbase@'172.15.12.%';
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on mipbase.* to chendl@'172.15.250.100';

create database mipdisconf;
//create user mipdisconf@'172.15.250.*' identified by '7kogsvrksWqa';
grant usage on *.* to mipdisconf@'172.15.250.%';
grant SELECT, INSERT, UPDATE, DELETE on mipdisconf.* to mipdisconf@'172.15.250.%';
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on mipdisconf.* to chendl@'172.15.250.100';

create database mipmonitor;
//create user mipmonitor@'172.15.250.*' identified by 'V0xKtdbFYEer';
grant usage on *.* to mipmonitor@'172.15.250.%';
grant SELECT, INSERT, UPDATE, DELETE on mipmonitor.* to mipmonitor@'172.15.250.%';
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on mipmonigof.* to chendl@'172.15.250.100';
RENAME USER 'mipmonitor'@'172.15.250.*' TO 'mipmonitor'@'172.15.250.%';
grant select, insert, update, delete on mipmonitor.* to
```

-- 测试

```
create database wms_xpic default charset utf8;
create user 'wms_xpic'@'%' identified by 'm1VHg#XbqzaG';
grant SELECT, INSERT, UPDATE, DELETE on wms_xpic.* to 'wms_xpic'@'%' ;
GRANT SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, INDEX, ALTER ON `wms_xpic`. * TO 'yangyouping'@'%' ;
```

-- 预发布

```
create database wms_xpic default charset utf8;
create user 'wms_xpic'@'172.16.32.%' identified by 'm1VHg#XbqzaG';
grant SELECT, INSERT, UPDATE, DELETE on wms_xpic.* to 'wms_xpic'@'172.16.32.%';
GRANT ALL PRIVILEGES ON `wms_xpic`. * TO 'yangyouping'@'172.16.32.%'
```

-- 线上

```
create database wms_xpic default charset utf8;
create user 'wms_xpic'@'172.16.4.%' identified by 'm1VHg#XbqzaG';
grant SELECT, INSERT, UPDATE, DELETE on wms_xpic.* to 'wms_xpic'@'172.16.4.%';
```

```
create database mysteel_notice;
create user mysteel_notice@'172.15.12.94' identified by '172.15.12.94';
grant usage on *.* to mysteel_notice@'172.15.12.94';
grant SELECT, INSERT, UPDATE, DELETE on mysteel_notice.* to mysteel_notice@'172.15.12.94';
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on mysteel_notice.* to zhangzeng@'172.15.250.100';
```

```
CREATE USER 'jilili'@'%' IDENTIFIED BY 'q4W*Sept6Rbs';
```

```
GRANT GRANT OPTION ON *.* TO 'jilili'@'%' ;
```

```
GRANT SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, RELOAD, SHUTDOWN, PROCESS, FILE, REFERENCES, INDEX, ALTER, SHOW DATABASES,
SUPER, CREATE TEMPORARY TABLES, LOCK TABLES, EXECUTE, REPLICATION SLAVE, REPLICATION CLIENT, CREATE VIEW, SHOW VIEW, CREATE
ROUTINE, ALTER ROUTINE, CREATE USER, EVENT, TRIGGER ON *.* TO 'jilili'@'%' ;
```

HOST : 172.16.88.12 端口 : 4040, 账号 : wangli 密码 : H8s37FYO`vGb

```
CREATE USER 'wangli'@'172.16.203.12' IDENTIFIED BY 'H8s37FYO`vGb';
```

```
GRANT SELECT ON `trade_log_v2`. * TO 'wangli'@'172.16.203.12';
```

```
GRANT SELECT ON `consult\_v2`. * TO 'wangli'@'172.16.203.12';
```

```
create database baseorg_fun_v2;
create user baseorg_fun_v2@'172.16.32.%' IDENTIFIED by 'EWj4XEJUmXLK';
grant usage on *.* to baseorg_fun_v2@'172.16.32.%';
grant SELECT, INSERT, UPDATE, DELETE on baseorg_fun_v2.* to baseorg_fun_v2@'172.16.32.%';
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on baseorg_fun_v2.* to shenyanxiang@'172.16.32.%';
```

```
update mysql.user set Grant_priv='Y' where user='root' and host='%';
flush privileges;
```

```
alter user jilili@'%' identified by 'Q8rapxxNSQeI';
grant all privileges on *.* to jilili@'%' with grant option;
```

```
create database topvote;
create user topvote@'172.15.12.%' identified by 'GYcoWRvLZx9T';
grant usage on *.* to topvote@'172.15.12.%';
grant SELECT, INSERT, UPDATE, DELETE on topvote.* to topvote@'172.15.12.%';
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on topvote.* to 'chend1'@'172.15.250.100';
```

201.100 :

```
create database erp_activiti;
create user erp_activiti@'%' identified by 'lxBxsptZBIFU';
grant usage on *.* to erp_activiti@'%' ;
grant SELECT, INSERT, UPDATE, DELETE on erp_activiti.* erp_activiti@'%' ;
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on erp_activiti.* to xuduo@'%' ;
```

201.100 :

```
create database rongzi_vipgyl_v2;
create user rongzi_vipgyl_v2@'%' identified by 'dBvIrnzAjGnA';
grant usage on *.* to rongzi_vipgyl_v2@'%' ;
grant SELECT, INSERT, UPDATE, DELETE on rongzi_vipgyl_v2.* to rongzi_vipgyl_v2@'%' ;
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on rongzi_vipgyl_v2.* to shijianbing@'%' ;
```

32.1 :

```
create database rongzi_vipgyl_v2;
create user rongzi_vipgyl_v2@'%' identified by 'dBvIrnzAjGnA';
grant usage on *.* to rongzi_vipgyl_v2@'%' ;
grant SELECT, INSERT, UPDATE, DELETE on rongzi_vipgyl_v2.* to rongzi_vipgyl_v2@'%' ;
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on rongzi_vipgyl_v2.* to shijianbing@'172.16.32.%';
#rename user rongzi_vipgyl_v2@'%' to rongzi_vipgyl_v2@'172.16.32.%';
```

42.4 :

```
create database rongzi_vipgyl_v2;
create user rongzi_vipgyl_v2@'%' identified by 'dBvIrnzAjGnA';
grant usage on *.* to rongzi_vipgyl_v2@'%' ;
grant SELECT, INSERT, UPDATE, DELETE on rongzi_vipgyl_v2.* to rongzi_vipgyl_v2@'%' ;
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on rongzi_vipgyl_v2.* to shijb@'172.16.204.12';
#rename user rongzi_vipgyl_v2@'%' to rongzi_vipgyl_v2@'172.16.%';
```

```
create user xiangkaiwei@'172.15.250.100' identified by 'bckH%hmuG1Dt';
grant select on sososteel.* to xiangkaiwei@'172.15.250.100';
```

```
create user xiangkaiwei@'172.15.250.100' identified by 'bckH%hmuG1Dt';
grant select on mysteel_event.* to xiangkaiwei@'172.15.250.100';
```

```
grant select on mysteel_spider.* to xiangkaiwei@'172.15.250.100';
```

```
create user zengcb@'172.15.250.100' identified by 'RQdz!a7H*n3K';  
grant select on visit_stat.* to zengcb@'172.15.250.100';
```

```
create user zengcb@'172.15.250.100' identified by 'RQdz!a7H*n3K';  
grant select on incomereport.* to zengcb@'172.15.250.100';
```

```
create user zengcb@'172.15.250.100' identified by 'RQdz!a7H*n3K';  
grant select on STEELPHONE4.* to zengcb@'172.15.250.100';
```

```
create user zengcb@'172.15.250.100' identified by 'RQdz!a7H*n3K';  
grant select on mobile_statistics.* to zengcb@'172.15.250.100';  
grant select on website_statistics.* to zengcb@'172.15.250.100';
```

```
create user zengcb@'172.15.250.100' identified by 'RQdz!a7H*n3K';  
grant select on black_steel_report.* to zengcb@'172.15.250.100';  
grant select on IRONMAN.* to zengcb@'172.15.250.100';
```

```
create user xss@'172.15.250.100' identified by 'PB^ak9A9KoQe';  
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on visit_stat.* to xss@'172.15.250.100';
```

```
create user xss@'172.15.250.100' identified by 'PB^ak9A9KoQe';  
grant SELECT, INSERT, UPDATE, DELETE, CREATE, DROP, ALTER, INDEX on incomereport.* to xss@'172.15.250.100';
```

```
create user zengcb identified by "RQdz!a7H*n3K";  
grant connect, resource to zengcb;  
select 'grant select on userbehavior.' || table_name || ' to zengcb;' from dba_tables where owner='USERBEHAVIOR';  
执行以上语句选出的grant语句
```

```
create user xss identified by "PB^ak9A9KoQe";  
grant connect, resource to xss;  
select 'grant select, update, insert, delete on userbehavior.' || table_name || ' to xss;' from dba_tables where  
owner='USERBAHAVIOR';
```