12c OGG报错

参考: http://www.itpub.net/thread-1822103-1-1.html

源端:

Error 01:

2017-10-27 11:28:48 WARNING 0GG-01194 EXTRACT task RINI01 abended: Table ogg. TCUSTMER does not exist in target database.

Error 02:

2017-10-27 11:28:48 WARNING OGG-01194 EXTRACT task RINI01 abended: Table ogg. TCUSTMER does not exist in target database. 原因:

This is due to a new security restriction in GoldenGate 12.2. In order to allow access from a remote system the ACCESSRULE parameter must be put into the manager parameter file on the target in order to allow access from the source. The syntax is as follows:

 $accessrule, prog *, ipaddr ip_of_the_trusted_host_where_you_want_to_access_mgr_from, allow allow access_mgr_from, allow allow access_mgr_from, allow access_mg$

解决方法:

So in order to allow my source system to startup the replicat I would put something like this in my manager parameter file ACCESSRULE, PROG *, IPADDR 172.17.50.40, ALLOW

This will allow my source system to perform the initial load using SOURCEISTABLE by allowing the remote extract to start the replicat. The initial load will now proceed as expected.

Error 03:

Target端:

Error 01:

2017-10-27 10:03:46 ERROR 0GG-10107 (rini01.prm) line 8: Parsing error, parameter [assumetargetdefs] conflicts with parameter [sourcedefs].

2017-10-27 10:03:46 ERROR OGG-01668 PROCESS ABENDING.

Error 02 :

2017-10-27 11:02:06 ERROR 0GG-06580 No schema is specified for the source table test1. TCUSTMER. The default schema is not allowed.

<u>2017-10-27 11:02:06 ERROR OGG-01668 PROCESS ABENDING.</u>

Error 03:

<u>2017-10-18 18:57:07 ERROR 0GG-02550 ORACLE HOME is not set to Oracle software directory.</u>
<u>2017-10-18 18:57:07 ERROR 0GG-01668 PROCESS ABENDING.</u>

Error 04:

<u>2017-10-27 11:18:34 ERROR 0GG-02161 Failed to retrieve the trail file begin checkpoint position.</u>
<u>2017-10-27 11:18:34 ERROR 0GG-01668 PROCESS ABENDING.</u>

Error 05 :

2017-10-27 11:20:39 ERROR 0GG-00199 Table ogg. TCUSTMER does not exist in target database.

Error 06:

 $2017-10-27\ 11:28:45\quad \text{ERROR} \quad 066-00199\quad \text{Table ogg. TCUSTMER does not exist in target database}.$

解决方法:

将rini01.prm文件中小写的ogg改为大写的0GG则可。

Error 07:

2017-10-27 14:28:26 ERROR 06G-02161 Failed to retrieve the trail file begin checkpoint position.

原因:

在源端先启动extract eini01, 否则直接在target端启动replicat rini01会报这个错。

Warning 01:

2017-10-27 11:28:45 WARNING OGG-02904 Replication of PARTIAL XML containing NCHAR/NVARCHAR/NCLOB data may cause divergence.

Warning 02:

2017-10-27 11:28:45 WARNING OGG-02761 Source definitions file, ./dirdef/source.def, is ignored because trail file contains table definitions.

原因:

总结,针对0GG 12C,从库使用的表的定义文件是从主库传递过来的,不识别手动指定的。而主库的复制进程一直未被重新启动过,所读的表的定义文件一直是BQJL被研发修改之前的文件。

解决方法:

- 1. 停掉主从库的0GG
- 2. 删掉从库ZY_NURSING
- 3. 用expdp将主库的ZY_NURSING迁移至从库
- 4. 在从库进程参数文件中暂时过滤表 ZY_NURSING
- 5. 启动从库复制进程
- 6. 在从库进程参数文件中 删除过滤 ZY_NURSING
- 7. 启动 主从库的相关复制进程