## crontab sample01

```
[root@BkpV5Mysq101 ~]# crontab -1
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_bcp &> /tmp/wift_bcp_xtrbkp.log"
#每周一0点5分执行备份脚本 加full参数
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift bcp &> /tmp/wift bcp xtrbkp.log"
#每周一0点15分执行备份脚本 加first参数
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp. sh incre wift_bcp &> /tmp/wift_bcp_xtrbkp. log"
#每周一0点25分,35分,45分,55分执行备份脚本 加incre参数
#5,15,25,35,45,55 0-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift bcp &> /tmp/wift bcp xtrbkp.log"
#每周一0-23点5分, 15分, 25分, 35分, 45分, 55分执行备份脚本 加incre参数
#5, 15, 25, 35, 45, 55 1-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_bcp &> /tmp/wift_bcp_xtrbkp.log"
#每周二至周日1-23点5分, 15分, 25分, 35分, 45分, 55分执行备份脚本 加incre参数
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_channel_acc &> /tmp/wift_channel_acc_xtrbkp.log"
#每周一0点5分执行备份脚本 加full参数
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_channel_acc &> /tmp/wift_channel_acc_xtrbkp.log"
#25,35,45,55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_channel_acc &>
/tmp/wift channel acc xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_channel_acc &>
/tmp/wift_channel_acc_xtrbkp.log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift channel acc &>
/tmp/wift_channel_acc_xtrbkp.log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_claim &> /tmp/wift_claim_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_claim &> /tmp/wift_claim_xtrbkp.log"
#25,35,45,55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_claim &> /tmp/wift_claim_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift claim &>
/tmp/wift_claim_xtrbkp.log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_claim &>
/tmp/wift claim xtrbkp.log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_cms &> /tmp/wift_cms_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_cms &> /tmp/wift_cms_xtrbkp.log"
#25,35,45,55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_cms &> /tmp/wift_cms_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp. sh incre wift_cms &> /tmp/wift_cms_xtrbkp. log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift cms &> /tmp/wift cms xtrbkp.log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_doc &> /tmp/wift_doc_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_doc &> /tmp/wift_doc_xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_doc &> /tmp/wift_doc_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_doc &> /tmp/wift_doc_xtrbkp.log"
```

#5, 15, 25, 35, 45, 55 0-23 \*\* 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift\_doc &> /tmp/wift\_doc\_xtrbkp.log"

```
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_ecief &> /tmp/wift_ecief_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_ecief &> /tmp/wift_ecief_xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_ecief &> /tmp/wift_ecief_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysq1 -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift ecief &>
/tmp/wift_ecief_xtrbkp.log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_ecief &>
/tmp/wift ecief xtrbkp.log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_iiws &> /tmp/wift_iiws_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_iiws &> /tmp/wift_iiws_xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_iiws &> /tmp/wift_iiws_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_iiws &> /tmp/wift_iiws_xtrbkp.log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift iiws &>
/tmp/wift_iiws_xtrbkp.log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_pa &> /tmp/wift_pa_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_pa &> /tmp/wift_pa_xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_pa &> /tmp/wift_pa_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp. sh incre wift_pa &> /tmp/wift_pa_xtrbkp. log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp. sh incre wift_pa &> /tmp/wift_pa_xtrbkp. log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_prop &> /tmp/wift_prop_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_prop &> /tmp/wift_prop_xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_prop &> /tmp/wift_prop_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp. sh incre wift_prop &> /tmp/wift_prop_xtrbkp. log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_prop &>
/tmp/wift_prop_xtrbkp.log"
[root@BkpV5Mysq101 ~]#
```

```
[root@BkpV5Mysq101 ~]# crontab -1
#5 0 * * 1 su - mysq1 -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_bcp &> /tmp/wift_bcp_xtrbkp.log"
#15 0 * * 1 su - mysq1 -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_bcp &> /tmp/wift_bcp_xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysq1 -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_bcp &> /tmp/wift_bcp_xtrbkp.log"
#5, 15, 25, 35, 45, 55 0-23 * * 1 su - mysq1 -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_bcp &> /tmp/wift_bcp_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 2-7 su - mysq1 -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_bcp &> /tmp/wift_bcp_xtrbkp.log"
```

```
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_channel_acc &> /tmp/wift_channel_acc_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift channel acc &> /tmp/wift channel acc xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_channel_acc &>
/tmp/wift channel acc xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_channel_acc &>
/tmp/wift channel acc xtrbkp.log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift channel acc &>
/tmp/wift channel acc xtrbkp.log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_claim &> /tmp/wift_claim_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift claim &> /tmp/wift claim xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_claim &> /tmp/wift_claim_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_claim &>
/tmp/wift_claim_xtrbkp.log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_claim &>
/tmp/wift claim xtrbkp, log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_cms &> /tmp/wift_cms_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_cms &> /tmp/wift_cms_xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp. sh incre wift cms &> /tmp/wift cms xtrbkp. log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp. sh incre wift cms &> /tmp/wift cms xtrbkp. log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_cms &> /tmp/wift_cms_xtrbkp.log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_doc &> /tmp/wift_doc_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_doc &> /tmp/wift_doc_xtrbkp.log"
#25,35,45,55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_doc &> /tmp/wift_doc_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp. sh incre wift_doc &> /tmp/wift_doc_xtrbkp. log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_doc &> /tmp/wift_doc_xtrbkp.log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_ecief &> /tmp/wift_ecief_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_ecief &> /tmp/wift_ecief_xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_ecief &> /tmp/wift_ecief_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_ecief &>
/tmp/wift ecief xtrbkp.log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift ecief &>
/tmp/wift_ecief_xtrbkp.log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_iiws &> /tmp/wift_iiws_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_iiws &> /tmp/wift_iiws_xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_iiws &> /tmp/wift_iiws_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_iiws &> /tmp/wift_iiws_xtrbkp.log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_iiws &>
/tmp/wift_iiws_xtrbkp.log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_pa &> /tmp/wift_pa_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_pa &> /tmp/wift_pa_xtrbkp.log"
#25, 35, 45, 55 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_pa &> /tmp/wift_pa_xtrbkp.log"
#5, 15, 25, 35, 45, 55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp. sh incre wift_pa &> /tmp/wift_pa_xtrbkp. log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_pa &> /tmp/wift_pa_xtrbkp.log"
#5 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh full wift_prop &> /tmp/wift_prop_xtrbkp.log"
#15 0 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh first wift_prop &> /tmp/wift_prop_xtrbkp.log"
\#25,35,45,55\ 0**1\ su-mysq1-s\ /bin/bash-c\ ''/srv/xtrabackup/xtrbkp.sh\ incre\ wift\_prop\ \&>\ /tmp/wift\_prop\_xtrbkp.log''
#5,15,25,35,45,55 1-23 * * 1 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift prop &> /tmp/wift prop xtrbkp.log"
#5, 15, 25, 35, 45, 55 0-23 * * 2-7 su - mysql -s /bin/bash -c "/srv/xtrabackup/xtrbkp.sh incre wift_prop &>
/tmp/wift_prop_xtrbkp.log"
[root@BkpV5Mysq101 ~]#
```