create or replace procedure p_db_mantainace_v21 as

```
create or replace procedure p_db_mantainace_v21 as
 Type EmpCurTyp Is Ref Cursor;
  stmtCursor EmpCurTyp;
         Varchar2(1000);
  stmt
begin
    Open stmtCursor For
  select 'alter table QZJ_INTERFACE_V21.' || tab_code ||' enable row movement'
    from QZJ_ETL_V21.SYS_TABLE_LIST
  union
    select 'alter table QZJ_NORM_V21.' \mid\mid tab_code \mid\mid ' enable row movement'
    from QZJ_ETL_V21.SYS_TABLE_LIST;
  1oop
    Fetch stmtCursor Into stmt;
    Exit When stmtCursor%Notfound;
    dbms output.put line(stmt);
    execute immediate stmt;
  End Loop;
    Close stmtCursor;
  Open stmtCursor For
  select 'alter table QZJ_NORM_V21.' || tab_code || ' shrink space'
    from QZJ_ETL_V21.SYS_TABLE_LIST
     where TAB USED = 1
    union
   select 'alter table QZJ_INTERFACE_V21.' || tab_code || ' shrink space'
    from QZJ_ETL_V21.SYS_TABLE_LIST
    where TAB_USED = 1;
  1oop
    Fetch stmtCursor Into stmt;
    Exit When stmtCursor%Notfound;
    dbms_output.put_line(stmt);
    execute immediate stmt;
  End Loop;
    Close stmtCursor;
 Open \operatorname{stmtCursor} For
  select 'alter index ' || owner || '.' || index_name ||
       ' rebuild nologging parallel 4'
    from all_indexes
    where owner in ('QZJ_NORM_V21', 'QZJ_INTERFACE_V21')
   order by index_name, owner;
    1oop
    Fetch stmtCursor Into stmt;
    Exit When stmtCursor%Notfound;
    dbms_output.put_line(stmt);
    execute immediate stmt;
  End Loop;
    Close stmtCursor;
```

end;