

主从复制报错0904

```
mysql> show slave status\G
```

```
***** 1. row *****
Slave_IO_State: Waiting for master to send event
Master_Host: 10.1.5.6
Master_User: repl
Master_Port: 3306
Connect_Retry: 60
Master_Log_File: mysql-bin.000244
Read_Master_Log_Pos: 1004490971
Relay_Log_File: BkpV5Mysql01-relay-bin.000068
Relay_Log_Pos: 530363739
Relay_Master_Log_File: mysql-bin.000240
Slave_IO_Running: Yes
Slave_SQL_Running: No
Replicate_Do_DB:
Replicate_Ignore_DB:
Replicate_Do_Table:
Replicate_Ignore_Table:
Replicate_Wild_Do_Table:
Replicate_Wild_Ignore_Table:
Last_Errno: 1146
Last_Error: Error executing row event: 'Table 'wift_bcp.t_company_organ' doesn't exist'
Skip_Counter: 0
Exec_Master_Log_Pos: 530363526
Relay_Log_Space: 5744361187
Until_Condition: None
Until_Log_File:
Until_Log_Pos: 0
Master_SSL_Allowed: No
Master_SSL_CA_File:
Master_SSL_CA_Path:
Master_SSL_Cert:
Master_SSL_Cipher:
Master_SSL_Key:
Seconds_Behind_Master: NULL
Master_SSL_Verify_Server_Cert: No
Last_IO_Errno: 0
Last_IO_Error:
Last_SQL_Errno: 1146
Last_SQL_Error: Error executing row event: 'Table 'wift_bcp.t_company_organ' doesn't exist'
Replicate_Ignore_Server_Ids:
Master_Server_Id: 101656
Master_UUID: 01f792a5-0497-11e7-86c0-000c29716d41
Master_Info_File: /srv/data/mysql/master.info
SQL_Delay: 0
SQL_Remaining_Delay: NULL
Slave_SQL_Running_State:
Master_Retry_Count: 86400
Master_Bind:
Last_IO_Error_Timestamp:
Last_SQL_Error_Timestamp: 170830 16:13:29
Master_SSL_Crl:
Master_SSL_Crlpath:
Retrieved_Gtid_Set:
Executed_Gtid_Set:
```

```
Auto_Position: 0
Replicate_Rewrite_DB:
Channel_Name:
Master_TLS_Version:
1 row in set (0.00 sec)
```

mysql>

创建表： 'wift_bcp.t_company_organ'

```
CREATE TABLE `t_company_organ` (
  `organ_id` bigint(20) NOT NULL,
  `ORGAN_CODE` varchar(60) DEFAULT NULL,
  `ORGAN_NAME` varchar(300) DEFAULT NULL,
  `ABBR_NAME` varchar(300) DEFAULT NULL,
  `COMPANY_CODE` varchar(60) DEFAULT NULL,
  `ORGAN_TYPE` varchar(6) DEFAULT NULL,
  `CLASS_ID` decimal(3,0) DEFAULT NULL,
  `CONFIRMED` char(3) DEFAULT NULL,
  `TELEPHONE` varchar(150) DEFAULT NULL,
  `EMAIL` varchar(150) DEFAULT NULL,
  `FAX` varchar(150) DEFAULT NULL,
  `ADDRESS` varchar(600) DEFAULT NULL,
  `POST_CODE` varchar(60) DEFAULT NULL,
  `CONTACT_PERSON` varchar(60) DEFAULT NULL,
  `CONTACT_TEL` varchar(60) DEFAULT NULL,
  `DISTRICT_CODE` varchar(45) DEFAULT NULL,
  `PARENT_ID` bigint(20) DEFAULT NULL,
  `CAPITAL_TYPE` varchar(30) DEFAULT NULL,
  `SALT_SIGN` varchar(1536) DEFAULT NULL,
  `CREATE_BY` bigint(20) DEFAULT NULL,
  `UPDATE_BY` bigint(20) DEFAULT NULL,
  `INSERT_TIME` datetime DEFAULT NULL,
  `UPDATE_TIME` datetime DEFAULT NULL,
  `IS_FINANCE` char(3) DEFAULT NULL,
  `ORGAN_DETAIL` varchar(300) DEFAULT NULL,
  PRIMARY KEY (`organ_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

又报错：

mysql> show slave status\G

```
***** 1. row *****
Slave_IO_State: Waiting for master to send event
Master_Host: 10.1.5.6
Master_User: repl
Master_Port: 3306
Connect_Retry: 60
Master_Log_File: mysql-bin.000244
Read_Master_Log_Pos: 1008886031
Relay_Log_File: BkpV5Mysql01-relay-bin.000068
Relay_Log_Pos: 530363739
Relay_Master_Log_File: mysql-bin.000240
Slave_IO_Running: Yes
Slave_SQL_Running: No
Replicate_Do_DB:
```

```

Replicate_Ignore_DB:
Replicate_Do_Table:
Replicate_Ignore_Table:
Replicate_Wild_Do_Table:
Replicate_Wild_Ignore_Table:
    Last_Errno: 1032
    Last_Error: Could not execute Update_rows event on table wift_bcp.t_company_organ; Can't find record in
't_company_organ', Error_code: 1032; handler error HA_ERR_KEY_NOT_FOUND; the event's master log mysql-bin.000240, end_log_pos
530364332

    Skip_Counter: 0
Exec_Master_Log_Pos: 530363526
    Relay_Log_Space: 5748756804
    Until_Condition: None
    Until_Log_File:
    Until_Log_Pos: 0
Master_SSL_Allowed: No
Master_SSL_CA_File:
Master_SSL_CA_Path:
Master_SSL_Cert:
Master_SSL_Cipher:
Master_SSL_Key:
Seconds_Behind_Master: NULL
Master_SSL_Verify_Server_Cert: No
    Last_IO_Errno: 0
    Last_IO_Error:
    Last_SQL_Errno: 1032
    Last_SQL_Error: Could not execute Update_rows event on table wift_bcp.t_company_organ; Can't find record in
't_company_organ', Error_code: 1032; handler error HA_ERR_KEY_NOT_FOUND; the event's master log mysql-bin.000240, end_log_pos
530364332
Replicate_Ignore_Server_Ids:
    Master_Server_Id: 101656
        Master_UUID: 01f792a5-0497-11e7-86c0-000c29716d41
        Master_Info_File: /srv/data/mysql/master.info
        SQL_Delay: 0
    SQL_Remaining_Delay: NULL
Slave_SQL_Running_State:
    Master_Retry_Count: 86400
        Master_Bind:
    Last_IO_Error_Timestamp:
    Last_SQL_Error_Timestamp: 170904 16:02:04
        Master_SSL_Crl:
        Master_SSL_Crlpath:
    Retrieved_Gtid_Set:
    Executed_Gtid_Set:
        Auto_Position: 0
    Replicate_Rewrite_DB:
        Channel_Name:
    Master_TLS_Version:
1 row in set (0.00 sec)

mysql>
解决方法：从主库导出表t_company_organ的数据并插入到从库
stop slave
start slave

```

过了一会儿又报错：

```
mysql> show slave status\G
```

```
***** 1. row *****
Slave_IO_State: Waiting for master to send event
Master_Host: 10.1.5.6
Master_User: repl
Master_Port: 3306
Connect_Retry: 60
Master_Log_File: mysql-bin.000244
Read_Master_Log_Pos: 1018896308
Relay_Log_File: BkpV5Mysql01-relay-bin.000068
Relay_Log_Pos: 542001149
Relay_Master_Log_File: mysql-bin.000240
Slave_IO_Running: Yes
Slave_SQL_Running: No
Replicate_Do_DB:
Replicate_Ignore_DB:
Replicate_Do_Table:
Replicate_Ignore_Table:
Replicate_Wild_Do_Table:
Replicate_Wild_Ignore_Table:
Last_Errno: 1146
Last_Error: Error executing row event: 'Table 'wift_bcp.t_cash_apply_list' doesn't exist'
Skip_Counter: 0
Exec_Master_Log_Pos: 542000936
Relay_Log_Space: 5758767461
Until_Condition: None
Until_Log_File:
Until_Log_Pos: 0
Master_SSL_Allowed: No
Master_SSL_CA_File:
Master_SSL_CA_Path:
Master_SSL_Cert:
Master_SSL_Cipher:
Master_SSL_Key:
Seconds_Behind_Master: NULL
Master_SSL_Verify_Server_Cert: No
Last_IO_Errno: 0
Last_IO_Error:
Last_SQL_Errno: 1146
Last_SQL_Error: Error executing row event: 'Table 'wift_bcp.t_cash_apply_list' doesn't exist'
Replicate_Ignore_Server_Ids:
Master_Server_Id: 101656
Master_UUID: 01f792a5-0497-11e7-86c0-000c29716d41
Master_Info_File: /srv/data/mysql/master.info
SQL_Delay: 0
SQL_Remaining_Delay: NULL
Slave_SQL_Running_State:
Master_Retry_Count: 86400
Master_Bind:
Last_IO_Error_Timestamp:
Last_SQL_Error_Timestamp: 170904 16:38:39
Master_SSL_Crl:
Master_SSL_Crlpath:
Retrieved_Gtid_Set:
Executed_Gtid_Set:
Auto_Position: 0
Replicate_Rewrite_DB:
Channel_Name:
```

```
Master_TLS_Version:
1 row in set (0.00 sec)
```

```
mysql>
```

```
t_cash_apply_approve
t_cash_apply_limit
t_cash_apply_list
t_cash_customer_account
t_cash_offset_list
t_cash_offset_sum
```

将以上五个表都在从库重建了，但还是报错：

```
mysql> start slave
-> ;
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> show slave status\G
```

```
***** 1. row *****
Slave_IO_State: Waiting for master to send event
Master_Host: 10.1.5.6
Master_User: repl
Master_Port: 3306
Connect_Retry: 60
Master_Log_File: mysql-bin.000244
Read_Master_Log_Pos: 1024655936
Relay_Log_File: BkpV5Mysql01-relay-bin.000068
Relay_Log_Pos: 542001149
Relay_Master_Log_File: mysql-bin.000240
Slave_IO_Running: Yes
Slave_SQL_Running: No
Replicate_Do_DB:
Replicate_Ignore_DB:
Replicate_Do_Table:
Replicate_Ignore_Table:
Replicate_Wild_Do_Table:
Replicate_Wild_Ignore_Table:
Last_Errno: 1062
Last_Error: Could not execute Write_rows event on table wift_bcp.t_cash_apply_list; Duplicate entry
'15115831440112009' for key 'PRIMARY', Error_code: 1062; handler error HA_ERR_FOUND_DUPP_KEY; the event's master log mysql-
bin.000240, end_log_pos 542001696
Skip_Counter: 0
Exec_Master_Log_Pos: 542000936
Relay_Log_Space: 5764527646
Until_Condition: None
Until_Log_File:
Until_Log_Pos: 0
Master_SSL_Allowed: No
Master_SSL_CA_File:
Master_SSL_CA_Path:
Master_SSL_Cert:
```

```

Master_SSL_Cipher:
Master_SSL_Key:
Seconds_Behind_Master: NULL
Master_SSL_Verify_Server_Cert: No
Last_IO_Errno: 0
Last_IO_Error:
Last_SQL_Errno: 1062
Last_SQL_Error: Could not execute Write_rows event on table wift_bcp.t_cash_apply_list; Duplicate entry
'15115831440112009' for key 'PRIMARY', Error_code: 1062; handler error HA_ERR_FOUND_DUPP_KEY; the event's master log mysql-
bin.000240, end_log_pos 542001696
Replicate_Ignore_Server_Ids:
Master_Server_Id: 101656
Master_UUID: 01f792a5-0497-11e7-86c0-000c29716d41
Master_Info_File: /srv/data/mysql/master.info
SQL_Delay: 0
SQL_Remaining_Delay: NULL
Slave_SQL_Running_State:
Master_Retry_Count: 86400
Master_Bind:
Last_IO_Error_Timestamp:
Last_SQL_Error_Timestamp: 170904 17:12:19
Master_SSL_Crl:
Master_SSL_Crlpath:
Retrieved_Gtid_Set:
Executed_Gtid_Set:
Auto_Position: 0
Replicate_Rewrite_DB:
Channel_Name:
Master_TLS_Version:
1 row in set (0.00 sec)

```

```
mysql> select count(*) from t_cash_apply_list;
```

```

+-----+
| count(*) |
+-----+
|      8 |
+-----+

```

```
1 row in set (0.00 sec)
```

```
mysql>
```

解决方法：删除报错提示中对应的行

```
mysql> delete from t_cash_apply_list where fee_id='15115831440112009';
```

```
Query OK, 1 row affected (0.09 sec)
```

又报错：

```
mysql> show slave status\G
```

```

***** 1. row *****
Slave_IO_State: Waiting for master to send event
Master_Host: 10.1.5.6
Master_User: repl
Master_Port: 3306
Connect_Retry: 60
Master_Log_File: mysql-bin.000244
Read_Master_Log_Pos: 1025455505
Relay_Log_File: BkpV5Mysql01-relay-bin.000068
Relay_Log_Pos: 542001940
Relay_Master_Log_File: mysql-bin.000240

```

```

Slave_IO_Running: Yes
Slave_SQL_Running: No
Replicate_Do_DB:
Replicate_Ignore_DB:
Replicate_Do_Table:
Replicate_Ignore_Table:
Replicate_Wild_Do_Table:
Replicate_Wild_Ignore_Table:
Last_Errno: 1062
Last_Error: Could not execute Write_rows event on table wift_bcp.t_cash_offset_list; Duplicate entry
'15115831447784678' for key 'PRIMARY', Error_code: 1062; handler error HA_ERR_FOUND_DUPP_KEY; the event's master log mysql-
bin.000240, end_log_pos 542002210
Skip_Counter: 0
Exec_Master_Log_Pos: 542001727
Relay_Log_Space: 5765327595
Until_Condition: None
Until_Log_File:
Until_Log_Pos: 0
Master_SSL_Allowed: No
Master_SSL_CA_File:
Master_SSL_CA_Path:
Master_SSL_Cert:
Master_SSL_Cipher:
Master_SSL_Key:
Seconds_Behind_Master: NULL
Master_SSL_Verify_Server_Cert: No
Last_IO_Errno: 0
Last_IO_Error:
Last_SQL_Errno: 1062
Last_SQL_Error: Could not execute Write_rows event on table wift_bcp.t_cash_offset_list; Duplicate entry
'15115831447784678' for key 'PRIMARY', Error_code: 1062; handler error HA_ERR_FOUND_DUPP_KEY; the event's master log mysql-
bin.000240, end_log_pos 542002210
Replicate_Ignore_Server_Ids:
Master_Server_Id: 101656
Master_UUID: 01f792a5-0497-11e7-86c0-000c29716d41
Master_Info_File: /srv/data/mysql/master.info
SQL_Delay: 0
SQL_Remaining_Delay: NULL
Slave_SQL_Running_State:
Master_Retry_Count: 86400
Master_Bind:
Last_IO_Error_Timestamp:
Last_SQL_Error_Timestamp: 170904 17:17:07
Master_SSL_Crl:
Master_SSL_Crlpath:
Retrieved_Gtid_Set:
Executed_Gtid_Set:
Auto_Position: 0
Replicate_Rewrite_DB:
Channel_Name:
Master_TLS_Version:
1 row in set (0.00 sec)

mysql>

```

解决方法：同上

```

mysql> delete from t_cash_offset_list where offset_id = '15115831447784678';
Query OK, 1 row affected (0.05 sec)

```

又报错：

mysql> show slave status\G

```
***** 1. row *****
Slave_IO_State: Waiting for master to send event
Master_Host: 10.1.5.6
Master_User: repl
Master_Port: 3306
Connect_Retry: 60
Master_Log_File: mysql-bin.000244
Read_Master_Log_Pos: 1025661607
Relay_Log_File: BkpV5Mysql01-relay-bin.000068
Relay_Log_Pos: 542002454
Relay_Master_Log_File: mysql-bin.000240
Slave_IO_Running: Yes
Slave_SQL_Running: No
Replicate_Do_DB:
Replicate_Ignore_DB:
Replicate_Do_Table:
Replicate_Ignore_Table:
Replicate_Wild_Do_Table:
Replicate_Wild_Ignore_Table:
Last_Errno: 1062
Last_Error: Could not execute Write_rows event on table wift_bcp.t_cash_offset_sum; Duplicate entry
'15115831447717345' for key 'PRIMARY', Error_code: 1062; handler error HA_ERR_FOUND_DUPP_KEY; the event's master log mysql-
bin.000240, end_log_pos 542002669
Skip_Counter: 0
Exec_Master_Log_Pos: 542002241
Relay_Log_Space: 5765534077
Until_Condition: None
Until_Log_File:
Until_Log_Pos: 0
Master_SSL_Allowed: No
Master_SSL_CA_File:
Master_SSL_CA_Path:
Master_SSL_Cert:
Master_SSL_Cipher:
Master_SSL_Key:
Seconds_Behind_Master: NULL
Master_SSL_Verify_Server_Cert: No
Last_IO_Errno: 0
Last_IO_Error:
Last_SQL_Errno: 1062
Last_SQL_Error: Could not execute Write_rows event on table wift_bcp.t_cash_offset_sum; Duplicate entry
'15115831447717345' for key 'PRIMARY', Error_code: 1062; handler error HA_ERR_FOUND_DUPP_KEY; the event's master log mysql-
bin.000240, end_log_pos 542002669
Replicate_Ignore_Server_Ids:
Master_Server_Id: 101656
Master_UUID: 01f792a5-0497-11e7-86c0-000c29716d41
Master_Info_File: /srv/data/mysql/master.info
SQL_Delay: 0
SQL_Remaining_Delay: NULL
Slave_SQL_Running_State:
Master_Retry_Count: 86400
Master_Bind:
Last_IO_Error_Timestamp:
Last_SQL_Error_Timestamp: 170904 17:21:03
Master_SSL_Crl:
```



```
Master_SSL_Crlpath:
Retrieved_Gtid_Set:
Executed_Gtid_Set:
Auto_Position: 0
Replicate_Rewrite_DB:
Channel_Name:
Master_TLS_Version:
1 row in set (0.00 sec)
```

mysql>

解决方法：同上

```
mysql> delete from t_cash_offset_sum where offset_sum_id = '15115831447717345';
Query OK, 1 row affected (0.10 sec)
```

又报错：

```
mysql> show slave status\G
```

```
***** 1. row *****
Slave_IO_State: Waiting for master to send event
Master_Host: 10.1.5.6
Master_User: repl
Master_Port: 3306
Connect_Retry: 60
Master_Log_File: mysql-bin.000245
Read_Master_Log_Pos: 194817900
Relay_Log_File: BkpV5Mysql01-relay-bin.000071
Relay_Log_Pos: 150323879
Relay_Master_Log_File: mysql-bin.000241
Slave_IO_Running: Yes
Slave_SQL_Running: No
Replicate_Do_DB:
Replicate_Ignore_DB:
Replicate_Do_Table:
Replicate_Ignore_Table:
Replicate_Wild_Do_Table:
Replicate_Wild_Ignore_Table:
Last_Errno: 1146
Last_Error: Error executing row event: 'Table 'wift_iws.t_product' doesn't exist'
Skip_Counter: 0
Exec_Master_Log_Pos: 150323666
Relay_Log_Space: 4893959647
Until_Condition: None
Until_Log_File:
Until_Log_Pos: 0
Master_SSL_Allowed: No
Master_SSL_CA_File:
Master_SSL_CA_Path:
Master_SSL_Cert:
Master_SSL_Cipher:
Master_SSL_Key:
Seconds_Behind_Master: NULL
Master_SSL_Verify_Server_Cert: No
Last_IO_Errno: 0
Last_IO_Error:
Last_SQL_Errno: 1146
Last_SQL_Error: Error executing row event: 'Table 'wift_iws.t_product' doesn't exist'
Replicate_Ignore_Server_Ids:
Master_Server_Id: 101656
```

```

Master_UUID: 01f792a5-0497-11e7-86c0-000c29716d41
Master_Info_File: /srv/data/mysql/master.info
SQL_Delay: 0
SQL_Remaining_Delay: NULL
Slave_SQL_Running_State:
Master_Retry_Count: 86400
Master_Bind:
Last_IO_Error_Timestamp:
Last_SQL_Error_Timestamp: 170904 19:40:41
Master_SSL_Crl:
Master_SSL_Crlpath:
Retrieved_Gtid_Set:
Executed_Gtid_Set:
Auto_Position: 0
Replicate_Rewrite_DB:
Channel_Name:
Master_TLS_Version:
1 row in set (0.00 sec)

```

mysql>

又报错：

mysql> show slave status\G

```

***** 1. row *****
Slave_IO_State: Waiting for master to send event
Master_Host: 10.1.5.6
Master_User: repl
Master_Port: 3306
Connect_Retry: 60
Master_Log_File: mysql-bin.000245
Read_Master_Log_Pos: 239695449
Relay_Log_File: BkpV5Mysql01-relay-bin.000074
Relay_Log_Pos: 737996494
Relay_Master_Log_File: mysql-bin.000242
Slave_IO_Running: Yes
Slave_SQL_Running: No
Replicate_Do_DB:
Replicate_Ignore_DB:
Replicate_Do_Table:
Replicate_Ignore_Table:
Replicate_Wild_Do_Table:
Replicate_Wild_Ignore_Table:
Last_Errno: 1032
Last_Error: Could not execute Update_rows event on table wift_iws.t_product; Can't find record in
't_product', Error_code: 1032; handler error HA_ERR_KEY_NOT_FOUND; the event's master log mysql-bin.000242, end_log_pos 737996873
Skip_Counter: 0
Exec_Master_Log_Pos: 737996281
Relay_Log_Space: 3597473504
Until_Condition: None
Until_Log_File:
Until_Log_Pos: 0
Master_SSL_Allowed: No
Master_SSL_CA_File:
Master_SSL_CA_Path:
Master_SSL_Cert:
Master_SSL_Cipher:
Master_SSL_Key:
Seconds_Behind_Master: NULL

```

```
Master_SSL_Verify_Server_Cert: No
      Last_IO_Errno: 0
      Last_IO_Error:
      Last_SQL_Errno: 1032
      Last_SQL_Error: Could not execute Update_rows event on table wift_iivs.t_product; Can't find record in
't_product', Error_code: 1032; handler error HA_ERR_KEY_NOT_FOUND; the event's master log mysql-bin.000242, end_log_pos 737996873
Replicate_Ignore_Server_Ids:
      Master_Server_Id: 101656
      Master_UUID: 01f792a5-0497-11e7-86c0-000c29716d41
      Master_Info_File: /srv/data/mysql/master.info
      SQL_Delay: 0
      SQL_Remaining_Delay: NULL
      Slave_SQL_Running_State:
      Master_Retry_Count: 86400
      Master_Bind:
      Last_IO_Error_Timestamp:
      Last_SQL_Error_Timestamp: 170905 11:25:21
      Master_SSL_Crl:
      Master_SSL_Crlpath:
      Retrieved_Gtid_Set:
      Executed_Gtid_Set:
      Auto_Position: 0
      Replicate_Rewrite_DB:
      Channel_Name:
      Master_TLS_Version:
1 row in set (0.00 sec)

mysql>
```

参考：<http://www.cnblogs.com/xuanzhi201111/p/4566451.html>