







CKT SIZE	PART NUMBER	TOOLED	DESCRIPTION	DIMENSIONS				MULTI-SOURCE AGREEMENT	CIRCUIT BOARD LAYOUT
				"A"	"B"	"C"	"D"		
20	74441-0001	YES	PLATED PER NOTE 2	1.10/.043	11.00/.433	9.40/.370	9.60/.378	SFP	SEE SHEET 3
	74441-0004	NO*	PLATED PER NOTE 2	0.76/.030					
	74441-0010	YES	PLATED PER NOTE 3	1.10/.043					
	74441-0014	NO*	PLATED PER NOTE 3	0.76/.030					
	74441-0031	YES	PLATED PER NOTE 4	1.10/.043					
30	74441-0041	YES	PLATED PER NOTE 5	1.10/.043	15.00/.591	13.40/.528	13.60/.535	XFP	SEE SHEET 4
	74441-0007	YES	PLATED PER NOTE 2	1.10/.043					
	74441-0017	YES	PLATED PER NOTE 3	1.10/.043					
40	74441-0037	YES	PLATED PER NOTE 4	1.10/.043	19.00/.748	17.40/.685	17.60/.693		SEE SHEET 5
	74441-0005	YES	PLATED PER NOTE 2	1.10/.043					
	74441-0015	YES	PLATED PER NOTE 3	1.10/.043					
50	74441-0035	YES	PLATED PER NOTE 4	1.10/.043	23.00/.906	21.40/.843	21.60/.850		SEE SHEET 6
	74441-0008	YES	PLATED PER NOTE 2	1.10/.043					
	74441-0018	YES	PLATED PER NOTE 3	1.10/.043					
70	74441-0038	YES	PLATED PER NOTE 5	1.10/.043	31.00/1.220	29.40/1.517	29.60/1.165	XENPAK XPAK X2	SEE SHEET 7
	74441-0003	YES	PLATED PER NOTE 2	1.10/.043					
	74441-0013	YES	PLATED PER NOTE 3	1.10/.043					
	74441-0033	YES	PLATED PER NOTE 4	1.10/.043					

NOTES


- MATERIAL:**
HOUSING - HIGH TEMPERATURE THERMOPLASTIC GLASS FILLED, UL 94V-0, BLACK
TERMINALS - COPPER ALLOY
- PLATING (SEE TABLE):**
CONTACT AREA - 0.38 MICROMETER MINIMUM GOLD OVER NICKEL
SOLDER FOOT AREA - 2.54 MICROMETER MINIMUM TIN OVER NICKEL
- PLATING (SEE TABLE):**
CONTACT AREA - 0.76 MICROMETER MINIMUM GOLD OVER NICKEL
SOLDER AREA - 2.54 MICROMETER MINIMUM TIN OVER NICKEL
- PLATING (SEE TABLE):**
CONTACT AREA - 0.76 MICROMETER MINIMUM GOLD OVER
2.54 MICROMETERS MINIMUM NICKEL.
SOLDER AREA: GOLD FLASH OVER NICKEL.
- PLATING (SEE TABLE):**
CONTACT AREA - 0.38 MICROMETER MINIMUM GOLD OVER NICKEL,
SOLDER AREA: GOLD FLASH OVER NICKEL.
- SOLDER FEET COPLANAR WITHIN 0.10/.004 FOR 20, 30 AND 40 CIRCUIT CONNECTORS,
WITHIN 0.15/.006 FOR 50 AND 70 CIRCUIT CONNECTORS**
- * CONTACT PLANT FOR MORE INFORMATION**
- DATE CODE: 4 DIGIT (3 DIGIT DAY, 1 DIGIT YEAR)**
- THE CIRCUIT 1 INDICATOR MAY VARY IN SIZE AND APPEARANCE.**



REMOVE TAIL POSITION EC NO: UCP2016-4520 DRWNS:VANG01 2016/06/10 CHKD:BBARKER 2016/06/10 APPR:SMILLER 2016/07/25	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY HAVERY	DATE 00/04/06	TITLE SALES ASSEMBLY Z AXIS PLUGGABLE PCB CONNECTOR		
			4 PLACES ± ---	± ---	CHECKED BY KSWEENEY	DATE 00/04/06	molex			
			3 PLACES ± ---	± .005	APPROVED BY MBANAKIS	DATE 00/04/06				
			2 PLACES ± 0.13	± .010	MATERIAL NO.			DOCUMENT NO.		SHEET NO.
			1 PLACE ± 0.25	± ---	SEE TABLE			SD-74441-001		1 OF 7
			0 PLACE ±	±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			





SECTION A1-A1
SCALE 12:1





SECTION B1-B1
SCALE 12:1

SEE SHEET 1	EC NO: UCP2016-4520 DRWNSVANG01 2016/06/10 CHKD:BBARKER 2016/06/10 APPR:SMILLER 2016/07/25	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
						MM/IN		6:1	METRIC	◎ □		
						DRAWN BY	DATE	TITLE				
						HAVERY	00/04/06	SALES ASSEMBLY				
						CHECKED BY	DATE	Z AXIS PLUGGABLE				
						2 PLACES	± 0.13	± .010	KSWEENEY	00/04/06	PCB CONNECTOR	
						1 PLACE	± 0.25	± ---	APPROVED BY	DATE	molex	
						0 PLACE	±	±	MBANAKIS	00/04/06		
				ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.				SHEET NO.
				DRAFT WHERE APPLICABLE		SEE TBL, SHT 1		SD-74441-001				2 OF 7
		REV		MUST REMAIN WITHIN DIMENSIONS		SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				





30 CIRCUIT MOTHER BOARD RECOMMENDED PCB LAYOUT

SEE SHEET 1 EC NO: UCP2016-4520 2016/06/10 DRWNSVANG01 2016/06/10 CHKD:BBARKER 2016/07/25 APPR:SMILLER	REV Y	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM/IN		SCALE 6:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
								DRAWN BY HAVERY DATE 00/04/06 CHECKED BY KSWEENEY DATE 00/04/06 APPROVED BY DATE 00/04/06 MBANAKIS DATE 00/04/06	TITLE SALES ASSEMBLY Z AXIS PLUGGABLE PCB CONNECTOR molex			
				ANGULAR ±1/2°			MATERIAL NO.		DOCUMENT NO.			SHEET NO. 4 OF 7
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TBL, SHT 1		SD-74441-001			




40 CIRCUIT MOTHER BOARD RECOMMENDED PCB LAYOUT

SEE SHEET 1 EC NO: UCP2016-4520 2016/06/10 DRWNSVANG01 CHKD:BBARKER 2016/06/10 APPR:SMILLER 2016/07/25	DESCRIPTION REV Y	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 6:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY HAVERY	DATE 00/04/06	TITLE SALES ASSEMBLY Z AXIS PLUGGABLE PCB CONNECTOR		
			4 PLACES	± ---	± ---	CHECKED BY KSWEENEY	DATE 00/04/06	molex		
			3 PLACES	± ---	± .005	APPROVED BY MBANAKIS	DATE 00/04/06			
			2 PLACES	± 0.13	± .010	MATERIAL NO.	DOCUMENT NO.			SHEET NO.
			1 PLACE	± 0.25	± ---	SEE TBL, SHT 1	SD-74441-001			5 OF 7
			0 PLACE	±	±	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
ANGULAR ±1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								



SEE SHEET 1 EC NO: UCP2016-4520 DRWNSVANG01 2016/06/10 CHKD:BBARKER 2016/06/10 APPR:SMILLER 2016/07/25 Y	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM/IN		SCALE 6:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
											SALES ASSEMBLY Z AXIS PLUGGABLE PCB CONNECTOR molex SD-74441-001
			4 PLACES ± --- ± ---			DRAWN BY HAVERY		DATE 00/04/06		TITLE	
			3 PLACES ± --- ± .005			CHECKED BY KSWEENEY		DATE 00/04/06			
			2 PLACES ± 0.13 ± .010			APPROVED BY MBANAKIS		DATE 00/04/06			
			1 PLACE ± 0.25 ± ---			MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
0 PLACE ± ±			SEE TBL, SHT 1				6 OF 7				
ANGULAR ±1/2°			SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											



70 CIRCUIT MOTHER BOARD
RECOMMENDED PCB LAYOUT

SEE SHEET 1 EC NO: UCP2016-4520 2016/06/10 DRWNSVANG01 CHKD:BBARKER 2016/06/10 APPR:SMILLER 2016/07/25	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM/IN		SCALE 6:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY HAVERY	DATE 00/04/06	TITLE SALES ASSEMBLY Z AXIS PLUGGABLE PCB CONNECTOR molex				
			4 PLACES	± ---	± ---		CHECKED BY KSWEENEY					DATE 00/04/06
			3 PLACES	± ---	± .005		APPROVED BY MBANAKIS					DATE 00/04/06
			2 PLACES	± 0.13	± .010		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
			1 PLACE	± 0.25	± ---		SEE TBL, SHT 1		SD-74441-001		7 OF 7	
			0 PLACE	±	±		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
			ANGULAR ±1/2°									
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									