



— MOSAIC ART STUDIO

Handcrafted Natural Marble & Glass Mosaics for *Luxury* *Interiors & Exteriors.*

Where timeless craft meets *precision.*

Drawn, cut and set under one roof — from your reference image to numbered panels, ready to fix.

STUDIO · PHOTOGRAPH

*The horse — figurative glass and stone,
the piece that shows what the bench can do*

IMAGES/STUDIO-HERO.JPG · PORTRAIT · MIN 2000 PX

THE DETAIL

*Thousands of tesserae,
placed by hand.*

00 ◦

YEARS OF
EXPERIENCE

100%

HAND-CUT STONE

Worldwide

FREE SHIPPING

Everything is decided by hand, then held to a drawing.

STONE

Blocks selected for vein direction before a cut is made. The edge you see is cut, not moulded.

GLASS

Colour runs through the full body. Metal leaf sits between glass layers, so it keeps its lustre when wet.

SETTING

The flow of the setting lines — the *andamento* — is drawn before assembly. It is what makes a mosaic move with the light.

THE DETAIL


Thousands of tesserae, placed by hand.



SETTING OUT BEFORE CUTTING



CUTTING AND SETTING BY HAND



BARE MESH BESIDE SET TESSERAE



NUMBERED BY PANEL SEQUENCE

PHOTOGRAPHED

Progress images at agreed stages, so a client watches the work grow rather than waiting in silence.

APPROVED

Nothing is cut before the free rendering and the physical lay-up are both signed off.

RECORDED

Every stone and pour batch logged against the commission, so a repair years later still matches.

WHAT WE MAKE

Three ways to hold a design in stone.

Hand-cut and mesh-backed as standard. Two treatments change the character entirely — and either can be framed.

01

*A hand-cut mosaic,
clean and contemporary*

IMAGES/MAKE-STANDARD.JPG
3:4

Hand-cut mosaic

Cut and set by hand from 5 mm stone and 4 mm glass, delivered mesh-backed and numbered.

02

*Old Roman technique —
irregular tesserae, polished*

IMAGES/MAKE-ROMAN.JPG
3:4

Roman technique, polished

Irregular natural tesserae laid in the ancient Roman method, then hand-polished to deepen the stone. Timeworn, with a museum sheen.

03

*A framed panel,
ready to hang*

IMAGES/MAKE-FRAMED.JPG
3:4

Framed

A frame made for the piece it surrounds. Turns a mosaic into a hung artwork rather than a fixed surface.

CUSTOMISATION

If you can imagine it,
we can *hand-cut it in stone.*

Nothing is chosen from a catalogue. Master artisans and in-house interior designers turn a reference into a one-of-a-kind marble and glass mosaic, tailored to the space down to the last tessera — and you see a free rendering of exactly how it will look before a single piece is cut.

CUSTOMISATION PHOTOGRAPH

*A figurative commission — a portrait, an animal,
a client's own subject realised in stone and glass*

UPLOAD AS IMAGES/CUSTOM-HERO.JPG · PORTRAIT · MIN 2000 PX

01

SIZE

Cut to your drawing rather than to a standard format: a floor medallion, a full wall, a stair riser, a splashback, a pool floor, a table top, a framed panel. Irregular outlines and curved edges included.

02

COLOUR

Forty-two natural marbles and six engineered stones in the charts overleaf, with the full glass and metal-leaf range — or matched to a fabric, a paint reference, or a stone already on site.

03

DESIGN

Your artwork, a photograph, a house monogram, a historical pattern, a brand motif — or an original composition developed in the studio to your brief.

What you specify, and what we decide together.

Every line below is open on every commission. Nothing is cut before the free rendering and the physical lay-up are signed off.

FOUR WAYS IN

Personalise any design Start from a piece you have seen and make it yours — your colours, your size, your finish.	Modify a piece you love Found a design that is almost right? Tell us what to change and the studio adapts it to your brief.	Bring your own concept Send a photograph, a painting, a sketch or a monogram, and we build it in stone and glass.	Guided by designers No starting point? Our in-house interior designers develop one with you, at no cost.
---	---	---	--

VARIABLE	AVAILABLE RANGE	DECIDED BY
Design origin	Client artwork, photograph, fabric or wallpaper reference, historical pattern, architect's drawing, or an original design developed in the studio	Client / studio
Composition style	Figurative, portrait, botanical, geometric, arabesque, <i>opus</i> patterns, gradient field, plain stone-on-stone	Client / studio
Tessera size	Micro-cut from 5 mm, standard 10 / 15 / 20 mm, large-format above 20 mm, and free-form hand-cut shapes within one piece	Studio, to viewing distance
Cut style	Hand-nipped irregular, precision water-jet, or the two combined — water-jet for the outline, hand-cut for the field	Studio
Surface finish	Polished, honed, brushed, tumbled, sand-blasted; gloss, satin or iridescent glass	Client
Grout	Colour-matched or deliberately contrasting; epoxy for wet and submerged areas	Client / studio
Format & size	Cut to your dimensions — medallions, borders, full walls, floors, stair risers, pool and hammam linings, table tops, framed panels	Client's drawing
Edge treatment	Straight cut, irregular outline, contrasting stone border, or metal trim	Client

Made to be looked at through water.

Zero water absorption, frost resistance, metal leaf sealed inside the glass. That is why it goes under water and stays.



PEACOCK POOL FLOOR — HAND-CUT GLASS

WHY IT SURVIVES


- ◇ Glass with no water absorption at all — UNI EN ISO 10545-3
- ◇ Frost-resistant and thermal-shock resistant, indoors or out
- ◇ 24k gold and white-gold leaf sealed between glass layers
- ◇ Epoxy adhesive and grout throughout, over your tanking system
- ◇ Colour fastness tested to UNI EN ISO 10545-12 — no bleaching

SET OUT TO YOUR POOL


Floor, waterline, steps and coping drawn as one composition, so the design meets the curve of your shell rather than being cut to fit it.




INDOOR POOL, GOLD MEDALLION



STEPS, GREEK-KEY BORDER



COPING AND WATERLINE DETAIL



WATER FEATURE, SCROLLWORK PANEL

FLOOR MEDALLION

*A medallion set into the floor,
read through moving water*

IMAGES/POOL-06.JPG - PANORAMIC


FLOOR MEDALLION, SEEN THROUGH WATER

A mosaic you can sit at, and sit on.

The same hand-cut work as furniture — the one piece a client takes with them. Any dimension, stone or glass, indoors or out.



TABLE TOP — GEOMETRIC MARBLE, BRASS-EDGED



BENCH — GLASS FLORAL ON BLACK, LIT FROM BENEATH

TABLE TOPS

- ◇ Any diameter — round, oval or square, cut to your drawing
- ◇ Finished top, or a panel for your own fabricator on enquiry ◦
- ◇ Bases in wrought iron, timber or brass to confirm ◦

BENCHES & SEATING


- ◇ Curved or straight, free-standing or built into the landscape
- ◇ Wrapped over seat, back and returns in one continuous design
- ◇ Frost-resistant and weatherproof — left outdoors year-round



BISTRO TABLE ON WROUGHT IRON



COFFEE TABLE, LIVING ROOM



DINING TABLE, OPEN PLAN



GARDEN BENCH, GLASS HIBISCUS

The one room that is looked at from two feet away.

Showers, hammams, bath surrounds and floors — read close up, and wet. Where a printed tile gives itself away.



SHOWER ENCLOSURE

*A full enclosure wrapped
in one composition*

IMAGES/BATH-01.JPG · 4:5

SHOWER ENCLOSURE, GLASS FLORAL ON BLACK

WHAT MAKES IT WORK WET

- ◇ Glass with zero water absorption; stone at $\leq 0.7\%$ to ASTM C373
- ◇ Epoxy adhesive and grout over your tanking system
- ◇ Metal leaf sealed between glass layers — steam does not dull it
- ◇ Honed stone at R11 where a floor gets wet; DCOF ≥ 0.42 interior
- ◇ Mesh-backed panels cut around niches, benches and drains

DRAWN AROUND THE FITTINGS

Fittings, niches and drains are set out on the drawing, so the design breaks where they fall — not on site.



Wall panel

FRAMED WALL PANEL ABOVE
THE VANITY



Floor medallion

BATHROOM FLOOR, SPIRAL
MEDALLION



Shower, botanical

SHOWER LINED IN CLIMBING
VINE




Bath surround

BATH SURROUND, SCENIC
PANEL

The wall a family stands in front of every day.

The one decorative surface in a house that gets used rather than admired.



SPLASHBACK IN IRIDESCENT GLASS AND MARBLE

BEHIND A WORKING RANGE

- ◇ Epoxy grout: non-porous, so oil and steam do not stain the joints
- ◇ Full-body colour — a chipped edge shows the same tone, not a print
- ◇ Cleaned with pH-neutral products; no acids, no abrasive pads
- ◇ Cut around sockets, rails and extractor returns on the drawing
- ◇ Sealed stone where the palette includes marble or travertine

SIZED TO THE RUN

Set out to the worktop, not to a sheet size — drawn to the exact run between counter and cabinet.



BOTANICAL RUN, FULL HEIGHT



SCENIC PANEL ABOVE THE RANGE




SPLASHBACK CARRIED AROUND THE RETURN

Twenty collections, and none of them a limit.

Close to two thousand designs, any one recut in your palette and dimensions. A starting point, not a catalogue.




Flower
450+ DESIGNS



Geometric
360+ DESIGNS



Landscape
290+ DESIGNS



Bird
120+ DESIGNS



Nautical
110+ DESIGNS




Religious
100+ DESIGNS



Animal
85 DESIGNS



Tree
80+ DESIGNS



Portrait
75 DESIGNS



Roman
60+ DESIGNS



Abstract
43 DESIGNS



Food & wine
35 DESIGNS



Landmark
19 DESIGNS



Pattern
19 DESIGNS



Van Gogh
16 REPRODUCTIONS



Glass mosaic art
1,600+ DESIGNS



Backsplash
100+ DESIGNS






Table top
89 DESIGNS




Limited edition
HAND-SIGNED SERIES



Studio specials
ONE-OF-A-KIND

Natural marble — forty-two stones.

Hand-cut from this palette. Stones outside it are sourced to order, and every commission is confirmed against physical samples.




Nero Marquina

01




Bardiglio Gray

02




Thassos White

03




Carrara White

04




Giallo Siena

05




Rosso Verona

06



Giallo Reale

07




Rojo Alicante

08




Emperador Dark

09




Emperador Red

10




Crema Marfil

11




Pink Rose

12




Lilac

13




Perlato Royal

14




Honey Onyx

15




Beige Marfil

16




Rojo Valencia

17




Toast Beige

18



Noce

19




Amarillo Triana

20




Marron Emperador

21



Walnut

22




Light Taupe

23




Silver Grey

24




Light Beige

25




Ivory Cream

26




Snow White

27



Bianco Thassos

28




Bianco Carrara

29




Cloud Grey

30




Lavender

31



Grey Marble

32



Tundra Grey

33




Graphite

34




Dark Grey

35



Black Absolute

36




Sahara Verde

37




Verde Alpi

38




Verde Oliva

39



Verde Guatemala

40



Verde Suez

41




Verde Imperiale

42

Engineered stone & hand-poured glass.

Engineered stone for repeatable colour. Glass for light — full-body colour, with metal leaf sealed between layers for wet work.

ENGINEERED STONES · SIX COLOURS




Cream

43




Ruby Red

44




Sky Blue

45




Ocean Blue

46



Turquoise


47



Cobalt Blue

48

HAND-POURED GLASS & METAL LEAF · INDICATIVE RANGE ·



Oro 24k

24K GOLD LEAF



Oro Bianco

WHITE GOLD LEAF



Rame

COPPER LEAF




Gold Fleck

FLECK GLASS




Bianco Latte

OPAQUE




Avorio

OPAQUE



Sabbia

OPAQUE



Miele

TRANSPARENT




Ambra

TRANSPARENT



Corallo

OPAQUE




Rubino

TRANSPARENT



Melograno

OPAQUE




Rosa Antico

OPAQUE



Lilla

OPAQUE




Violetto

TRANSPARENT



Turchese

OPAQUE




Acquamarina

TRANSPARENT




Blu Turchino

OPAQUE



Blu Cobalto

TRANSPARENT



Blu Notte

OPAQUE



Verde Salvia

OPAQUE




Verde Smeraldo

TRANSPARENT




Grigio Perla

OPAQUE




Antracite

OPAQUE



Nero Specchio

MIRROR GLASS



Iridescente

SURFACE-FIRED



Terracotta

OPAQUE




Bronzo

METALLIC



Verde Menta

OPAQUE



Ghiaccio

TRANSPARENT

Product data.

For the specifier's file. Figures with a small ring are still to be confirmed; everything else is fixed.

✦ *Every mosaic is weatherproof, waterproof, and suitable for both indoor and outdoor installations.* ✦

ITEM	SPECIFICATION
Natural stone	Marble, onyx, travertine and granite, selected for vein before cutting. Thickness 5 mm
Hand-poured glass	Full-body colour, so cut edges hold their tone. Thickness 4 mm . Metal-leaf glass with 24k gold, white gold or copper sealed between layers
Engineered quartz	Natural quartz aggregate bound with MDI resin. Dense, non-porous and wear-resistant; Mohs 7, water absorption approximately 0.02% by volume; excellent resistance to acidic, alkaline and neutral substances. Thickness 8 mm
Manufacture	100% handmade — every tessera hand-cut and assembled by artisans, never machine-pressed or printed
Tessera sizes	Stone typically 5, 7 and 10 mm; glass 10 × 10, 15 × 15 and 20 × 20 mm; free-form hand-cut shapes within the same artwork on commission
Sheet size	300 × 300 mm (12 × 12 in); artwork panels cut to the project drawing and numbered, maximum single panel <u>on enquiry</u>
Joint (grout line)	Approximately 1 mm , adjustable to the design and the tessera scale
Backing	Fibreglass netted mesh on every sheet and panel, so the work is fixed like tile and no loose tesserae are handled on site
Weight	Approximately 10 kg/m ² in 4 mm glass and 13–15 kg/m ² in 5 mm stone, before adhesive
Finishes	Stone: polished (gloss) or honed (smooth matte); brushed and tumbled <u>on request</u> . Glass: gloss, satin, iridescent, mirror
Tolerance	Panel outline <u>±1 mm</u> ; panels dry-assembled and checked against the cutting drawing before dispatch
Applications	Walls and floors, interior and exterior, including wet areas such as showers and pools, when correctly installed, grouted and sealed
Colour variation	Natural stone varies block to block; a commission is cut from reserved material and confirmed against a physical lay-up. Glass is matched by pour batch
Spares	Loose tesserae from the same batch supplied with every commission, and the batch recorded against the project

Material performance.

Tested values against recognised standards. Hand-cut work, so these are indicative rather than batch certificates.

NATURAL MARBLE

TEST	RESULT	STANDARD
Water absorption	$\leq 0.7 \%$	ASTM C373
Flexural strength	$\geq 15 \text{ MPa}$	ASTM C880 / C1161
Compressive strength	$\geq 90 \text{ MPa}$	ASTM C170
Mohs hardness	3–6	Mohs scale
Thermal expansion	$8\text{--}12 \times 10^{-6} / ^\circ\text{C}$	ASTM C531
Chemical resistance	Resistant to most household chemicals and mild acids	ASTM C650
Slip resistance	R10 polished · R11 honed	DIN 51130
Frost resistance	Suitable for freeze–thaw environments	ASTM C1026

HAND-POURED GLASS

TEST	RESULT	STANDARD
Water absorption	None	UNI EN ISO 10545-3 / ASTM C373
Chemical resistance	Resistant	UNI EN ISO 10545-13
Thermal shock resistance	Resistant	UNI EN ISO 10545-9 / ASTM C484
Frost resistance	Resistant	ASTM
Colour resistance to fading	Resistant	UNI EN ISO 10545-12 / DIN 51094
Bond strength	Passes	ASTM C482
Crazing resistance	Passes	ASTM C424

Installation, site & care.

Any competent tiling contractor can fix mesh-backed panels. These are the conditions the work needs.

ITEM	REQUIREMENT
Substrate	Required. Clean, flat and structurally sound; dry and free of contaminants before any mosaic is fixed
Waterproofing	Required in showers, hammams, fountains and pools: a compliant tanking system, applied and tested first
Adhesive	Epoxy adhesive recommended, and required for wet, outdoor and submerged areas. White adhesive is essential beneath translucent glass and pale stone
Fixing	Full bed, back-buttered on larger panels, mesh pressed fully into the adhesive. Floating method where a design mixes materials of different thickness
Grout	Mandatory in wet and outdoor areas. Epoxy grout recommended throughout — non-porous and chemical-resistant
Movement joints	Mandatory. Carried through the mosaic to the project's own layout, with silicone at every change of plane
Slip resistance	DCOF ≥ 0.42 interior wet and ≥ 0.60 exterior, to local code. Honed (R11) rather than polished (R10) where a floor gets wet
Sealing	Required on marble , particularly in wet and exterior areas, after grouting
Curing	Full adhesive cure before grouting, and before filling pools or fountains — allow <u>14–28 days</u> depending on system and conditions
Site conditions	A controlled environment: avoid extreme temperatures during fixing and curing, and protect from direct sun and draught
Protection	Covered and protected from following trades until hand-over; final clean by the installing team
Documentation	Cutting drawing, numbered installation key, material schedule and maintenance sheet issued with every delivery

RECOMMENDED

pH-neutral stone or glass cleaners for routine work; a two-in-one colour enhancer and sealer once a year on natural stone; spills wiped promptly — most staining is a spill that was left.

AVOID

Acidic cleaners, which etch natural stone permanently; abrasive pads and powders, which dull polished finishes and mark metal leaf; bleach and ammonia, which discolour grout and surfaces alike.

Seven stages, one team, no hand-offs.

- | | | | |
|-----------|--|-----------|--|
| <p>01</p> | <p>Brief</p> <p>Drawings, dimensions, references and the feeling you are after. A site visit or a video walk-through where possible.</p> | <p>05</p> | <p>Atelier production</p> <p>Cutting and setting by hand at the bench, photographed at agreed stages so the client sees the work as it grows.</p> |
| <p>02</p> | <p>Design & free rendering</p> <p>The studio develops the composition and returns a rendering of the mosaic in your own space at no cost, with alternatives on palette and tessera scale.</p> | <p>06</p> | <p>Delivery</p> <p>Crated by panel sequence with the installation key, material schedule and spare tesserae from the same batch.</p> |
| <p>03</p> | <p>Material lay-up</p> <p>The actual stones and glass are cut and laid up physically, photographed and sent — or presented in person — for sign-off.</p> | <p>07</p> | <p>Installation</p> <p>Fitted by our own team, or by your contractor with our drawings and remote supervision. Final clean, seal and hand-over.</p> |
| <p>04</p> | <p>Cutting drawing</p> <p>Setting-out lines, panel divisions and a numbered key are issued, coordinated with the site programme.</p> | | |

KEPT THROUGHOUT

One contact, one drawing set, one record

Every approval, revision and batch is recorded against the commission — so a repair or an extension years later is matched to the original material.

Built for the way studios actually work.

SUPPORT

- ◇ Named contact for the whole commission — design through hand-over
- ◇ Free rendering of the mosaic in your space, for your client presentation
- ◇ Complimentary design consultation with our in-house interior designers
- ◇ Physical sample boards and material lay-ups for client meetings
- ◇ Specification text, technical data and maintenance sheets for your file
- ◇ Site measurement and installation supervision (*by arrangement*)

COMMERCIAL

- ◇ Trade pricing for architects, interior designers and contractors
- ◇ Fixed quotation against an approved drawing — no open-ended extras
- ◇ Staged payment aligned to design, production and delivery
- ◇ Spare tesserae from the same batch supplied with every commission
- ◇ Free worldwide shipping, and a lifetime warranty on every piece

Send the drawing. We will send back the mosaic it was waiting for.

PROGRAMME

Design & approval	<u>2–3 weeks °</u>
Production, standard	<u>from 4 weeks °</u>
Large or complex artwork	<u>on programme °</u>
Sample board dispatch	<u>5–7 days °</u>
Minimum order	<u>on enquiry °</u>

DELIVERY

Free shipping worldwide. Timber-crated by panel sequence, edge-protected and moisture-wrapped, with the installation key fixed inside the crate and export documentation handled by the atelier.

ASSURANCE

Lifetime warranty on materials and workmanship. Replacement tesserae from the original batch remain available against the commission record for future repair.

Send us a drawing and a reference.
We will do the rest.

O1

Enquire

Dimensions, location and any reference you already have. A rough sketch is enough to start.

O2

Receive a proposal

Concept visual, material selection and a fixed quotation against a drawing — typically within two weeks °.

O3

Approve and produce

Sign off the lay-up and the cutting drawing; production begins, with progress photographs at each stage.

WHAT HELPS US QUOTE QUICKLY

- ◇ Finished dimensions, or a plan and elevation at any scale
- ◇ The surface it will sit on, and whether it is wet, submerged or exterior
- ◇ Reference images — anything from a photograph to a colour swatch
- ◇ Site programme: when the mosaic is needed on site
- ◇ Whether you want our team to install, or drawings for your contractor

CLOSING PHOTOGRAPH

*A quiet, elegant shot — a sample board,
a hand holding tesserae, or the studio*

3:4 PORTRAIT · MIN 2400 PX

OUR PROMISE



Premium craft

Handcrafted from the finest stone and glass, for lasting beauty.



Satisfaction promise

Love it or return it — 100% satisfaction or your money back.



Safe worldwide shipping

Carefully packed so the mosaic arrives in perfect condition.




Easy, secure payment

Multiple payment options with a fast, secure checkout.



Lifetime warranty

Every mosaic is backed for life, protecting the investment.



Bespoke mosaic, *made only once*

HANDCRAFTED TO ORDER

Natural marble at 5 mm and hand-poured glass at 4 mm, drawn, cut and set for one address. Nothing is stock.

FREE WORLDWIDE SHIPPING

Mesh-backed, numbered and crated by panel sequence, with drawings and installation key — delivered anywhere.

LIFETIME WARRANTY

On materials and workmanship, with spares from the original batch kept against the commission record.

ENQUIRIES

Studio name and address °

Telephone · WhatsApp °

Email · Website °