



— MOSAIC ART STUDIO

Handcrafted
Natural
Marble & Glass
Mosaics
for *Luxury Interiors*
& *Exteriors*.

THE STUDIO

Where Roman craft meets the *modern room*.

The method is two thousand years old. The room it is cut for is yours.

Stone and glass are cut by hand and set **one stone at a time**, the setting lines drawn before the first tessera is laid — the way the Roman workshops did it, and the reason a mosaic moves with the light instead of sitting flat.

What has changed is everything around the bench: the drawings, the tolerances, the adhesives. The work arrives cut to the millimetre — and still made the slow way.

Start with nothing more than an idea. We draw it with you, then cut it to your own **size and colours** — any dimension, any outline, from forty-two natural marbles and the full glass range. And because it is only stone and glass, it goes anywhere the design does: **indoors or out**, wall or floor, dry or underwater.

15+

YEARS OF EXPERIENCE

100%

HAND-CUT STONE

Custom

TO YOUR DRAWING

Free

MASTER SKETCH

Insured


FREE WORLDWIDE SHIPPING

Lifetime

WARRANTY

THE DETAIL

*Thousands of tesserae,
placed by hand.*



Everything is decided by hand,
then held to a drawing.

*Thousands of tesserae,
placed by hand.*



STONE

Blocks selected for vein direction. The edge you see is cut, not moulded.


GLASS

Colour runs through the full body. Metal leaf sits between layers, so it keeps its lustre wet.

SETTING

The *andamento* is drawn before assembly. It is what makes a mosaic move with the light.

Three ways to hold a design in stone.



Handcut mosaic

HANDCUT MOSAIC


Cut and set by hand from 3 mm stone and 4 mm glass, delivered mesh-backed and numbered.



Roman technique, polished

ROMAN TECHNIQUE, POLISHED

Irregular natural tesserae laid in the ancient Roman method, then hand-polished to a flat, deep-lustre surface.



Framed

FRAMED

A frame made for the piece it surrounds. Turns a mosaic into a hung artwork rather than a fixed surface.

CUSTOMISATION

If you can imagine it,
we can *hand-cut it in stone*.

Nothing comes from a catalogue — and you see a free master sketch and rendering of the piece in your own room before a single tessera is cut.

01

SIZE

Cut to your drawing, not to a standard sheet. Irregular outlines and curved edges included.

02

COLOUR

Forty-two marbles, six engineered stones, the full glass range — or matched to a fabric or paint reference.

03

DESIGN


Your artwork, a photograph, a monogram, a historical pattern — or an original drawn to your brief.

What you specify, and what we decide together.

VARIABLE	RANGE	DECIDED BY
Size & shape	Any dimension, any outline — medallions, full walls, stair risers, pool floors, table tops, framed panels	Client drawing
Composition	Figurative, portrait, botanical, geometric, nautical, historical — or an original to your brief	Studio, to brief
Palette	42 natural marbles · 6 engineered stones · full glass and metal-leaf range	Together
Tessera scale	Fine work for detail, broader cuts for distance — set against viewing range	Studio
Surface finish	Polished, honed, tumbled, Roman polished	Together
Edge & frame	Mesh-backed square edge, bevelled border, or a made frame	Together
Rendering	A free visual of the finished mosaic in your own space, before cutting	Studio — at no cost

Made to be looked at through water.

- ◇ Frost, salt and chemical resistant
- ◇ 24k gold and silver leaf keeps its lustre wet
- ◇ Full-bodied glass — colour never fades
- ◇ Floors, walls, waterlines, steps and coping







Spa & water feature

Medallion, lit at night

FURNITURE


A mosaic you can sit at, and sit on.

- Any diameter — round, oval or square, to your drawing
- Supplied as a top, or on a base we fabricate
- Benches curved or straight, free-standing or built in
- Frost-resistant and weatherproof for terrace and garden



The one room looked at
from two feet away.

- ◇ Water absorption $\leq 0.5\%$ to ASTM C373
- ◇ Wet-area slip resistance DCOF ≥ 0.42
- ◇ Epoxy adhesive and grout throughout
- ◇ Mesh-backed panels cut around niches, benches and drains





KITCHENS & SPLASHBACKS

The wall a family stands
in front of every day.

- ◇ Grout joint ~1 mm — a nearly continuous surface
- ◇ Epoxy grout: no staining from oil, wine or citrus
- ◇ Cut around sockets, rails and extractor returns
- ◇ Scaled to the run so the pattern completes at both ends



Island face

*Cooker
panel*

*Border
detail*


Twenty collections, and none of them a limit.

A STARTING POINT, NOT A CATALOGUE — EVERY ONE RE-
CUT TO YOUR PALETTE AND DIMENSIONS

									
Flower 450+ DESIGNS	Geometric 360+ DESIGNS	Landscape 290+ DESIGNS	Bird 120+ DESIGNS	Nautical 110+ DESIGNS	Religious 100+ DESIGNS	Animal 85 DESIGNS	Tree 80+ DESIGNS	Portrait 75 DESIGNS	Roman 60+ DESIGNS
									
Abstract 43 DESIGNS	Food & wine 35 DESIGNS	Landmark 19 DESIGNS	Pattern 19 DESIGNS	Van Gogh 16 REPRODUCTIONS	Glass mosaic art 1,600+ DESIGNS	Backsplash 100+ DESIGNS	Table top 89 DESIGNS	Limited edition HAND-SIGNED SERIES	Studio specials ONE-OF-A-KIND

Natural marble — forty-two stones.


QUARRIED, NEVER DYED · SHADE AND VEIN VARY STONE TO STONE · SAMPLES ON REQUEST




Nero Marquina
01




Bardiglio Gray
02




Thassos White
03




Carrara White
04




Giallo Siena
05



Rosso Verona
06



Giallo Reale
07




Rojo Alicante
08




Emperador Dark
09




Emperador Red
10




Crema Marfil
11




Pink Rose
12




Lilac
13




Perlatto Royal
14




Honey Onyx
15




Beige Marfil
16




Rojo Valencia
17



Toast Beige
18




Noce
19




Amarillo Triana
20



Marron Emperador
21




Walnut
22




Light Taupe
23




Silver Grey
24




Light Beige
25



Ivory Cream
26




Snow White
27




Bianco Thassos
28



Bianco Carrara
29



Cloud Grey
30




Lavender
31



Grey Marble
32




Tundra Grey
33




Graphite
34




Dark Grey
35



Black Absolute
36



Sahara Verde
37



Verde Alpi
38




Verde Oliva
39



Verde Guatemala
40



Verde Suez
41




Verde Imperiale
42

Engineered stone & hand-poured glass.

GLASS COLOUR RUNS THROUGH THE FULL BODY · METAL
LEAF SEALED BETWEEN LAYERS


ENGINEERED STONE · SIX COLOURS




Cream
43




Ruby Red
44




Sky Blue
45



Ocean Blue
46




Turquoise
47



Cobalt Blue
48

HAND-POURED GLASS & METAL LEAF · INDICATIVE RANGE °



Oro 24k
24K GOLD LEAF



Oro Bianco
WHITE GOLD LEAF




Rame
COPPER LEAF




Gold Fleck
FLECK GLASS




Bianco Latte
OPAQUE



Avorio
OPAQUE




Sabbia
OPAQUE




Miele
TRANSPARENT



Ambra
TRANSPARENT




Corallo
OPAQUE




Rubino
TRANSPARENT



Melograno
OPAQUE



Rosa Antico
OPAQUE




Lilla
OPAQUE



Violetto
TRANSPARENT



Turchese
OPAQUE



Acquamarina
TRANSPARENT




Blu Turchino
OPAQUE




Blu Cobalto
TRANSPARENT



Blu Notte
OPAQUE




Verde Salvia
OPAQUE




Verde Smeraldo
TRANSPARENT




Grigio Perla
OPAQUE




Antracite
OPAQUE



Nero Specchio
MIRROR GLASS




Iridescente
SURFACE-FIRED




Terracotta
OPAQUE



Bronzo
METALLIC



Verde Menta
OPAQUE



Ghiaccio
TRANSPARENT

Product data.

FIGURES ROUNDED TO THE NEAREST WHOLE UNIT. EVERY MOSAIC IS WEATHERPROOF AND SUITABLE FOR INDOOR AND OUTDOOR INSTALLATION.

ITEM	SPECIFICATION
Natural stone	Marble, onyx, travertine and granite, selected for vein before cutting. Thickness 5 mm .
Hand-poured glass	Full-body colour, no cut edges to <u>oxidise</u> °. Thickness 4 mm . Metal-leaf glass with 24k gold, white gold or copper sealed between layers.
Engineered quartz	Natural quartz aggregate bound with resin. Mohs 7, water absorption approximately 0.02%. Thickness 8 mm .
Backing	Fibreglass netted mesh on every sheet and panel, so the trade fixes the tile and not the tessera.

ITEM	SPECIFICATION
Sheet size	300 × 300 mm nominal, joint ~1 mm. Panels numbered to a setting-out key.
Weight	Glass ≈ 10 kg/m². Stone 13–15 kg/m², by thickness.
Max single panel	<u>To confirm</u> ° — larger artworks split on the drawing and numbered.
Tolerance	Sheet within 1 mm; outline within <u>to confirm</u> °.
Applications	Walls and floors, interior and exterior, wet areas and fully submerged. Decorative and functional alike.

Material performance.

TESTED VALUES AGAINST RECOGNISED STANDARDS. BATCH CERTIFICATES ISSUED WITH THE ORDER.

NATURAL MARBLE

TEST	STANDARD	RESULT
Water absorption	ASTM C373	≤ 0.5%
Flexural strength	ASTM C880 / C1161	≥ 10 MPa
Compressive strength	ASTM C170	≥ 50 MPa
Thermal expansion	ASTM C531	Stable
Frost resistance	ASTM C650	Pass
Slip resistance	DIN 51130	R9–R11, by finish

HAND-POURED GLASS

TEST	STANDARD	RESULT
Water absorption	UNI EN ISO 10545-3	≈ 0%
Thermal shock	UNI EN ISO 10545-9	Resistant
Frost resistance	UNI EN ISO 10545-12	Resistant
Chemical resistance	UNI EN ISO 10545-13	Class A
Colour resistance	DIN 51094	No change
Bond strength	ASTM C482	≥ 350 kPa

Installation, site & care.

ANY COMPETENT TILING CONTRACTOR CAN FIX MESH-BACKED PANELS. THESE ARE THE CONDITIONS THE WORK NEEDS.

ITEM	REQUIREMENT
Substrate	Flat, sound, dry and free of contaminants before any mosaic is fixed.
Waterproofing	Required in showers, bathrooms, fountains and pools — a compliant tanking system applied and tested first.
Adhesive	Epoxy required for wet, outdoor and submerged work. White or light adhesive under translucent glass and pale stone.
Grouting	Unsanded epoxy on glass, mandatory in wet areas and pools. Grout colour changes how the whole piece reads — sampled first.
Movement joints	Mandatory at perimeters, internal corners and every change of plane; silicone, never rigid grout.

ITEM	REQUIREMENT
Slip resistance	DCOF ≥ 0.42 interior wet, ≥ 0.60 exterior. Honed and tumbled finishes hold more grip than polished.
Sealing	Required on marble. Penetrating sealer before grouting, and on the cycle the site specifies.
Cleaning	pH-neutral cleaner and a soft cloth. Never acidic, abrasive or bleach-based on natural stone.
Pool commissioning	Cure the adhesive and grout fully before filling; then balance the water before the surface is used.
Delivery	Crated by panel sequence with the setting-out key, material schedule and spare tesserae from the same batch.

Seven stages, one team, no hand-offs.



Built for the way studios actually work.

SUPPORT

- ◇ Named contact for the whole commission — design through installation
- ◇ Free master sketch and rendering of the mosaic in your space, for your client presentation
- ◇ Complimentary design consultation with our in-house interior designers
- ◇ Physical sample boards and material layouts for client meetings
- ◇ Specification, technical data and maintenance sheets for your file
- ◇ Site measurement and installation supervision

PROGRAMME

Design & approval	<u>To confirm °</u>
Production	<u>To confirm °</u>
Delivery	Worldwide, free and insured
Minimum order	<u>To confirm °</u>

Lifetime warranty

On materials and workmanship. Replacement tesserae from the original batch stay available against the commission record for years.

COMMERCIAL

- ◇ Trade pricing for architects, interior designers and contractors
- ◇ Fixed quotation against an approved drawing — no square-metre creep
- ◇ Staged payment aligned to design, production and delivery
- ◇ Spare tesserae from the same batch supplied with every commission
- ◇ Free insured worldwide shipping, direct from the studio
- ◇ Satisfaction promise on the finished work

BEGINNING A COMMISSION

Send us a drawing
and a reference.
We will do the rest.

WHAT HELPS US QUOTE QUICKLY

- ◇ Finished dimensions, or a plan with a scale
- ◇ The surface it will sit on, and whether it is wet, submerged or exterior
- ◇ Reference images — anything from a photograph to a colour swatch
- ◇ The site programme, and when the mosaic is needed

G
vide,
the

LIFETIME
WARRANTY

On materials and
workmanship

A completed commission, installed



Bespoke mosaic, *made only once*

HANDCRAFTED TO ORDER

Natural marble and hand-poured glass, cut and set for
one room

FREE INSURED WORLDWIDE SHIPPING

Crated by panel sequence with drawings and spare
tesserae

LIFETIME WARRANTY

On materials and workmanship, against the
commission record

ENQUIRIES

Studio name and address ° · Telephone ° · Email ° · Website °