



— MOSAIC ART STUDIO

Handcrafted
Natural
Marble & Glass
Mosaics
for *Luxury Interiors*
& *Exteriors*.

THE STUDIO

Where Roman Craft Meets *Modern Design*

For over two thousand years, mosaic has transformed architecture through the meticulous placement of individual pieces of stone and glass. We preserve that traditional craftsmanship while adapting it to the scale, precision, and creative requirements of contemporary spaces.

Every project is made to order. Starting from a concept, artwork, logo, pattern, or architectural drawing, our designers develop a custom mosaic tailored to the project's exact dimensions, shape, colors, materials, and application.

Our artisans then bring the design to life one tessera at a time, using natural marble and glass to create pieces for interiors, exteriors, floors, walls, pools, hospitality spaces, commercial environments, and large-scale architectural installations.

From a single statement piece to a multi-surface project, we collaborate with architects, interior designers, developers, contractors, and hospitality professionals from concept and rendering through production and delivery.

Ancient technique. Contemporary design. Made entirely for your project.

15+

YEARS OF EXPERIENCE

100%

HAND-CUT STONE

Custom

TO YOUR DRAWING

Free

MASTER SKETCH

Insured

FREE WORLDWIDE SHIPPING

Lifetime

WARRANTY






THE DETAIL

*Thousands of tesserae,
placed by hand.*



Directly from our workshop.

Nothing here is staged. Every commission is photographed at the bench as it is cut and set, and those photographs go to the client as the work grows.



STONE CUT FOR VEIN DIRECTION : GLASS COLOURED THROUGH THE BODY : THE *andamento* DRAWN BEFORE ASSEMBLY : MARBLE, ONYX AND HAND-POURED GLASS ON FIBREGLASS MESH

Made to be looked at through water.





- ◇ Frost, salt and chemical resistant
- ◇ Full-bodied glass — colour never fades
- ◇ 24k gold and silver leaf keeps its lustre wet
- ◇ Floors, waterlines, steps, coping and water features



A villa pool at dusk



Indoor pool, gold medallion



Lap pool, woven border



TABLE TOPS & BENCHES — INSTALLED

A mosaic you can sit at, and sit on.


- Any diameter — round, oval or square, to your drawing
- Supplied as a top, or on a base we fabricate
- Benches curved or straight, free-standing or built in
- Frost-resistant and weatherproof for terrace and garden



Mosaic belongs in wet areas.


Stone and glass were the original wet-area surface, and they still are. Set on a tanked substrate in epoxy, a mosaic goes anywhere water goes — shower walls and ceilings, steam rooms, wet-room floors, bath surrounds, hammams and spas — and stays there.

- Water absorption $\leq 0.5\%$ to ASTM C373
- Wet-area slip resistance DCOF ≥ 0.42
- Epoxy adhesive and grout throughout
- Cut around niches, benches, drains and glass




The wall a family stands in front of every day.

- ◇ Grout joint ~1 mm — a nearly continuous surface
- ◇ Epoxy grout: no staining from oil, wine or citrus
- ◇ Cut around sockets, rails and extractor returns
- ◇ Scaled to the run so the pattern completes at both ends



Island face or border detail

Three ways to hold a design in stone.



Handcut mosaic

HANDCUT MOSAIC


Cut and set by hand from 3 mm stone and 4 mm glass, delivered mesh-backed and numbered.



Roman technique, polished

ROMAN TECHNIQUE, POLISHED

Irregular natural tesserae laid in the ancient Roman method, then hand-polished to a flat, deep-lustre surface.



Framed

FRAMED

A frame made for the piece it surrounds. Turns a mosaic into a hung artwork rather than a fixed surface.

CUSTOMISATION

If you can imagine it,
we can *hand-cut it in stone*.

Nothing comes from a catalogue — and you see a free master sketch and rendering of the piece in your own room before a single tessera is cut.

01

SIZE

Cut to your drawing, not to a standard sheet. Irregular outlines and curved edges included.

02

COLOUR

Forty-two marbles, six engineered stones, the full glass range — or matched to a fabric or paint reference.

03

DESIGN



Your artwork, a photograph, a monogram, a historical pattern — or an original drawn to your brief.

What you specify, and what we decide together.

VARIABLE	RANGE	DECIDED BY
Size & shape	Any dimension, any outline — medallions, full walls, stair risers, pool floors, table tops, framed panels	Client drawing
Composition	Figurative, portrait, botanical, geometric, nautical, historical — or an original to your brief	Studio, to brief
Palette	42 natural marbles · 6 engineered stones · full glass and metal-leaf range	Together
Tessera scale	Fine work for detail, broader cuts for distance — set against viewing range	Studio
Surface finish	Polished, honed, tumbled, Roman polished	Together
Edge & frame	Mesh-backed square edge, bevelled border, or a made frame	Together
Rendering	A free visual of the finished mosaic in your own space, before cutting	Studio — at no cost

Twenty collections, and none of them a limit.

A STARTING POINT, NOT A CATALOGUE — EVERY ONE RE-
CUT TO YOUR PALETTE AND DIMENSIONS

									
Flower 450+ DESIGNS	Geometric 360+ DESIGNS	Landscape 290+ DESIGNS	Bird 120+ DESIGNS	Nautical 110+ DESIGNS	Religious 100+ DESIGNS	Animal 85 DESIGNS	Tree 80+ DESIGNS	Portrait 75 DESIGNS	Roman 60+ DESIGNS
									
Abstract 43 DESIGNS	Food & wine 35 DESIGNS	Landmark 19 DESIGNS	Pattern 19 DESIGNS	Van Gogh 16 REPRODUCTIONS	Glass mosaic art 1,600+ DESIGNS	Backsplash 100+ DESIGNS	Table top 89 DESIGNS	Limited edition HAND-SIGNED SERIES	Studio specials ONE-OF-A-KIND

Natural marble — forty-two stones.

QUARRIED, NEVER DYED · SHADE AND VEIN VARY STONE TO STONE · SAMPLES ON REQUEST



Nero Marquina
01



Bardiglio Gray
02



Thassos White
03



Carrara White
04



Giallo Siena
05



Rosso Verona
06



Giallo Reale
07



Rojo Alicante
08



Emperador Dark
09



Emperador Red
10



Crema Marfil
11



Pink Rose
12



Lilac
13



Perlatto Royal
14



Honey Onyx
15



Beige Marfil
16



Rojo Valencia
17



Toast Beige
18



Noce
19



Amarillo Triana
20



Marron Emperador
21



Walnut
22



Light Taupe
23



Silver Grey
24



Light Beige
25



Ivory Cream
26



Snow White
27



Bianco Thassos
28



Bianco Carrara
29



Cloud Grey
30




Lavender
31



Grey Marble
32




Tundra Grey
33




Graphite
34




Dark Grey
35



Black Absolute
36



Sahara Verde
37



Verde Alpi
38




Verde Oliva
39



Verde Guatemala
40



Verde Suez
41



Verde Imperiale
42

Engineered stone & hand-poured glass.

GLASS COLOUR RUNS THROUGH THE FULL BODY · METAL
LEAF SEALED BETWEEN LAYERS

ENGINEERED STONE · SIX COLOURS



Cream
43



Ruby Red
44



Sky Blue
45



Ocean Blue
46



Turquoise
47



Cobalt Blue
48

HAND-POURED GLASS & METAL LEAF · INDICATIVE RANGE °



Oro 24k
24K GOLD LEAF



Oro Bianco
WHITE GOLD LEAF



Rame
COPPER LEAF




Gold Fleck
FLECK GLASS




Bianco Latte
OPAQUE



Avorio
OPAQUE




Sabbia
OPAQUE



Miele
TRANSPARENT



Ambra
TRANSPARENT



Corallo
OPAQUE



Rubino
TRANSPARENT



Melograno
OPAQUE



Rosa Antico
OPAQUE



Lilla
OPAQUE



Violetto
TRANSPARENT



Turchese
OPAQUE



Acquamarina
TRANSPARENT




Blu Turchino
OPAQUE



Blu Cobalto
TRANSPARENT



Blu Notte
OPAQUE



Verde Salvia
OPAQUE



Verde Smeraldo
TRANSPARENT



Grigio Perla
OPAQUE



Antracite
OPAQUE



Nero Specchio
MIRROR GLASS




Iridescente
SURFACE-FIRED




Terracotta
OPAQUE



Bronzo
METALLIC



Verde Menta
OPAQUE



Ghiaccio
TRANSPARENT

Product data.

FIGURES ROUNDED TO THE NEAREST WHOLE UNIT. EVERY MOSAIC IS WEATHERPROOF AND SUITABLE FOR INDOOR AND OUTDOOR INSTALLATION.

ITEM	SPECIFICATION
Natural stone	Marble, onyx, travertine and granite, selected for vein before cutting. Thickness 5 mm .
Hand-poured glass	Full-body colour, no cut edges to <u>oxidise</u> °. Thickness 4 mm . Metal-leaf glass with 24k gold, white gold or copper sealed between layers.
Engineered quartz	Natural quartz aggregate bound with resin. Mohs 7, water absorption approximately 0.02%. Thickness 8 mm .
Backing	Fibreglass netted mesh on every sheet and panel, so the trade fixes the tile and not the tessera.

ITEM	SPECIFICATION
Sheet size	300 × 300 mm nominal, joint ~1 mm. Panels numbered to a setting-out key.
Weight	Glass ≈ 10 kg/m². Stone 13–15 kg/m², by thickness.
Max single panel	<u>To confirm</u> ° — larger artworks split on the drawing and numbered.
Tolerance	Sheet within 1 mm; outline within <u>to confirm</u> °.
Applications	Walls and floors, interior and exterior, wet areas and fully submerged. Decorative and functional alike.

Material performance.

TESTED VALUES AGAINST RECOGNISED STANDARDS. BATCH CERTIFICATES ISSUED WITH THE ORDER.

NATURAL MARBLE

TEST	STANDARD	RESULT
Water absorption	ASTM C373	≤ 0.5%
Flexural strength	ASTM C880 / C1161	≥ 10 MPa
Compressive strength	ASTM C170	≥ 50 MPa
Thermal expansion	ASTM C531	Stable
Frost resistance	ASTM C650	Pass
Slip resistance	DIN 51130	R9–R11, by finish

HAND-POURED GLASS

TEST	STANDARD	RESULT
Water absorption	UNI EN ISO 10545-3	≈ 0%
Thermal shock	UNI EN ISO 10545-9	Resistant
Frost resistance	UNI EN ISO 10545-12	Resistant
Chemical resistance	UNI EN ISO 10545-13	Class A
Colour resistance	DIN 51094	No change
Bond strength	ASTM C482	≥ 350 kPa

Installation, site & care.

ANY COMPETENT TILING CONTRACTOR CAN FIX MESH-BACKED PANELS. THESE ARE THE CONDITIONS THE WORK NEEDS.

ITEM	REQUIREMENT
Substrate	Flat, sound, dry and free of contaminants before any mosaic is fixed.
Waterproofing	Required in showers, bathrooms, fountains and pools — a compliant tanking system applied and tested first.
Adhesive	Epoxy required for wet, outdoor and submerged work. White or light adhesive under translucent glass and pale stone.
Grouting	Unsanded epoxy on glass, mandatory in wet areas and pools. Grout colour changes how the whole piece reads — sampled first.
Movement joints	Mandatory at perimeters, internal corners and every change of plane; silicone, never rigid grout.

ITEM	REQUIREMENT
Slip resistance	DCOF ≥ 0.42 interior wet, ≥ 0.60 exterior. Honed and tumbled finishes hold more grip than polished.
Sealing	Required on marble. Penetrating sealer before grouting, and on the cycle the site specifies.
Cleaning	pH-neutral cleaner and a soft cloth. Never acidic, abrasive or bleach-based on natural stone.
Pool commissioning	Cure the adhesive and grout fully before filling; then balance the water before the surface is used.
Delivery	Crated by panel sequence with the setting-out key, material schedule and spare tesserae from the same batch.

Seven stages, one team, no hand-offs.



Built for the way studios actually work.

SUPPORT

- ◇ Named contact for the whole commission — design through installation
- ◇ Free master sketch and rendering of the mosaic in your space, for your client presentation
- ◇ Complimentary design consultation with our in-house interior designers
- ◇ Physical sample boards and material layouts for client meetings
- ◇ Specification, technical data and maintenance sheets for your file
- ◇ Site measurement and installation supervision

PROGRAMME

Design & approval	<u>To confirm °</u>
Production	<u>To confirm °</u>
Delivery	Worldwide, free and insured
Minimum order	<u>To confirm °</u>

Lifetime warranty

On materials and workmanship. Replacement tesserae from the original batch stay available against the commission record for years.

COMMERCIAL

- ◇ Trade pricing for architects, interior designers and contractors
- ◇ Fixed quotation against an approved drawing — no square-metre creep
- ◇ Staged payment aligned to design, production and delivery
- ◇ Spare tesserae from the same batch supplied with every commission
- ◇ Free insured worldwide shipping, direct from the studio
- ◇ Satisfaction promise on the finished work

BEGINNING A COMMISSION

Send us a drawing
and a reference.
We will do the rest.

WHAT HELPS US QUOTE QUICKLY

- ◇ Finished dimensions, or a plan with a scale
- ◇ The surface it will sit on, and whether it is wet, submerged or exterior
- ◇ Reference images — anything from a photograph to a colour swatch
- ◇ The site programme, and when the mosaic is needed

Give us a
size, and
the location.
We'll provide a
LIFETIME
WARRANTY
On materials and
workmanship



Bespoke mosaic, *made only once*

HANDCRAFTED TO ORDER

Natural marble and hand-poured glass, cut and set for
one room

FREE INSURED WORLDWIDE SHIPPING

Crated by panel sequence with drawings and spare
tesserae

LIFETIME WARRANTY

On materials and workmanship, against the
commission record

ENQUIRIES

Studio name and address ° · Telephone ° · Email ° · Website °