

COVER PHOTOGRAPH

*Completed marble & glass mosaic, shot at a raking angle
so the gold leaf and the cut lines catch the light*

PORTRAIT OR SQUARE CROP · MIN 3000 PX ON THE LONG EDGE

Bespoke Mosaic *in Marble & Glass*

A commission studio for architects, designers and developers —
where a drawing, a photograph or a single colour reference
becomes hand-cut stone and hand-poured glass, made to the exact
dimensions of your space.

Our atelier has expanded — and with it, what we can make for you.

Three capabilities are now open to trade partners, and every one of them exists for a single reason: to remove the limits on what a client can ask for.

For years the constraint in mosaic work has not been skill — it has been scale, palette and time. A design had to be simplified to fit the stock, the panel sizes had to suit the workshop rather than the wall, and a bespoke colour meant a season of waiting.

We have rebuilt the studio around the opposite premise. The design desk, the stone saws, the glass and the fitting team now sit inside one process, so a commission moves from reference image to installed surface without ever being handed to a third party — and without being edited down to what was convenient to produce.

*The question is no longer what we can supply.
It is what you would like made.*

I

Marble and glass, fused in one composition

Hand-cut stone and hand-poured glass, including 24k gold-leaf tesserae, set in the same artwork — stone for depth and vein, glass for light and saturation.

II

Customisation without a catalogue

No fixed range to choose from. You supply artwork, a mood, a material sample or a photograph; we return a cutting drawing and a physical colour lay-up for approval.

III

Made to the millimetre of your drawing

Panels are set out to your site dimensions, numbered, and delivered with an installation key — so what leaves the atelier fits the wall it was measured for.

Everything is decided by hand,
then held to a drawing.

ATELIER PHOTOGRAPH

*Hands at the bench — cutting, nipping
or setting tesserae*

3:4 PORTRAIT · MIN 2400 PX

MACRO PHOTOGRAPH

*Close detail where marble meets glass
and gold leaf*

3:4 PORTRAIT · MIN 2400 PX

STONE

Blocks are selected for vein direction before a single cut is made, so a figure runs through the finished composition rather than across it. Tesserae are split and dressed by hand — the edge you see is a cut edge, not a moulded one.

GLASS

Hand-poured glass carries colour through its full body, so a chipped or cut face reveals the same tone. Gold and white-gold leaf are laid between glass layers, which is why the metal keeps its lustre in wet areas.

SETTING

The flow of the setting lines — the *andamento* — is drawn before assembly. It is the difference between a picture made of tiles and a mosaic that moves with the light in the room.

If it can be drawn, photographed or described, it can be cut.

Customisation here is not a choice between options. It is the whole method: every commission begins as a blank sheet and your reference, and ends as a numbered set of panels that exist nowhere else.



SIX VARIABLES, OPEN ON EVERY COMMISSION

Subject A figurative scene, a house monogram, a repeating geometric, a stone-on-stone pattern, or an abstract field of colour.	Palette Matched to a fabric, a paint reference, a metal finish or an existing stone already on site.	Tessera scale Fine cutting for portraiture and detail; larger tesserae where the piece is read from across a room.
Finish Polished, honed, brushed or tumbled stone, set against gloss, satin or iridescent glass.	Format Floor medallion, full wall, splashback, stair riser, pool or hammam lining, table top, framed panel.	Edge & border Cut to an irregular outline, framed in a contrasting stone band, or bordered in metal trim.

What you specify, and what we decide together.

Every line below is open on every commission. Where a project brief is silent, the atelier proposes — and nothing is cut before the drawing and the physical lay-up are signed off.

VARIABLE	AVAILABLE RANGE	DECIDED BY
Design origin	Client artwork, photograph, fabric or wallpaper reference, historical pattern, architect's drawing, or an original design developed in the studio	Client / studio
Composition style	Figurative, portrait, botanical, geometric, arabesque, <i>opus</i> patterns, gradient field, plain stone-on-stone	Client / studio
Materials	Natural marble, onyx, travertine and granite; engineered quartz; hand-poured glass; 24k gold, white-gold and copper leaf glass; mirror glass; mother-of-pearl inserts	Client
Tessera size	Micro-cut from 5 mm, standard 10 / 15 / 20 mm, large-format above 20 mm, and free-form hand-cut shapes within one piece	Studio, to viewing distance
Cut style	Hand-nipped irregular, precision water-jet, or the two combined — water-jet for the outline, hand-cut for the field	Studio
Surface finish	Polished, honed, brushed, tumbled, sand-blasted; gloss, satin or iridescent glass	Client
Grout	Colour-matched or deliberately contrasting; epoxy for wet and submerged areas	Client / studio
Format & size	Cut to your dimensions — medallions, borders, full walls, floors, stair risers, pool and hammam linings, table tops, framed panels	Client's drawing
Backing & delivery	Mesh backing as standard on every sheet and panel, numbered to the installation key	Standard
Edge treatment	Straight cut, irregular outline, contrasting stone border, or metal trim	Client

APPROVAL SET

What you receive before production

- ◇ Scaled colour visual of the design in situ
- ◇ Cutting drawing with panel divisions and setting-out lines
- ◇ Physical material lay-up of the exact stones and glass

STUDIO PHOTOGRAPH

*A material lay-up or sample board —
stone and glass arranged for approval*


4:3 LANDSCAPE · MIN 2000 PX

Marble, natural stone & quartz


A working selection of the stones most often specified. Natural material varies block to block — these are representations, and every commission is confirmed against physical samples cut from the block reserved for your project. Stones outside this chart are sourced to order.




Bianco Carrara
ITALY · HONED




Statuario
ITALY · POLISHED




Calacatta Oro
ITALY · POLISHED



Thassos White
GREECE · HONED



Crema Marfil
SPAIN · POLISHED



Bianco Perlino
ITALY · BRUSHED



Travertino Navona
ITALY · FILLED



Botticino
ITALY · POLISHED



Giallo Siena
ITALY · POLISHED



Onice Miele
IRAN · POLISHED




Rosa Portogallo
PORTUGAL · POLISHED



Rosso Verona
ITALY · HONED



Marrone Imperiale
ITALY · POLISHED



Emperador Dark
SPAIN · POLISHED



Noce Travertine
TURKEY · HONED




Pietra Grey
IRAN · HONED



Bardiglio
ITALY · HONED



Grigio Carnico
ITALY · POLISHED



Nero Marquina
SPAIN · POLISHED



Verde Alpi
ITALY · POLISHED



Verde Guatemala
INDIA · POLISHED




Breccia Oniciata
ITALY · POLISHED




Azul Macaubas
BRAZIL · POLISHED




Sodalite Blue
BOLIVIA · POLISHED




Quartz Bianco
QUARTZ · POLISHED



Quartz Calacatta
QUARTZ · POLISHED



Quartz Grigio
QUARTZ · HONED



Quartz Sabbia
QUARTZ · POLISHED



Quartz Antracite
QUARTZ · HONED



Quartz Nero
QUARTZ · POLISHED

VEIN MATCHING

Book-matched and vein-continuous layouts available where the design runs across multiple panels.

FINISH SAMPLES

Any stone can be supplied polished, honed, brushed or tumbled — the same colour reads differently in each.

BESPOKE SOURCING

Matching to a stone already installed on site: send a sample or a photograph with a colour reference.

Hand-poured glass & metal leaf

Colour runs through the full body of the glass, so cut edges hold their tone. Gold, white-gold and copper leaf are sealed between glass layers — which is why they can be used in showers, hammams and submerged pool work without dulling.



Oro 24k
24K GOLD LEAF



Oro Bianco
WHITE GOLD LEAF



Rame
COPPER LEAF




Gold Fleck
FLECK GLASS



Bianco Latte
OPAQUE



Avorio
OPAQUE



Sabbia
OPAQUE



Miele
TRANSPARENT



Ambra
TRANSPARENT



Corallo
OPAQUE



Rubino
TRANSPARENT



Melograno
OPAQUE



Rosa Antico
OPAQUE



Lilla
OPAQUE



Violetto
TRANSPARENT



Turchese
OPAQUE



Acquamarina
TRANSPARENT



Blu Turchino
OPAQUE



Blu Cobalto
TRANSPARENT



Blu Notte
OPAQUE



Verde Salvia
OPAQUE



Verde Smeraldo
TRANSPARENT



Grigio Perla
OPAQUE



Antracite
OPAQUE



Nero Specchio
MIRROR GLASS



Iridescente
SURFACE-FIRED



Terracotta
OPAQUE



Bronzo
METALLIC



Verde Menta
OPAQUE



Ghiaccio
TRANSPARENT

BESPOKE COLOUR

Glass poured to a colour reference — a fabric, a paint code or a metal finish — for projects above the bespoke-pour minimum.

GRADIENTS

Tonal families of five to nine steps are made up per commission so a sky, a sea or a skin tone reads continuously.

MIXED SETTING

Glass (4 mm) is set flush with stone (5 mm) in the same field; the 1 mm difference is taken up in the bedding, so the finished surface is level.

Product data.

Written for the specifier's file. Figures followed by a small ring are the atelier's to confirm; everything else is fixed.

ITEM	SPECIFICATION
Natural stone	Marble, onyx, travertine and granite, selected for vein before cutting. Thickness 5 mm
Hand-poured glass	Full-body colour, so cut edges hold their tone. Thickness 4 mm . Metal-leaf glass with 24k gold, white gold or copper sealed between layers
Engineered quartz	Natural quartz aggregate bound with MDI resin for mechanical strength and moisture resistance. Dense, non-porous, wear-resistant. Thickness 8 mm
Manufacture	100% handmade — every tessera hand-cut and assembled by artisans, never machine-pressed or printed
Tessera sizes	Stone typically 5, 7 and 10 mm; glass 10 × 10, 15 × 15 and 20 × 20 mm; free-form hand-cut shapes within the same artwork on commission
Sheet size	300 × 300 mm (12 × 12 in); artwork panels cut to the project drawing and numbered, maximum single panel on enquiry °
Joint (grout line)	Approximately 1 mm , adjustable to the design and the tessera scale
Backing	Fibreglass netted mesh on every sheet and panel, so the work is fixed like tile and no loose tesserae are handled on site
Weight	Approximately 10 kg/m ² in 4 mm glass and 13–15 kg/m ² in 5 mm stone, before adhesive
Finishes	Stone: polished (gloss) or honed (smooth matte); brushed and tumbled on request ° . Glass: gloss, satin, iridescent, mirror
Tolerance	Panel outline ±1 mm ° ; panels dry-assembled and checked against the cutting drawing before dispatch
Applications	Walls and floors, interior and exterior, including wet areas such as showers and pools, when correctly installed, grouted and sealed
Colour variation	Natural stone varies block to block; a commission is cut from reserved material and confirmed against a physical lay-up. Glass is matched by pour batch
Spares	Loose tesserae from the same batch supplied with every commission, and the batch recorded against the project

Performance — hand-poured glass.

Zero water absorption is what puts this glass under water and outdoors: in a pool, a hammam or a sunlit courtyard it neither takes up water nor loses its colour.

TEST	RESULT	STANDARD
Water absorption	None	UNI EN ISO 10545-3 / ASTM C373
Chemical resistance	Resistant	UNI EN ISO 10545-13
Thermal shock resistance	Resistant	UNI EN ISO 10545-9 / ASTM C484
Frost resistance	Resistant	ASTM
Colour resistance to fading	Resistant	UNI EN ISO 10545-12 / DIN 51094
Bond strength	Passes	ASTM C482
Crazing resistance	Passes	ASTM C424

UNDER WATER

No absorption and no crazing: the same glass is specified for pool floors, fountains and hammam linings, with the metal leaf sealed between layers.

IN SUNLIGHT

Colour is in the body of the glass, not on its surface, so an exterior composition holds its tone rather than bleaching over seasons.

A NOTE ON HAND-MADE WORK

Because every tessera is hand-cut, these values are indicative and based on recognised international standards rather than batch certificates.

Installation & site.

Mesh-backed panels are fixed by any competent tiling contractor. These are the conditions the work needs from the site.

ITEM	REQUIREMENT
Substrate	Required. Clean, flat and structurally sound; dry and free of contaminants before any mosaic is fixed
Waterproofing	Required in showers, hammams, fountains and pools: a compliant tanking system, applied and tested first
Adhesive	Epoxy adhesive recommended, and required for wet, outdoor and submerged areas. White adhesive is essential beneath translucent glass and pale stone
Fixing	Full bed, back-buttered on larger panels, mesh pressed fully into the adhesive. Floating method where a design mixes materials of different thickness
Grout	Mandatory in wet and outdoor areas. Epoxy grout recommended throughout — non-porous and chemical-resistant
Movement joints	Mandatory. Carried through the mosaic to the project's own layout, with silicone at every change of plane
Slip resistance	DCOF ≥ 0.42 interior wet and ≥ 0.60 exterior, to local code. Honed (R11) rather than polished (R10) where a floor gets wet
Sealing	Required on marble , particularly in wet and exterior areas, after grouting
Curing	Full adhesive cure before grouting, and before filling pools or fountains — allow 14–28 days [°] depending on system and conditions
Site conditions	A controlled environment: avoid extreme temperatures during fixing and curing, and protect from direct sun and draught
Protection	Covered and protected from following trades until hand-over; final clean by the installing team
Documentation	Cutting drawing, numbered installation key, material schedule and maintenance sheet issued with every delivery

Care & maintenance.

One page to hand to the client or the facilities team. Followed, it keeps a mosaic looking the way it did on the day it was signed off.

RECOMMENDED

Regular cleaning

pH-neutral stone or glass cleaners, and nothing stronger for routine work.

Annual protection

A two-in-one colour enhancer and sealer applied once a year on natural stone.

Immediate spill clean-up

Wipe spills promptly — most staining on stone is a spill that was left.

AVOID

Acidic cleaners

They etch and damage natural stone surfaces, and the damage is permanent.

Abrasive products

Pads and powders scratch polished finishes and dull the shine, and they will mark metal leaf.

Harsh chemicals

Bleach and ammonia discolour grout and surfaces alike.

ON HAND-OVER

Final clean and the first seal are carried out by the installing team, and the maintenance sheet is handed over with the panel key.

ONCE A YEAR

Re-apply the two-in-one colour enhancer and sealer on natural stone — more often in a shower, a pool surround or an exterior courtyard.

BEFORE ANY REPAIR

Quote the commission reference. The material record tells us which stones and which pour batch to match, decades after delivery.

ASSURANCE

Lifetime warranty, and spares kept against the record

Every commission carries a lifetime warranty on materials and workmanship. Loose tesserae from the same batch ship with the order, and the batch stays recorded against the project — so a repair or an extension years later matches the original.

Seven stages, one team, no hand-offs.

01

Brief

Drawings, dimensions, references and the feeling you are after. A site visit or a video walk-through where possible.

02

Design

The studio develops the composition and returns a scaled visual set in your space, with alternatives on palette and tessera scale.

03

Material lay-up

The actual stones and glass are cut and laid up physically, photographed and sent — or presented in person — for sign-off.

04

Cutting drawing

Setting-out lines, panel divisions and a numbered key are issued, coordinated with the site programme.

05

Atelier production

Cutting and setting by hand at the bench, photographed at agreed stages so the client sees the work as it grows.

06

Delivery

Crated by panel sequence with the installation key, material schedule and spare tesserae from the same batch.

07

Installation

Fitted by our own team, or by your contractor with our drawings and remote supervision. Final clean, seal and hand-over.

KEPT THROUGHOUT

One contact, one drawing set, one record

Every approval, revision and batch is recorded against the commission — so a repair or an extension years later is matched to the original material.

Work in progress — the part most clients never get to see.

Commissions are photographed at the bench as they grow. It is also how a client approves a change while changing it is still easy.

WORK IN PROGRESS · 01

*Design drawn out at full size
before cutting begins*

4:3 · MIN 2000 PX

SETTING OUT AT FULL SCALE

WORK IN PROGRESS · 02

*Cutting and nipping at the bench —
stone dust, tools, hands*

4:3 · MIN 2000 PX

CUTTING BY HAND

WORK IN PROGRESS · 03

*A panel part-finished, showing
bare mesh beside set tesserae*

4:3 · MIN 2000 PX

HALF-SET PANEL ON MESH BACKING

WORK IN PROGRESS · 04

*Panels numbered and crated,
ready to leave the atelier*

4:3 · MIN 2000 PX

NUMBERED FOR DELIVERY

Finished work, before it leaves us.

COMPLETED MOSAIC · HERO

*The strongest finished piece, photographed square-on
and evenly lit, whole artwork in frame*

3:2 LANDSCAPE · MIN 3000 PX

FULL ARTWORK — MARBLE, GLASS AND GOLD LEAF

COMPLETED · DETAIL

*Macro of the same piece —
cut lines and gold*

4:3 · MIN 2000 PX

DETAIL AT READING DISTANCE

COMPLETED · SECOND PIECE

*A contrasting commission —
different palette or subject*

4:3 · MIN 2000 PX

A SECOND COMMISSION, DIFFERENT PALETTE

INSTALLED PHOTOGRAPH

*The mosaic in its finished room — floor medallion, feature wall,
hammam or pool — with the architecture around it*

FULL-PAGE PORTRAIT CROP · MIN 3000 PX ON THE LONG EDGE

INSTALLED

In place, lit, and living with the room.

A mosaic is finished only once it is on the wall or the floor it was drawn for. Panels arrive numbered and mesh-backed; fitting is carried out by our team, or by your contractor working to our drawings with supervision from the studio.

Where trade partners put this work.

Hospitality

Lobby floor medallions, reception features, spa and hammam linings, signature walls in restaurants and bars. Custom work that photographs — and that a guest remembers the property by.

Private residential

Entrance halls, stair risers, bathroom and shower walls, kitchen splashbacks, house monograms, pool floors and courtyard fountains.

Retail & hospitality interiors

Shopfront thresholds, brand motifs rendered in stone rather than vinyl, feature niches and display plinths built to the fit-out programme.

Places of significance

Commemorative panels, calligraphic and geometric compositions, restoration and extension of existing mosaic where the original material must be matched.

01

*Hospitality
installation*

1:1

02

*Bathroom
or hammam*

1:1

03

*Pool or
fountain*

1:1

04

*Floor medallion
or threshold*

1:1

Built for the way studios actually work.

SUPPORT

- ◇ Named contact for the whole commission — design through hand-over
- ◇ Concept visuals for your client presentation, in your drawings
- ◇ Physical sample boards and material lay-ups for client meetings
- ◇ Specification text, technical data and maintenance sheets for your file
- ◇ Site measurement and installation supervision (*by arrangement*)

COMMERCIAL

- ◇ Trade pricing for architects, interior designers and contractors
- ◇ Fixed quotation against an approved drawing — no open-ended extras
- ◇ Staged payment aligned to design, production and delivery
- ◇ Spare tesserae from the same batch supplied with every commission
- ◇ Free worldwide shipping, and a lifetime warranty on every piece

Send the drawing. We will send back the mosaic it was waiting for.

PROGRAMME

Design & approval	<u>2–3 weeks °</u>
Production, standard	<u>from 4 weeks °</u>
Large or complex artwork	<u>on programme °</u>
Sample board dispatch	<u>5–7 days °</u>
Minimum order	<u>on enquiry °</u>

DELIVERY

Free shipping worldwide. Timber-crated by panel sequence, edge-protected and moisture-wrapped, with the installation key fixed inside the crate and export documentation handled by the atelier.

ASSURANCE

Lifetime warranty on materials and workmanship. Replacement tesserae from the original batch remain available against the commission record for future repair.

The eight questions that come up first.

Can you match a stone already on site?

Send a sample or a photograph with a colour reference. We cut a comparison lay-up and you approve the match before anything is committed.

How long does a commission take?

Design and approval 2–3 weeks ◦, production from 4 weeks ◦, with the programme fixed against your site dates before production starts.

Can you work from my client's photograph?

Yes — a photograph, a painting, a fabric, a wallpaper, a logo or a sketch on paper. The studio redraws it as a cutting design, at the scale the wall needs.

Do you install, and do you ship to us?

Either — our team fits the work, or your contractor does it to our drawings with supervision from the studio. Shipping is free worldwide, crated and documented by the atelier.

Will it arrive as loose tiles?

No. Everything is mesh-backed and numbered, so your contractor fixes panels in sequence rather than assembling an artwork on site.

Can the client see it before it is made?

Always. A scaled visual in the room, then the actual stone and glass laid up physically. Nothing is cut before both are signed off.

Can it go in a shower, hammam or pool?

Yes, with epoxy bedding and grout over a compliant waterproofing system. Gold and white-gold leaf sit between glass layers, so submersion does not dull them.

What if a piece is damaged years later?

Every commission carries a lifetime warranty. Spare tesserae from the same batch ship with the order and the material record is kept, so a repair or an extension matches the original.

?

Not answered here

Send the drawing and the question together. You will get a proposal — a visual, a material selection and a fixed price against that drawing — rather than another brochure.

Send us a drawing and a reference.
We will do the rest.

O1

Enquire

Dimensions, location and any reference you already have. A rough sketch is enough to start.

O2

Receive a proposal

Concept visual, material selection and a fixed quotation against a drawing — typically within two weeks °.

O3

Approve and produce

Sign off the lay-up and the cutting drawing; production begins, with progress photographs at each stage.


WHAT HELPS US QUOTE QUICKLY

- ◇ Finished dimensions, or a plan and elevation at any scale
- ◇ The surface it will sit on, and whether it is wet, submerged or exterior
- ◇ Reference images — anything from a photograph to a colour swatch
- ◇ Site programme: when the mosaic is needed on site
- ◇ Whether you want our team to install, or drawings for your contractor

CLOSING PHOTOGRAPH

*A quiet, elegant shot — a sample board,
a hand holding tesserae, or the studio*

3:4 PORTRAIT · MIN 2400 PX



Bespoke mosaic, *made only once*

MATERIALS

Marble, natural stone and quartz at 5 mm; hand-poured and metal-leaf glass at 4 mm.

MADE TO ORDER

Every commission drawn, cut and set for one address.
Nothing is stock.

DELIVERED

Mesh-backed, numbered and crated. Free shipping worldwide, lifetime warranty.

ENQUIRIES

Studio name and address °
.....

Telephone · WhatsApp °
.....

Email · Website °
.....