

Handcrafted
Natural Marble &
Glass Mosaics for
*Luxury Interiors
& Exteriors.*

Where timeless craft meets *precision.*

Every commission is drawn, cut and set under one roof — from the reference image a client sends us to the numbered panels that arrive on site, ready to fix.

STUDIO · PHOTOGRAPH

*The horse — figurative glass and stone,
the piece that shows what the bench can do*

IMAGES/STUDIO-HERO.JPG · PORTRAIT · MIN 2000 PX

THE DETAIL

*Thousands of tesserae,
placed by hand.*

00 °

YEARS OF
EXPERIENCE

100%

HAND-CUT STONE

Worldwide

FREE SHIPPING

Everything is decided by hand, then held to a drawing.

STONE

Blocks are selected for vein direction before a single cut is made, so a figure runs through the composition rather than across it. The edge you see is a cut edge, not a moulded one.

GLASS


Hand-poured glass carries colour through its full body. Gold and white-gold leaf are laid between glass layers, which is why the metal keeps its lustre in wet areas.

SETTING


The flow of the setting lines — the *andamento* — is drawn before assembly. It is the difference between a picture made of tiles and a mosaic that moves with the light.

THE DETAIL

Thousands of tesserae, placed by hand.




SETTING OUT BEFORE CUTTING



CUTTING AND SETTING BY HAND



BARE MESH BESIDE SET TESSERAE



NUMBERED BY PANEL SEQUENCE

PHOTOGRAPHED

Progress images at agreed stages, so a client watches the work grow rather than waiting in silence.

APPROVED

Nothing is cut before the free rendering and the physical lay-up are both signed off.

RECORDED

Every stone and pour batch logged against the commission, so a repair years later still matches.

WHAT WE MAKE

Three ways to hold a design in stone.

Every commission is hand-cut and mesh-backed as standard. Beyond that, two treatments change the character of the finished piece entirely — and either can be framed.



Hand-cut mosaic

The standard commission: tesserae cut and set by hand from 5 mm stone and 4 mm glass, delivered mesh-backed and numbered. Any subject, any dimension, any palette from the charts.



Roman technique, polished

Hand-laid in the ancient Roman method with irregular natural tesserae, then finished with a hand-applied polish that deepens the colour of the stone — an authentic, timeworn character with a museum-grade sheen.



Framed

A handcrafted frame made for the piece it surrounds, priced individually. Turns a mosaic into a hung artwork rather than a fixed surface — and makes it something a client can take with them.

CUSTOMISATION

If you can imagine it, we can *hand-cut it in stone.*

Nothing is chosen from a catalogue. Master artisans and in-house interior designers turn a reference into a one-of-a-kind marble and glass mosaic, tailored to the space down to the last tessera — and you see a free rendering of exactly how it will look before a single piece is cut.

CUSTOMISATION PHOTOGRAPH

*A figurative commission — a portrait, an animal,
a client's own subject realised in stone and glass*

UPLOAD AS IMAGES/CUSTOM-HERO.JPG · PORTRAIT · MIN 2000 PX

01

SIZE

Cut to your drawing rather than to a standard format: a floor medallion, a full wall, a stair riser, a splashback, a pool floor, a table top, a framed panel. Irregular outlines and curved edges included.

02

COLOUR

Forty-two natural marbles and six engineered stones in the charts overleaf, with the full glass and metal-leaf range — or matched to a fabric, a paint reference, or a stone already on site.

03

DESIGN

Your artwork, a photograph, a house monogram, a historical pattern, a brand motif — or an original composition developed in the studio to your brief.

What you specify, and what we decide together.

A commission can start anywhere — with a design you have seen, one you want changed, an image of your own, or nothing at all. Every line below is open on every commission, and nothing is cut before the free rendering and the physical lay-up are signed off. The polished finish, the Roman technique and framing are shown on page 4.

FOUR WAYS IN

Personalise any design Start from a piece you have seen and make it yours — your colours, your size, your finish.	Modify a piece you love Found a design that is almost right? Tell us what to change and the studio adapts it to your brief.	Bring your own concept Send a photograph, a painting, a sketch or a monogram, and we build it in stone and glass.	Guided by designers No starting point? Our in-house interior designers develop one with you, at no cost.
---	---	---	--

VARIABLE	AVAILABLE RANGE	DECIDED BY
Design origin	Client artwork, photograph, fabric or wallpaper reference, historical pattern, architect's drawing, or an original design developed in the studio	Client / studio
Composition style	Figurative, portrait, botanical, geometric, arabesque, <i>opus</i> patterns, gradient field, plain stone-on-stone	Client / studio
Tessera size	Micro-cut from 5 mm, standard 10 / 15 / 20 mm, large-format above 20 mm, and free-form hand-cut shapes within one piece	Studio, to viewing distance
Cut style	Hand-nipped irregular, precision water-jet, or the two combined — water-jet for the outline, hand-cut for the field	Studio
Surface finish	Polished, honed, brushed, tumbled, sand-blasted; gloss, satin or iridescent glass	Client
Grout	Colour-matched or deliberately contrasting; epoxy for wet and submerged areas	Client / studio
Format & size	Cut to your dimensions — medallions, borders, full walls, floors, stair risers, pool and hammam linings, table tops, framed panels	Client's drawing
Edge treatment	Straight cut, irregular outline, contrasting stone border, or metal trim	Client

Made to be looked at through water.

Zero water absorption, frost resistance and metal leaf sealed between glass layers are what let this work go under water and stay there — on the one surface a client sees every day from above.




PEACOCK POOL FLOOR — HAND-CUT GLASS

WHY IT SURVIVES

- ◇ Glass with no water absorption at all — UNI EN ISO 10545-3
- ◇ Frost-resistant and thermal-shock resistant, indoors or out
- ◇ 24k gold and white-gold leaf sealed between glass layers
- ◇ Epoxy adhesive and grout throughout, over your tanking system
- ◇ Colour fastness tested to UNI EN ISO 10545-12 — no bleaching

SET OUT TO YOUR POOL


Floors, walls, waterlines, steps, coping and spill-over edges are drawn as one composition and delivered as numbered panels, so the design meets the curve of your shell rather than being cut to fit it.




INDOOR POOL, GOLD MEDALLION



STEPS, GREEK-KEY BORDER



COPING AND WATERLINE DETAIL



WATER FEATURE, SCROLLWORK PANEL

FLOOR MEDALLION

*A medallion set into the floor,
read through moving water*

IMAGES/POOL-06.JPG · PANORAMIC


FLOOR MEDALLION, SEEN THROUGH WATER

A mosaic you can sit at, and sit on.

The same hand-cut work made as furniture rather than architecture — the one piece a client takes with them when they move. Cut to any dimension, in stone or glass, indoors or out.



TABLE TOP — GEOMETRIC MARBLE, BRASS-EDGED



BENCH — GLASS FLORAL ON BLACK, LIT FROM BENEATH

TABLE TOPS

- ◇ Any diameter — round, oval or square, cut to your drawing
- ◇ Finished top, or a panel for your own fabricator [on enquiry](#) °
- ◇ Bases in wrought iron, timber or brass [to confirm](#) °

BENCHES & SEATING


- ◇ Curved or straight, free-standing or built into the landscape
- ◇ Wrapped over seat, back and returns in one continuous design
- ◇ Frost-resistant and weatherproof — left outdoors year-round



BISTRO TABLE ON WROUGHT IRON



COFFEE TABLE, LIVING ROOM



DINING TABLE, OPEN PLAN



GARDEN BENCH, GLASS HIBISCUS

The one room that is looked at from two feet away.

Showers, hammams, bath surrounds and floors. Every surface here is read close up and wet, which is exactly where a hand-cut edge and full-body colour hold up and a printed tile does not.




SHOWER ENCLOSURE, GLASS FLORAL ON BLACK

WHAT MAKES IT WORK WET

- ◇ Glass with zero water absorption; stone at $\leq 0.7\%$ to ASTM C373
- ◇ Epoxy adhesive and grout over your tanking system
- ◇ Metal leaf sealed between glass layers — steam does not dull it
- ◇ Honed stone at R11 where a floor gets wet; DCOF ≥ 0.42 interior
- ◇ Mesh-backed panels cut around niches, benches and drains

DRAWN AROUND THE FITTINGS

Shower heads, mixers, niches and drains are set out on the cutting drawing before production, so the design breaks where the fittings fall rather than being cut through on site.



FRAMED WALL PANEL ABOVE THE VANITY



BATHROOM FLOOR, SPIRAL MEDALLION




SHOWER LINED IN CLIMBING VINE



BATH SURROUND, SCENIC PANEL

The wall a family stands in front of every day.

A splashback is the one decorative surface in a house that gets used rather than admired — and the easiest place to put a real artwork where a printed panel would have gone.



SPLASHBACK IN IRIDESCENT GLASS AND MARBLE

BEHIND A WORKING RANGE

- ◇ Epoxy grout: non-porous, so oil and steam do not stain the joints
- ◇ Full-body colour — a chipped edge shows the same tone, not a print
- ◇ Cleaned with pH-neutral products; no acids, no abrasive pads
- ◇ Cut around sockets, rails and extractor returns on the drawing
- ◇ Sealed stone where the palette includes marble or travertine

SIZED TO THE RUN

Splashbacks are set out to the worktop, not to a sheet size: the design is drawn to the exact run between counter and cabinet, and panel joins fall where the eye will not follow them.



BOTANICAL RUN, FULL HEIGHT



SCENIC PANEL ABOVE THE RANGE




SPLASHBACK CARRIED AROUND THE RETURN

Twenty collections, and none of them a limit.

Close to two thousand designs are already drawn, and any one can be recut in your palette, at your dimensions. A starting point for the conversation — not a catalogue to order from.



Flower
450+ DESIGNS



Geometric
360+ DESIGNS




Landscape
290+ DESIGNS




Bird
120+ DESIGNS




Nautical
110+ DESIGNS




Religious
100+ DESIGNS



Animal
85 DESIGNS



Tree
80+ DESIGNS



Portrait
75 DESIGNS



Roman
60+ DESIGNS




Abstract
43 DESIGNS



Food & wine
35 DESIGNS



Landmark
19 DESIGNS



Pattern
19 DESIGNS



Van Gogh
16 REPRODUCTIONS



Glass mosaic art
1,600+ DESIGNS



Backsplash
100+ DESIGNS





Table top
89 DESIGNS



Limited edition
HAND-SIGNED SERIES



Studio specials
ONE-OF-A-KIND


Natural marble — forty-two stones.

Every mosaic is hand-cut from this palette. Choose a single tone, or combine several into a composition that exists only in your project. Stones outside the chart are sourced to order, and natural material varies block to block — a commission is always confirmed against physical samples.




Nero Marquina

01




Bardiglio Gray

02




Thassos White

03




Carrara White

04




Giallo Siena

05




Rosso Verona

06




Giallo Reale

07




Rojo Alicante

08




Emperador Dark

09




Emperador Red

10




Crema Marfil

11




Pink Rose

12




Lilac

13




Perlato Royal

14




Honey Onyx

15




Beige Marfil

16




Rojo Valencia

17




Toast Beige

18



Noce

19




Amarillo Triana

20




Marron Emperador

21



Walnut

22




Light Taupe

23




Silver Grey

24




Light Beige

25




Ivory Cream

26




Snow White

27



Bianco Thassos

28




Bianco Carrara

29




Cloud Grey

30




Lavender

31




Grey Marble

32



Tundra Grey

33




Graphite

34




Dark Grey

35




Black Absolute

36




Sahara Verde

37



Verde Alpi

38




Verde Oliva

39




Verde Guatemala

40



Verde Suez

41




Verde Imperiale

42


Engineered stone & hand-poured glass.

Engineered stone brings saturated, repeatable colour that natural stone cannot hold. Glass brings light: colour runs through the full body, so cut edges keep their tone, and gold, white-gold and copper leaf are sealed between layers for wet and submerged work.


ENGINEERED STONES · SIX COLOURS




Cream
43




Ruby Red
44




Sky Blue
45



Ocean Blue
46




Turquoise
47




Cobalt Blue
48


HAND-POURED GLASS & METAL LEAF · INDICATIVE RANGE ·



Oro 24k
24K GOLD LEAF




Oro Bianco
WHITE GOLD LEAF




Rame
COPPER LEAF




Gold Fleck
FLECK GLASS




Bianco Latte
OPAQUE




Avorio
OPAQUE




Sabbia
OPAQUE




Miele
TRANSPARENT



Ambra
TRANSPARENT




Corallo
OPAQUE




Rubino
TRANSPARENT




Melograno
OPAQUE




Rosa Antico
OPAQUE




Lilla
OPAQUE




Violetto
TRANSPARENT




Turchese
OPAQUE




Acquamarina
TRANSPARENT




Blu Turchino
OPAQUE




Blu Cobalto
TRANSPARENT




Blu Notte
OPAQUE



Verde Salvia
OPAQUE




Verde Smeraldo
TRANSPARENT




Grigio Perla
OPAQUE




Antracite
OPAQUE



Nero Specchio
MIRROR GLASS




Iridescente
SURFACE-FIRED




Terracotta
OPAQUE



Bronzo
METALLIC



Verde Menta
OPAQUE



Ghiaccio
TRANSPARENT

Product data.

Written for the specifier's file. Figures followed by a small ring are the atelier's to confirm; everything else is fixed.

♦ *Every mosaic is weatherproof, waterproof, and suitable for both indoor and outdoor installations.* ♦

ITEM	SPECIFICATION
Natural stone	Marble, onyx, travertine and granite, selected for vein before cutting. Thickness 5 mm
Hand-poured glass	Full-body colour, so cut edges hold their tone. Thickness 4 mm . Metal-leaf glass with 24k gold, white gold or copper sealed between layers
Engineered quartz	Natural quartz aggregate bound with MDI resin. Dense, non-porous and wear-resistant; Mohs 7, water absorption approximately 0.02% by volume; excellent resistance to acidic, alkaline and neutral substances. Thickness 8 mm
Manufacture	100% handmade — every tessera hand-cut and assembled by artisans, never machine-pressed or printed
Tessera sizes	Stone typically 5, 7 and 10 mm; glass 10 × 10, 15 × 15 and 20 × 20 mm; free-form hand-cut shapes within the same artwork on commission
Sheet size	300 × 300 mm (12 × 12 in); artwork panels cut to the project drawing and numbered, maximum single panel on enquiry °
Joint (grout line)	Approximately 1 mm , adjustable to the design and the tessera scale
Backing	Fibreglass netted mesh on every sheet and panel, so the work is fixed like tile and no loose tesserae are handled on site
Weight	Approximately 10 kg/m ² in 4 mm glass and 13–15 kg/m ² in 5 mm stone, before adhesive
Finishes	Stone: polished (gloss) or honed (smooth matte); brushed and tumbled on request ° . Glass: gloss, satin, iridescent, mirror
Tolerance	Panel outline ±1 mm ° ; panels dry-assembled and checked against the cutting drawing before dispatch
Applications	Walls and floors, interior and exterior, including wet areas such as showers and pools, when correctly installed, grouted and sealed
Colour variation	Natural stone varies block to block; a commission is cut from reserved material and confirmed against a physical lay-up. Glass is matched by pour batch
Spares	Loose tesserae from the same batch supplied with every commission, and the batch recorded against the project

Material performance.

Tested values with the standard each figure is measured against. Because every tessera is hand-cut, these are indicative values based on recognised international standards rather than batch certificates.

NATURAL MARBLE

TEST	RESULT	STANDARD
Water absorption	$\leq 0.7\%$	ASTM C373
Flexural strength	≥ 15 MPa	ASTM C880 / C1161
Compressive strength	≥ 90 MPa	ASTM C170
Mohs hardness	3–6	Mohs scale
Thermal expansion	$8-12 \times 10^{-6}$ / °C	ASTM C531
Chemical resistance	Resistant to most household chemicals and mild acids	ASTM C650
Slip resistance	R10 polished · R11 honed	DIN 51130
Frost resistance	Suitable for freeze–thaw environments	ASTM C1026

HAND-POURED GLASS

TEST	RESULT	STANDARD
Water absorption	None	UNI EN ISO 10545-3 / ASTM C373
Chemical resistance	Resistant	UNI EN ISO 10545-13
Thermal shock resistance	Resistant	UNI EN ISO 10545-9 / ASTM C484
Frost resistance	Resistant	ASTM
Colour resistance to fading	Resistant	UNI EN ISO 10545-12 / DIN 51094
Bond strength	Passes	ASTM C482
Crazing resistance	Passes	ASTM C424

Installation, site & care.

Mesh-backed panels are fixed by any competent tiling contractor. These are the conditions the work needs from the site, and the regime that keeps it looking the way it did on hand-over.

ITEM	REQUIREMENT
Substrate	Required. Clean, flat and structurally sound; dry and free of contaminants before any mosaic is fixed
Waterproofing	Required in showers, hammams, fountains and pools: a compliant tanking system, applied and tested first
Adhesive	Epoxy adhesive recommended, and required for wet, outdoor and submerged areas. White adhesive is essential beneath translucent glass and pale stone
Fixing	Full bed, back-buttered on larger panels, mesh pressed fully into the adhesive. Floating method where a design mixes materials of different thickness
Grout	Mandatory in wet and outdoor areas. Epoxy grout recommended throughout — non-porous and chemical-resistant
Movement joints	Mandatory. Carried through the mosaic to the project's own layout, with silicone at every change of plane
Slip resistance	DCOF ≥ 0.42 interior wet and ≥ 0.60 exterior, to local code. Honed (R11) rather than polished (R10) where a floor gets wet
Sealing	Required on marble , particularly in wet and exterior areas, after grouting
Curing	Full adhesive cure before grouting, and before filling pools or fountains — allow <u>14–28 days</u> ° depending on system and conditions
Site conditions	A controlled environment: avoid extreme temperatures during fixing and curing, and protect from direct sun and draught
Protection	Covered and protected from following trades until hand-over; final clean by the installing team
Documentation	Cutting drawing, numbered installation key, material schedule and maintenance sheet issued with every delivery

RECOMMENDED

pH-neutral stone or glass cleaners for routine work; a two-in-one colour enhancer and sealer once a year on natural stone; spills wiped promptly — most staining is a spill that was left.

AVOID

Acidic cleaners, which etch natural stone permanently; abrasive pads and powders, which dull polished finishes and mark metal leaf; bleach and ammonia, which discolour grout and surfaces alike.

Seven stages, one team, no hand-offs.

01

Brief

Drawings, dimensions, references and the feeling you are after. A site visit or a video walk-through where possible.

02

Design & free rendering

The studio develops the composition and returns a rendering of the mosaic in your own space at no cost, with alternatives on palette and tessera scale.

03

Material lay-up

The actual stones and glass are cut and laid up physically, photographed and sent — or presented in person — for sign-off.

04

Cutting drawing

Setting-out lines, panel divisions and a numbered key are issued, coordinated with the site programme.

05

Atelier production

Cutting and setting by hand at the bench, photographed at agreed stages so the client sees the work as it grows.

06

Delivery

Crated by panel sequence with the installation key, material schedule and spare tesserae from the same batch.

07

Installation

Fitted by our own team, or by your contractor with our drawings and remote supervision. Final clean, seal and hand-over.

KEPT THROUGHOUT

One contact, one drawing set, one record

Every approval, revision and batch is recorded against the commission — so a repair or an extension years later is matched to the original material.

Built for the way studios actually work.

SUPPORT

- ◇ Named contact for the whole commission — design through hand-over
- ◇ Free rendering of the mosaic in your space, for your client presentation
- ◇ Complimentary design consultation with our in-house interior designers
- ◇ Physical sample boards and material lay-ups for client meetings
- ◇ Specification text, technical data and maintenance sheets for your file
- ◇ Site measurement and installation supervision (*by arrangement*)

COMMERCIAL

- ◇ Trade pricing for architects, interior designers and contractors
- ◇ Fixed quotation against an approved drawing — no open-ended extras
- ◇ Staged payment aligned to design, production and delivery
- ◇ Spare tesserae from the same batch supplied with every commission
- ◇ Free worldwide shipping, and a lifetime warranty on every piece

Send the drawing. We will send back the mosaic it was waiting for.

PROGRAMME

Design & approval	<u>2–3 weeks °</u>
Production, standard	<u>from 4 weeks °</u>
Large or complex artwork	<u>on programme °</u>
Sample board dispatch	<u>5–7 days °</u>
Minimum order	<u>on enquiry °</u>

DELIVERY

Free shipping worldwide. Timber-crated by panel sequence, edge-protected and moisture-wrapped, with the installation key fixed inside the crate and export documentation handled by the atelier.

ASSURANCE

Lifetime warranty on materials and workmanship. Replacement tesserae from the original batch remain available against the commission record for future repair.

Send us a drawing and a reference.
We will do the rest.

O1

Enquire

Dimensions, location and any reference you already have. A rough sketch is enough to start.

O2

Receive a proposal

Concept visual, material selection and a fixed quotation against a drawing — typically within two weeks °.

O3

Approve and produce

Sign off the lay-up and the cutting drawing; production begins, with progress photographs at each stage.

WHAT HELPS US QUOTE QUICKLY

- ◇ Finished dimensions, or a plan and elevation at any scale
- ◇ The surface it will sit on, and whether it is wet, submerged or exterior
- ◇ Reference images — anything from a photograph to a colour swatch
- ◇ Site programme: when the mosaic is needed on site
- ◇ Whether you want our team to install, or drawings for your contractor

CLOSING PHOTOGRAPH

*A quiet, elegant shot — a sample board,
a hand holding tesserae, or the studio*

3:4 PORTRAIT · MIN 2400 PX

OUR PROMISE



Premium craft

Handcrafted from the finest stone and glass, for lasting beauty.



Satisfaction promise

Love it or return it — 100% satisfaction or your money back.



Safe worldwide shipping

Carefully packed so the mosaic arrives in perfect condition.




Easy, secure payment

Multiple payment options with a fast, secure checkout.



Lifetime warranty

Every mosaic is backed for life, protecting the investment.



Bespoke mosaic, *made only once*

HANDCRAFTED TO ORDER

Natural marble at 5 mm and hand-poured glass at 4 mm, drawn, cut and set for one address. Nothing is stock.

FREE WORLDWIDE SHIPPING

Mesh-backed, numbered and crated by panel sequence, with drawings and installation key — delivered anywhere.

LIFETIME WARRANTY

On materials and workmanship, with spares from the original batch kept against the commission record.

ENQUIRIES

Studio name and address °
.....

Telephone · WhatsApp °
.....

Email · Website °
.....