



— MOSAIC ART STUDIO

Handcrafted  
Natural  
Marble & Glass  
Mosaics  
for *Luxury Interiors*  
& *Exteriors*.

## THE STUDIO

Where timeless craft  
meets *precision*.

Drawn, cut and set stone by stone — never printed, never repeated.

15+

YEARS OF EXPERIENCE

100%

HAND-CUT STONE

Custom

TO YOUR DRAWING

Free


MASTER SKETCH

Insured

FREE WORLDWIDE SHIPPING

Lifetime


WARRANTY



## THE DETAIL

*Thousands of tesserae,  
placed by hand.*

THE MANE, ABOVE, AT 1.7x



Everything is decided by hand,  
then held to a drawing.

*Thousands of tesserae,  
placed by hand.*



STONE

Blocks selected for vein direction. The edge you see is cut, not moulded.


GLASS

Colour runs through the full body. Metal leaf sits between layers, so it keeps its lustre wet.

SETTING

The *andamento* is drawn before assembly. It is what makes a mosaic move with the light.

Three ways to hold a design in stone.



*Handcut mosaic*

HANDCUT MOSAIC


Cut and set by hand from 3 mm stone and 4 mm glass, delivered mesh-backed and numbered.



*Roman technique, polished*

ROMAN TECHNIQUE, POLISHED

Irregular natural tesserae laid in the ancient Roman method, then hand-polished to a flat, deep-lustre surface.



*Framed*

FRAMED

A frame made for the piece it surrounds. Turns a mosaic into a hung artwork rather than a fixed surface.

## CUSTOMISATION

If you can imagine it,  
we can *hand-cut it in stone*.

Nothing comes from a catalogue — and you see a free master sketch and rendering of the piece in your own room before a single tessera is cut.

01

### SIZE

---

Cut to your drawing, not to a standard sheet. Irregular outlines and curved edges included.

02

### COLOUR

---

Forty-two marbles, six engineered stones, the full glass range — or matched to a fabric or paint reference.

03

### DESIGN

---


Your artwork, a photograph, a monogram, a historical pattern — or an original drawn to your brief.

What you specify, and what we decide together.

| VARIABLE       | RANGE                                                                                                     | DECIDED BY          |
|----------------|-----------------------------------------------------------------------------------------------------------|---------------------|
| Size & shape   | Any dimension, any outline — medallions, full walls, stair risers, pool floors, table tops, framed panels | Client drawing      |
| Composition    | Figurative, portrait, botanical, geometric, nautical, historical — or an original to your brief           | Studio, to brief    |
| Palette        | 42 natural marbles · 6 engineered stones · full glass and metal-leaf range                                | Together            |
| Tessera scale  | Fine work for detail, broader cuts for distance — set against viewing range                               | Studio              |
| Surface finish | Polished, honed, tumbled, Roman polished                                                                  | Together            |
| Edge & frame   | Mesh-backed square edge, bevelled border, or a made frame                                                 | Together            |
| Rendering      | A free visual of the finished mosaic in your own space, before cutting                                    | Studio — at no cost |

Made to be looked at through water.

- ◇ Frost, salt and chemical resistant
- ◇ Full-bodied glass — colour never fades
- ◇ 24k gold and silver leaf keeps its lustre wet
- ◇ Floors, walls, waterlines, steps and coping







Spa & water feature

Medallion, lit at night

FURNITURE


A mosaic you can sit at, and sit on.

- Any diameter — round, oval or square, to your drawing
- Supplied as a top, or on a base we fabricate
- Benches curved or straight, free-standing or built in
- Frost-resistant and weatherproof for terrace and garden



The one room looked at  
from two feet away.

- ◇ Water absorption  $\leq 0.5\%$  to ASTM C373
- ◇ Epoxy adhesive and grout throughout
- ◇ Wet-area slip resistance DCOF  $\geq 0.42$
- ◇ Mesh-backed panels cut around niches, benches and drains





## KITCHENS & SPLASHBACKS

The wall a family stands  
in front of every day.

- ◇ Grout joint ~1 mm — a nearly continuous surface
- ◇ Epoxy grout: no staining from oil, wine or citrus
- ◇ Cut around sockets, rails and extractor returns
- ◇ Scaled to the run so the pattern completes at both ends

*Island face*

*Cooker  
panel*

*Border  
detail*


Twenty collections, and none of them a limit.

A STARTING POINT, NOT A CATALOGUE — EVERY ONE RE-  
CUT TO YOUR PALETTE AND DIMENSIONS

|                        |                           |                           |                       |                              |                                    |                            |                         |                                       |                                  |
|------------------------|---------------------------|---------------------------|-----------------------|------------------------------|------------------------------------|----------------------------|-------------------------|---------------------------------------|----------------------------------|
|                        |                           |                           |                       |                              |                                    |                            |                         |                                       |                                  |
| Flower<br>450+ DESIGNS | Geometric<br>360+ DESIGNS | Landscape<br>290+ DESIGNS | Bird<br>120+ DESIGNS  | Nautical<br>110+ DESIGNS     | Religious<br>100+ DESIGNS          | Animal<br>85 DESIGNS       | Tree<br>80+ DESIGNS     | Portrait<br>75 DESIGNS                | Roman<br>60+ DESIGNS             |
|                        |                           |                           |                       |                              |                                    |                            |                         |                                       |                                  |
| Abstract<br>43 DESIGNS | Food & wine<br>35 DESIGNS | Landmark<br>19 DESIGNS    | Pattern<br>19 DESIGNS | Van Gogh<br>16 REPRODUCTIONS | Glass mosaic art<br>1,600+ DESIGNS | Backsplash<br>100+ DESIGNS | Table top<br>89 DESIGNS | Limited edition<br>HAND-SIGNED SERIES | Studio specials<br>ONE-OF-A-KIND |

# Natural marble — forty-two stones.


QUARRIED, NEVER DYED · SHADE AND VEIN VARY STONE TO STONE · SAMPLES ON REQUEST




Nero Marquina  
01




Bardiglio Gray  
02




Thassos White  
03




Carrara White  
04




Giallo Siena  
05



Rosso Verona  
06



Giallo Reale  
07




Rojo Alicante  
08




Emperador Dark  
09




Emperador Red  
10




Crema Marfil  
11




Pink Rose  
12




Lilac  
13




Perlatto Royal  
14




Honey Onyx  
15




Beige Marfil  
16




Rojo Valencia  
17



Toast Beige  
18




Noce  
19




Amarillo Triana  
20



Marron Emperador  
21




Walnut  
22




Light Taupe  
23




Silver Grey  
24




Light Beige  
25



Ivory Cream  
26




Snow White  
27




Bianco Thassos  
28



Bianco Carrara  
29



Cloud Grey  
30




Lavender  
31



Grey Marble  
32




Tundra Grey  
33




Graphite  
34




Dark Grey  
35



Black Absolute  
36



Sahara Verde  
37



Verde Alpi  
38




Verde Oliva  
39



Verde Guatemala  
40



Verde Suez  
41




Verde Imperiale  
42

# Engineered stone & hand-poured glass.

GLASS COLOUR RUNS THROUGH THE FULL BODY · METAL  
LEAF SEALED BETWEEN LAYERS


## ENGINEERED STONE · SIX COLOURS



Cream  
43




Ruby Red  
44



Sky Blue  
45



Ocean Blue  
46




Turquoise  
47



Cobalt Blue  
48

## HAND-POURED GLASS & METAL LEAF · INDICATIVE RANGE °



Oro 24k  
24K GOLD LEAF



Oro Bianco  
WHITE GOLD LEAF




Rame  
COPPER LEAF




Gold Fleck  
FLECK GLASS



Bianco Latte  
OPAQUE



Avorio  
OPAQUE




Sabbia  
OPAQUE




Miele  
TRANSPARENT




Ambra  
TRANSPARENT




Corallo  
OPAQUE




Rubino  
TRANSPARENT



Melograno  
OPAQUE



Rosa Antico  
OPAQUE




Lilla  
OPAQUE



Violetto  
TRANSPARENT



Turchese  
OPAQUE



Acquamarina  
TRANSPARENT




Blu Turchino  
OPAQUE



Blu Cobalto  
TRANSPARENT




Blu Notte  
OPAQUE




Verde Salvia  
OPAQUE




Verde Smeraldo  
TRANSPARENT




Grigio Perla  
OPAQUE



Antracite  
OPAQUE



Nero Specchio  
MIRROR GLASS




Iridescente  
SURFACE-FIRED




Terracotta  
OPAQUE



Bronzo  
METALLIC



Verde Menta  
OPAQUE



Ghiaccio  
TRANSPARENT

# Product data.

FIGURES ROUNDED TO THE NEAREST WHOLE UNIT. EVERY MOSAIC IS WEATHERPROOF AND SUITABLE FOR INDOOR AND OUTDOOR INSTALLATION.

| ITEM              | SPECIFICATION                                                                                                                                           |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Natural stone     | Marble, onyx, travertine and granite, selected for vein before cutting. Thickness <b>5 mm</b> .                                                         |
| Hand-poured glass | Full-body colour, no cut edges to <u>oxidise</u> °. Thickness <b>4 mm</b> . Metal-leaf glass with 24k gold, white gold or copper sealed between layers. |
| Engineered quartz | Natural quartz aggregate bound with resin. Mohs 7, water absorption approximately 0.02%. Thickness <b>8 mm</b> .                                        |
| Backing           | Fibreglass netted mesh on every sheet and panel, so the trade fixes the tile and not the tessera.                                                       |

| ITEM             | SPECIFICATION                                                                                            |
|------------------|----------------------------------------------------------------------------------------------------------|
| Sheet size       | <b>300 × 300 mm</b> nominal, joint ~1 mm. Panels numbered to a setting-out key.                          |
| Weight           | Glass ≈ 10 kg/m². Stone 13–15 kg/m², by thickness.                                                       |
| Max single panel | <u>To confirm</u> ° — larger artworks split on the drawing and numbered.                                 |
| Tolerance        | Sheet within 1 mm; outline within <u>to confirm</u> °.                                                   |
| Applications     | Walls and floors, interior and exterior, wet areas and fully submerged. Decorative and functional alike. |

# Material performance.

TESTED VALUES AGAINST RECOGNISED STANDARDS. BATCH CERTIFICATES ISSUED WITH THE ORDER.

## NATURAL MARBLE

| TEST                 | STANDARD          | RESULT            |
|----------------------|-------------------|-------------------|
| Water absorption     | ASTM C373         | ≤ 0.5%            |
| Flexural strength    | ASTM C880 / C1161 | ≥ 10 MPa          |
| Compressive strength | ASTM C170         | ≥ 50 MPa          |
| Thermal expansion    | ASTM C531         | Stable            |
| Frost resistance     | ASTM C650         | Pass              |
| Slip resistance      | DIN 51130         | R9–R11, by finish |

## HAND-POURED GLASS

| TEST                | STANDARD            | RESULT    |
|---------------------|---------------------|-----------|
| Water absorption    | UNI EN ISO 10545-3  | ≈ 0%      |
| Thermal shock       | UNI EN ISO 10545-9  | Resistant |
| Frost resistance    | UNI EN ISO 10545-12 | Resistant |
| Chemical resistance | UNI EN ISO 10545-13 | Class A   |
| Colour resistance   | DIN 51094           | No change |
| Bond strength       | ASTM C482           | ≥ 350 kPa |

# Installation, site & care.

ANY COMPETENT TILING CONTRACTOR CAN FIX MESH-BACKED PANELS. THESE ARE THE CONDITIONS THE WORK NEEDS.

| ITEM            | REQUIREMENT                                                                                                                |
|-----------------|----------------------------------------------------------------------------------------------------------------------------|
| Substrate       | Flat, sound, dry and free of contaminants before any mosaic is fixed.                                                      |
| Waterproofing   | <b>Required</b> in showers, bathrooms, fountains and pools — a compliant tanking system applied and tested first.          |
| Adhesive        | <b>Epoxy required</b> for wet, outdoor and submerged work. White or light adhesive under translucent glass and pale stone. |
| Grouting        | Unsanded epoxy on glass, mandatory in wet areas and pools. Grout colour changes how the whole piece reads — sampled first. |
| Movement joints | <b>Mandatory</b> at perimeters, internal corners and every change of plane; silicone, never rigid grout.                   |

| ITEM               | REQUIREMENT                                                                                                  |
|--------------------|--------------------------------------------------------------------------------------------------------------|
| Slip resistance    | DCOF ≥ 0.42 interior wet, ≥ 0.60 exterior. Honed and tumbled finishes hold more grip than polished.          |
| Sealing            | <b>Required on marble.</b> Penetrating sealer before grouting, and on the cycle the site specifies.          |
| Cleaning           | pH-neutral cleaner and a soft cloth. Never acidic, abrasive or bleach-based on natural stone.                |
| Pool commissioning | Cure the adhesive and grout fully before filling; then balance the water before the surface is used.         |
| Delivery           | Crated by panel sequence with the setting-out key, material schedule and spare tesserae from the same batch. |

# Seven stages, one team, no hand-offs.



# Built for the way studios actually work.

SUPPORT

- ◇ Named contact for the whole commission — design through installation
- ◇ Free master sketch and rendering of the mosaic in your space, for your client presentation
- ◇ Complimentary design consultation with our in-house interior designers
- ◇ Physical sample boards and material layouts for client meetings
- ◇ Specification, technical data and maintenance sheets for your file
- ◇ Site measurement and installation supervision

PROGRAMME

|                   |                             |
|-------------------|-----------------------------|
| Design & approval | <u>To confirm °</u>         |
| Production        | <u>To confirm °</u>         |
| Delivery          | Worldwide, free and insured |
| Minimum order     | <u>To confirm °</u>         |

Lifetime warranty

On materials and workmanship. Replacement tesserae from the original batch stay available against the commission record for years.

COMMERCIAL

- ◇ Trade pricing for architects, interior designers and contractors
- ◇ Fixed quotation against an approved drawing — no square-metre creep
- ◇ Staged payment aligned to design, production and delivery
- ◇ Spare tesserae from the same batch supplied with every commission
- ◇ Free insured worldwide shipping, direct from the studio
- ◇ Satisfaction promise on the finished work

BEGINNING A COMMISSION

Send us a drawing  
and a reference.  
We will do the rest.

WHAT HELPS US QUOTE QUICKLY

- ◇ Finished dimensions, or a plan with a scale
- ◇ The surface it will sit on, and whether it is wet, submerged or exterior
- ◇ Reference images — anything from a photograph to a colour swatch
- ◇ The site programme, and when the mosaic is needed

G  
vide,  
the

LIFETIME  
WARRANTY

On materials and  
workmanship

*A completed commission, installed*



## Bespoke mosaic, *made only once*

---

### HANDCRAFTED TO ORDER

Natural marble and hand-poured glass, cut and set for  
one room

### FREE INSURED WORLDWIDE SHIPPING

Crated by panel sequence with drawings and spare  
tesserae

### LIFETIME WARRANTY

On materials and workmanship, against the  
commission record

### ENQUIRIES

Studio name and address ° · Telephone ° · Email ° · Website °