

STATS 202C: Project 2

Eric Chuu

May 13, 2017

1 Introduction

We consider the Ising model in an $n \times n$ lattice with 4 nearest neighbors. The state X is a binary image defined on the lattice X , each at site or pixel s takes value in $[0, 1]$.

2 Theory

Here give a brief summary of the physical effect of interest and provide necessary equations. Here is how you insert an equation. According to references [1–3] the dependence of interest is given by

$$u(\lambda, T) = \frac{8\pi hc\lambda^{-5}}{e^{hc/\lambda kT} - 1}, \quad (1)$$

where T is temperature in Kelvin, c is the speed of light, etc. Don't forget to explain what each variable means the first time that you introduce it.

3 Procedures

Give a schematic of the experimental setup(s) used in the experiment (see figure 1). Give the description of abbreviations either in the figure caption or in the text. Write a description of what is going on.

Figure 1: Every figure MUST have a caption.

Don't forget to list all important steps in your experimental procedure!

Use active voice either in past or present through all the report and be consistent with it: The laser light comes from to ... and eventually arrived to the balanced photodiode as seen in the figure 1.

Sentences in the past voice while correct are generally considered hard to read in large numbers. The laser light was directed to ..., wave plates were set to ... etc.

4 Analysis

In this section you will need to show your experimental results. Use tables and graphs when it is possible. Table 1 is an example.

Table 1: Every table needs a caption.

x (m)	V (V)
0.0044151	0.0030871
0.0021633	0.0021343
0.0003600	0.0018642
0.0023831	0.0013287

Analysis of equation 1 shows ...

Note: this section can be integrated with the previous one as long as you address the issue. Here explain how you determine uncertainties for different measured values. Suppose that in the experiment you make a series of measurements of a resistance of the wire R for different applied voltages V , then you calculate the temperature from the resistance using a known equation and make a plot temperature vs. voltage squared. Again suppose that this dependence is expected to be linear [2], and the proportionality coefficient is extracted from the graph. Then what you need to explain is that for the resistance and the voltage the uncertainties are instrumental (since each measurements in done only once), and they are Then give an equation for calculating the uncertainty of the temperature from the resistance uncertainty. Finally explain how the uncertainty of the slop of the graph was found (computer fitting, graphical method, *etc.*)

If in the process of data analysis you found any noticeable systematic error(s), you have to explain them in this section of the report.

It is also recommended to plot the data graphically to efficiently illustrate any points of discussion. For example, it is easy to conclude that the experiment and theory match each other rather well if you look at Fig. 1 and Fig. 2.

Figure 2: Every plot must have axes labeled.

5 Conclusions

Here you briefly summarize your findings.

References

- [1] A. C. Melissinos and J. Napolitano, *Experiments in Modern Physics*, (Academic Press, New York, 2003).
- [2] N. Cyr, M. Têtu, and M. Breton, IEEE Trans. Instrum. Meas. **42**, 640 (1993).

[3] *Expected value*, available at http://en.wikipedia.org/wiki/Expected_value.