## **Day 7**

There are three types of CSS which are given below:

- Inline CSS.
- Internal or Embedded CSS.
- External CSS.

## Internal or Embedded CSS.

**Internal or Embedded CSS** contains the CSS property in the <head> section.

This kind of style is specified within a style tag.

```
<head>
 <title>internal css</title>
 <style>
     /* css properties heree */
     </style>
     </head>
```

## We use class and id

**Class**- when you want to add CSS into several tags.

In CSS to define id we use **dot "."** 

In html code we use attribute name class.

Id- when you want to add CSS into single tags.id always are unique

In CSS to define id we use hash "#"

In html code we use attribute name id.

## Do the assignment using codes designed below

```
<html>
   <title> internal css </title>
   <style>
      /* css properties heree */
      #bodycolor
         background: yellow;
      .inputfield
        width: 250px;
         height: 40px;
         font-size: 17px;
     #search
         height: 70px;
         width: 600px;
         font-size: 30px;
         border-radius: 50px 0px 0px 50px;
         padding: 0px 0px 0px 38px;
         margin-right: 0px;
         border: 0px;
     #searchbutton{
         height: 70px;
         width: 138px;
         font-size: 30px;
         margin-left: -5px;
         border-radius: 0px 50px 50px 0px;
         background-color:green;
         color:white;
         border: 0px;
   </style>
</head>
<body id="bodycolor">
      <h1>Search Engine</h1>
      <input type="Search" id="search" placeholder="search here ...">
      <input type="Submit" id="searchbutton" value="Search" >
```