

Readability Studio Keyboard Shortcuts

Table 1: Application

To do this	Press
Open the help	F1
Enable verbose logging	Hold down Shift ( , ) or  () while the program loads

Table 2: Projects

To do this	Press
Show/hide the sidebar	F2
Show/hide the ribbon	F4
Reload the project	F5
Create a new project	Ctrl + V ( , ) or  + V ()
Save the project	Ctrl + S ( , ) or  + S ()
Print the active window	Ctrl + P ( , ) or  + P ()
Remove the selected test	Ctrl + Del ( , ) or  +  ()
Edit/view the selected document	F6
Create subproject (batch projects only)	Ctrl +  ( , ) or  +  ()

Table 3: Graphs

To do this	Press
Print	Ctrl + P ( , ) or ⌘ + P ()
Copy	Ctrl + C ( , ) or ⌘ + C ()
Zoom in	+
Zoom out	-
Reset zoom	*

Table 4: Lists

To do this	Press
Print	+ (Windows, Linux) or + (Mac)
Copy selection	+ (Windows, Linux) or + (Mac)
Copy first column of selection	+ + (Windows, Linux) or + + (Mac)
Copy column from selection (column corresponds to the number)	+ (Windows, Linux) or + (Mac)
Find	+ (Windows, Linux) or + (Mac)
Find next	
Select all	+ (Windows, Linux) or + (Mac)
Go to first item	+ (Windows, Linux) or + (Mac)
Go to last item	+ (Windows, Linux) or + (Mac)
Remove selected item(s)	(Windows, Linux) or + (Mac)
Edit selected item	
Accept edited item	, , , (or mouse click outside the edit box)
Cancel editing item	
Add an item	+ (Windows, Linux) or + (Mac)
Group selected items (batch project wizard file list)	+ (Windows, Linux) or + (Mac)

Table 5: Script Editor

To do this	Press
Create a new script	Ctrl + Shift + N (Windows, Linux) or ⌘ + ⇧ + N (Mac)
Open a script	Ctrl + Shift + O (Windows, Linux) or ⌘ + ⇧ + O (Mac)
Save the script	Ctrl + Shift + S (Windows, Linux) or ⌘ + ⇧ + S (Mac)
Run selection (or full script if no selection)	F5
Stop running	Shift + F5 (Windows, Linux) or ⇧ + F5 (Mac)
Cut selected text	Ctrl + X (Windows, Linux) or ⌘ + X (Mac)
Paste text	Ctrl + V (Windows, Linux) or ⌘ + V (Mac)
Copy selected text	Ctrl + C (Windows, Linux) or ⌘ + C (Mac)
Undo previous edit	Ctrl + Z (Windows, Linux) or ⌘ + Z (Mac)
Redo previous edit	Ctrl + Y (Windows, Linux) or ⌘ + Y (Mac)
Find	Ctrl + F (Windows, Linux) or ⌘ + F (Mac)
Find next	F3
Replace	Ctrl + H (Windows, Linux) or ⌘ + H (Mac)
Select all	Ctrl + A (Windows, Linux) or ⌘ + A (Mac)
Duplicate current line	Ctrl + D (Windows, Linux) or ⌘ + D (Mac)

Table 6: Embedded Document Editor

To do this	Press
Save back to the project	+ (Windows, Linux) or + (Mac)
Cut selected text	+ (Windows, Linux) or + (Mac)
Paste text	+ (Windows, Linux) or + (Mac)
Copy selected text	+ (Windows, Linux) or + (Mac)
Undo previous edit	+ (Windows, Linux) or + (Mac)
Redo previous edit	+ (Windows, Linux) or + (Mac)
Insert date	+ (Windows, Linux) or + (Mac)
Insert time	++ (Windows, Linux) or ++ (Mac)
Find	+ (Windows, Linux) or + (Mac)
Find next	
Replace	+ (Windows, Linux) or + (Mac)
Select all	+ (Windows, Linux) or + (Mac)

Table 7: Web Harvester

To do this	Press
Load links from HTML content	+ (Windows) or + (Mac)