IP Log for modeling.m2t.xpand

Release Indigo

Licenses

• Eclipse Public License v1.0

Third-Party Code

| CQ | Third-Party Code | License | Use |
|-------------|--|---|----------------------------|
| <u>1827</u> | ICU4J 3.6.1 | X.Net License (ICU4J License, MIT Style) | modified source & binary |
| <u>2991</u> | ANTLR Version: 3.0 Runtime (PB CQ1359) | New BSD license | unmodified source & binary |
| <u>2992</u> | Commons Logging Version: 1.0.4 (PB CQ133) | Apache License, 2.0 | unmodified source & binary |
| 3184 | AOP Alliance Version: 1.0 (using from Orbit CQ3087) | Public Domain | unmodified binary |
| 4176 | Apache Commons Logging Jar Version: 1.1.1 (PB CQ1907) | Apache License, 2.0 | unmodified source & binary |

No pre-req dependencies

Unused Approved Contributions

| CQ | Third-Party Code | License | Status |
|-------------|---|------------------------|--|
| <u>1557</u> | ANTLR runtime Version: 3.0 | New BSD license | obsolete: was used in the past but is not longer used |
| <u>1576</u> | org.apache.commons.logging Version: 1.0.4 | Apache License, 2.0 | obsolete: was used in the past but is not longer used |

Committers

| Past and Present Active | | | |
|-------------------------|--------------|--|--|
| Name | Organization | | |
| andre Arnold | | | |
| Heiko Behrens | itemis AG | | |
| Achim Demelt | | | |
| Sven Efftinge | itemis AG | | |
| Moritz Eysholdt | itemis AG | | |
| Peter Friese | itemis AG | | |
| Arno Haase | | | |
| Dennis Huebner | itemis AG | | |
| Darius Jockel | itemis AG | | |
| Jan Koehnlein | itemis AG | | |
| Bernd Kolb | SAP AG | | |
| Patrick Schoenbach | itemis AG | | |
| Karsten Thoms | itemis AG | | |
| Markus Voelter | itemis AG | | |
| Sebastian Zarnekow | itemis AG | | |

Contributors and Their Contributions

| Bug | Size | Description | |
|----------|-----------------------|--|--|
| ekke (ek | kehard g | gentz) (ekkes-corner.org) | |
| 283942 | 1.0K | Xpand 0.71 Sample Project Workflow Errors generator.mwe with correct classnames | |
| Andre A | Andre Arnold (gmx.de) | | |
| 263650 | 565.3K | Complete Xtend and Xpand middleend to interprete Xpand/Xtend code using the Xtend backend patchset fixing this issue | |
| 274617 | 809 | Add getter for wildcardParams on Advice patchset fixing this issue | |

| 274619 | 942 | Fix handling of default file encoding |
|------------------|-----------|---|
| | | patchset fixing this issue |
| 274620 | 5.5K | Provide an expression for method invocation in the M2T Xpand backend patchset fixing this issue |
| 274620 | 4.3K | Provide an expression for method invocation in the M2T Xpand backend test for the patch |
| 275079 | 4.5K | Fix bugs in Xtend / Xpand middleend related to changes in MWE Fixes all compile issues due to MWE changes |
| 275080 | 4.2K | Fix version of Xpand and Xtend middleend Corrects plugin versions and EMF dependency |
| Simon Ba | arner (ir | ı.tum.de) |
| 322902 | 880 | Generic EMF Form Editor: ItemLabelProvider.ext does not work with nested packages [patch] Proposed patch to fix to make ItemLabelProvider.ext work with nested packages |
| Heiko Be | ehrens (i | temis.de) |
| 264363 | 1.2K | [Xtend] No meaningful exception when reexporting an unknown extension Exception that names importer and unknown extension file that should be imported |
| 264564 | 49.8K | [Xtend] Expressions cannot represent large ordinal numbers Long->BigInteger, Implicit type conversion for java extensions, minor fixes |
| 267033 | 5.4K | [Xtend] EClassType das not support setter for multi value EDataTypes Patch including test and fix |
| 274516 | 9.1K | Some bugs in EMF typesystem patch |
| 274518 | 12.9K | Some bugs in UML typesystem patch |
| 277572 | 209.3K | Profiler for expression-based languages such as Xtend/Xpand/Check profiler and templates |
| 278345 | 34.3K | Performance optimization of Xpand Builder cached analyzed return types for extensions, enhanced preferences page |
| Bene (itemis.de) | | |
| 292770 | 5.0K | [ContentAssist] Broken extensionfiles should not affect content assist fix for this bug |
| 312569 | 1.7K | [Xtend] Editor does not mark syntax error |

| | | fix for this bug |
|--------|-------|--|
| 312571 | 5.0K | [Xtend] Editor does not mark errors patch for this bug an bug#292770 |
| 339167 | 916 | duplicate errors of "type unknown" in parameter list of extensions are shown in Xtend Editor Fix for this bug |
| 339168 | 14.5K | a huge amount of resourceChanges are fired while XpandXtendBuilder is running the patch fixes this bug |
| 339168 | 2.6K | a huge amount of resourceChanges are fired while XpandXtendBuilder is running introducing MarkerObect to store issues and errors in analyzationProcess |
| 339168 | 12.0K | a huge amount of resourceChanges are fired while XpandXtendBuilder is running creating markers per file |
| 339168 | 8.5K | a huge amount of resourceChanges are fired while XpandXtendBuilder is running creating markers per file |
| 339168 | 3.7K | a huge amount of resourceChanges are fired while XpandXtendBuilder is running removing markers correctly |
| 339169 | 6.1K | problemMarkers should be adaptable introduces Interface for MarkerFactory |
| 339169 | 5.0K | problemMarkers should be adaptable introduces ExtensionPoint for MarkerFactory |
| 339169 | 5.2K | problemMarkers should be adaptable extends MarkerObject |
| 339169 | 8.3K | problemMarkers should be adaptable makes use of MarkerFactory |
| 339175 | 4.2K | analyze files only and the files which have references to the file adds new builderPreference |
| 339175 | 3.6K | analyze files only and the files which have references to the file make use of new Builder Preference |
| 339182 | 2.2K | avoid multiple resourceLoading if an additional storageFinder is implemented eliminating multiple resourceLoading |
| 341194 | 2.1K | Provide codeCompletion for types in extension definitions in xtendeditor |

| | | this is a patch for hug 3/110/ |
|-----------------------|-----------|--|
| | | this is a patch for bug 341194 |
| <u>342678</u> | 1.1K | Analyzing reverse referenced files will not work if imported resources do not exist fixes Bug 342678 |
| Christia | n W. Daı | mus (qnx.com) |
| 281269 | 8.1K | [Xtend] EMF typesystem does not support EDataTypes Fixes for datatype limitations |
| Achim I | Demelt (g | googlemail.com) |
| 283559 | 13.7K | Callback interface extensions Proposed patch |
| Moritz E | Eysholdt | (itemis.de) |
| 268577 | 7.2K | misc bugfixes for Xpand needed by the XSD Adapter xtend fixes 0.2 |
| 273464 | 948.4K | [typesystem.xsd] Migrate documentation from oAW xtend.typesystem.xsd Documentation 0.1 |
| 273464 | 858.0K | [typesystem.xsd] Migrate documentation from oAW xtend.typesystem.xsd Documentation Images 0.1 |
| 277819 | 154.1K | Needed fixes detected by the IP review for xtend.typesystem.xsd xtend.typesystem.xsd IP Fixes 0.1 |
| Richard | Gronbac | ek (borland.com) |
| 229115 | 662 | Xpand wizard package should be exposed Simple patch to add wizard package to Export-Package list |
| Darius J | ockel (it | emis.de) |
| 283799 | 37.3K | Navigation by Ctrl+click in XPand Editor Improvement of navigation |
| <u>284019</u> | 19.5K | [Wizard] creating new Xpand project should use settings from preferences An alternative Xpand project wizard |
| <u>291526</u> | 6.0K | Custom resource loading in xpand / xtend editors Patch for bug 291526 |
| 297053 | 4.8K | Performance significantly decreased in 0.8.0 stream Patch for bug 297053 and testcase |
| 301392 | 2.5K | [XtendXpandModelManager] Deleted projects are not removed from projects cache Patch |
| Manfred Klug (web.de) | | |
| 206621 | 1.7K | Stack overflow Exception |

| Dieter Moroff (umlmda.org) 273412 4.3K UI dependency in org.eclipse.xtend.typesystem.emf Patch moving EarlyStart to UI plugin, changing the plugin.xmls Maven pom file Patch for XPand Relang 774265 9.5K Maven pom file Patch for XPand Plugins Minor changes to maven pom files Patch with the changed pom.xml in XPand Releng and Plugins Michal Ruzicka (cloudsmith.com) 707.eclipse.xpand.ui doesn't compile without org.eclipse.debug.core patch to add org.eclipse.debug.core as a dependency of org.eclipse.xpand.ui 8enjamin Schwertfeger (itemis.de) XMLBeautifier fails to process data with encoding different from platform-enc Patch for set the file encoding before read and write 821422 1.3K Breakpoint position in Xtend and Xpand is not right calculated Patch for correct line calculation. Position must be inside the text area. Karsten Thoms (itemis.de) 705522 12.0K prExcludes causes IllegalArgumentExeption Patch Patch Patch Stack overflow Exception Patch Stack overflow Exception Patch Knut Wannheden (paranor.ch) [stdlib] replace oaw::Type with xpand2::Type oaw::Type patch | | | | | |
|--|---------------------------|-----------------------------|---|--|--|
| 273412 4.3K UI dependency in org.eclipse.xtend.typesystem.emf Patch moving EarlyStart to UI plugin, changing the plugin.xmls Maven pom file Patch for XPand Relang 274265 9.5K Maven pom file Patch for XPand Plugins Minor changes to maven pom files Patch with the changed pom.xml in XPand Releng and Plugins Michal Ruzicka (cloudsmith.com) org.eclipse.xpand.ui doesn't compile without org.eclipse.debug.core patch to add org.eclipse.debug.core as a dependency of org.eclipse.xpand.ui Benjamin Schwertfeger (itemis.de) XMLBeautifier fails to process data with encoding different from platform-enc Patch for set the file encoding before read and write Breakpoint position in Xtend and Xpand is not right calculated Patch for correct line calculation. Position must be inside the text area. Karsten Thoms (itemis.de) 205522 12.0K PrExcludes causes IllegalArgumentExeption Patch Patch Stack overflow Exception Patch Knut Wannheden (paranor.ch) 280422 4.2K [stdlib] replace oaw::Type with xpand2::Type oaw::Type patch Erhard Weinell (yatta.de) [Itypesystem.emf] Use of eAllContents in getKnownTypes yields massive overhead on large metamodels Replaces eAllContents with a more specific implementation | | | Updated patch for OawProject.java | | |
| Patch moving EarlyStart to UI plugin, changing the plugin.xmls Maven pom file Patch for XPand Relang Maven pom file Patch for XPand Relang Maven pom file Patch for XPand Plugins Minor changes to maven pom files Patch with the changed pom.xml in XPand Releng and Plugins Michal Ruzicka (cloudsmith.com) org.eclipse.xpand.ui doesn't compile without org.eclipse.debug.core patch to add org.eclipse.debug.core as a dependency of org.eclipse.xpand.ui Benjamin Schwertfeger (itemis.de) XMLBeautifier fails to process data with encoding different from platform-enc Patch for set the file encoding before read and write Breakpoint position in Xtend and Xpand is not right calculated Patch for correct line calculation. Position must be inside the text area. Karsten Thoms (itemis.de) 205522 12.0K prExcludes causes IllegalArgumentExeption Patch Patch Stack overflow Exception Patch Stack overflow Exception Patch Knut Wannheden (paranor.ch) [880422] 4.2K [1stdlib] replace oaw::Type with xpand2::Type oaw::Type patch Erhard Weinell (yatta.de) [1typesystem.emf] Use of eAllContents in getKnownTypes yields massive overhead on large metamodels Replaces eAllContents with a more specific implementation | Dieter N | Dieter Moroff (umlmda.org) | | | |
| Patch for XPand Relang | 273412 | 4.3K | | | |
| Patch for XPand Plugins | 274265 | 3.3K | | | |
| Michal Ruzicka (cloudsmith.com) 307960 584 org.eclipse.xpand.ui doesn't compile without org.eclipse.debug.core patch to add org.eclipse.debug.core as a dependency of org.eclipse.xpand.ui Benjamin Schwertfeger (itemis.de) 319823 2.1K XMLBeautifier fails to process data with encoding different from platform-enc Patch for set the file encoding before read and write 321422 1.3K Breakpoint position in Xtend and Xpand is not right calculated Patch for correct line calculation. Position must be inside the text area. Karsten Thoms (itemis.de) 205522 12.0K prExcludes causes IllegalArgumentExeption Patch 206137 16.7K prSrcPaths: error if more then 1 path Patch 206621 2.5K Stack overflow Exception Patch Xtack overflow Exceptio | 274265 | 9.5K | 1 | | |
| org.eclipse.xpand.ui doesn't compile without org.eclipse.debug.core patch to add org.eclipse.debug.core as a dependency of org.eclipse.xpand.ui Benjamin Schwertfeger (itemis.de) XMLBeautifier fails to process data with encoding different from platform-enc Patch for set the file encoding before read and write 321422 | 274879 | 1.4K | _ | | |
| patch to add org.eclipse.debug.core as a dependency of org.eclipse.xpand.ui | Michal | Ruzicka | (cloudsmith.com) | | |
| XMLBeautifier fails to process data with encoding different from platform-enc Patch for set the file encoding before read and write | 307960 | 584 | patch to add org.eclipse.debug.core as a dependency of | | |
| 2.1K platform-enc Patch for set the file encoding before read and write | Benjam | in Schwe | ertfeger (itemis.de) | | |
| Patch for correct line calculation. Position must be inside the text area. Karsten Thoms (itemis.de) 205522 12.0K prExcludes causes IllegalArgumentExeption Patch 206137 16.7K prSrcPaths: error if more then 1 path Patch 206621 2.5K Stack overflow Exception Patch 206621 3.9K Stack overflow Exception Patch Knut Wannheden (paranor.ch) 280422 4.2K [stdlib] replace oaw::Type with xpand2::Type oaw::Type patch Erhard Weinell (yatta.de) [typesystem.emf] Use of eAllContents in getKnownTypes yields massive overhead on large metamodels Replaces eAllContents with a more specific implementation | 319823 | 2.1K | platform-enc | | |
| 205522 12.0K prExcludes causes IllegalArgumentExeption Patch 206137 16.7K prSrcPaths: error if more then 1 path Patch 206621 2.5K Stack overflow Exception Patch 206621 3.9K Stack overflow Exception Patch Knut Wannheden (paranor.ch) 280422 4.2K [stdlib] replace oaw::Type with xpand2::Type oaw::Type patch Erhard Weinell (yatta.de) [typesystem.emf] Use of eAllContents in getKnownTypes yields massive overhead on large metamodels Replaces eAllContents with a more specific implementation | 321422 | 1.3K | | | |
| 206137 16.7K prSrcPaths: error if more then 1 path Patch 206621 2.5K Stack overflow Exception Patch 206621 3.9K Stack overflow Exception Patch Knut Wannheden (paranor.ch) 280422 4.2K [stdlib] replace oaw::Type with xpand2::Type oaw::Type patch Erhard Weinell (yatta.de) [typesystem.emf] Use of eAllContents in getKnownTypes yields massive overhead on large metamodels Replaces eAllContents with a more specific implementation | Karsten | Thoms (| (itemis.de) | | |
| 206621 2.5K Stack overflow Exception Patch 206621 3.9K Stack overflow Exception Patch Knut Wannheden (paranor.ch) 280422 4.2K [stdlib] replace oaw::Type with xpand2::Type oaw::Type patch Erhard Weinell (yatta.de) [typesystem.emf] Use of eAllContents in getKnownTypes yields massive overhead on large metamodels Replaces eAllContents with a more specific implementation | 205522 | 12.0K | | | |
| 206621 3.9K Stack overflow Exception Patch Knut Wannheden (paranor.ch) 280422 4.2K [stdlib] replace oaw::Type with xpand2::Type oaw::Type patch Erhard Weinell (yatta.de) [typesystem.emf] Use of eAllContents in getKnownTypes yields massive overhead on large metamodels Replaces eAllContents with a more specific implementation | 206137 | 16.7K | - | | |
| Knut Wannheden (paranor.ch) 280422 4.2K | 206621 | 2.5K | _ | | |
| 280422 4.2K [stdlib] replace oaw::Type with xpand2::Type oaw::Type patch Erhard Weinell (yatta.de) [typesystem.emf] Use of eAllContents in getKnownTypes yields massive overhead on large metamodels Replaces eAllContents with a more specific implementation | 206621 | 3.9K | 1 | | |
| 299797 2.2K oaw::Type patch [typesystem.emf] Use of eAllContents in getKnownTypes yields massive overhead on large metamodels Replaces eAllContents with a more specific implementation | Knut W | Knut Wannheden (paranor.ch) | | | |
| [typesystem.emf] Use of eAllContents in getKnownTypes yields massive overhead on large metamodels Replaces eAllContents with a more specific implementation | 280422 | 4.2K | 1 | | |
| 299797 2.2K massive overhead on large metamodels Replaces eAllContents with a more specific implementation | Erhard Weinell (yatta.de) | | | | |
| 300827 42.7K [xpand.ui] Provide user-configurable syntax coloring / markup | 299797 | 2.2K | massive overhead on large metamodels | | |
| | 300827 | 42.7K | [xpand.ui] Provide user-configurable syntax coloring / markup | | |

| | | Adds user-configurable syntax coloring |
|-----------------------------|----------|--|
| 310579 | 854 | containingDefinition setting not propagated across IfStatement.elseIf Patch to fix #310579 |
| Sebastia | ın Zarne | kow (itemis.de) |
| 218607 | 7.1K | Order Preserving Sets Tests and some fixes for intersect, union, without, SetType.newInstance |
| 267699 | 9.5K | Xpand Editor is not registered Restore content of plugin xml, some fixes with keybindings |
| 268576 | 2.5K | [Builder] Infinite recursion if resource is not found Fix for inifinite recursion |
| 268808 | 1.5K | [Activities] Dublicate entries in plugins xml lead to unresolved message Fix |
| 269954 | 3.9K | [Type inference] Return type for Collection.flatten could be infered in most cases Collection.flatten |
| 269955 | 12.3K | [ContentAssist] Misleading and duplicate suggestions when parameterized types are involved Patch that fixes the problems |
| 273050 | 2.2K | [JavaMetamodel] Opened and closed projects are not handled gracefully Fix |
| 273051 | 2.5K | [ContentAssist] Missing proposals for extensions Fix |
| 281220 | 1.0K | [project-analyser] Logs an ResourceException Patch that fixes the problem |
| Alexander Ny?en (itemis.de) | | |
| 264319 | 2.2K | setCallBack method should be pulled up from XpandExecutionContextImpl to ExecutionContextImpl Pull-up patch |

Repositories

The information contained in this log was generated by using commit information from the following repositories:

/cvsroot/modeling/org.eclipse.m2t/org.eclipse.xpand