

IP Log for modeling.gmp.gmf-tooling

Licenses

- Eclipse Public License v1.0

Third-Party Code

Pre-Req Dependencies

CQ	Third-Party Code	License	Use
301	LALR Parser Generator (Runtime) (LPG) Version: 1	Eclipse Public License	
302	LALR Parser Generator (Runtime) (LPG) Version: 1.1	Eclipse Public License	
2267	bcel 5.1 (PB CQ2245)	Apache Software License 1.1	
2268	apache httpclient Version: 3.0.1 (PB CQ1096)	Apache License, 2.0	
2269	Apache Commons Line Interface (CLI) Version: 1.0 (using Orbit CQ1590)	Apache Software License 1.1	
2270	Apache Commons Logging Version: 1.0.4 (PB CQ219)	Apache License, 2.0	
2273	commons-httpclient-3.0.jar Version: version 3.0 (PB CQ14 22)	Apache License, 2.0	
2274	Apache Commons Logging Version: 1.0.3 (PB CQ223)	Apache License, 2.0	
2277	codec Version: 1.2 (PB CQ2356)	Apache Software License 1.1	unmodified binary
2280	Apache Jakarta ORO Library Version: 2.0.8 (PB CQ232)	Apache Software License 1.1	
4093	Junit Version: 3.8.1 (PB CQ296) (PB C Q2271)	Common Public License	
4096	org.apache.ant 1.6.5 (PB CQ1768) (PB CQ2266)	Apache License, 2.0	

Exempt Pre-Req and Works With Dependencies

No Exempt Pre-Req or Works With dependencies

Committers

Past and Present Active		
Name	Organization	
Boris Blajer (Golubev)	Borland Software Corp.	
Radomil Dvorak	Borland Software Corp.	
Ralph Gerbig		
Michael Golubev		
Guillaume Hillairet		
Anthony Hunter	IBM	
Micka?l Istria	Red Hat, Inc.	
Svyatoslav Kovalsky	Montages AG	
Cherie Revells	IBM	(not a current committer)
Alexander Shatalin		
Dmitry Stadnik	Borland Software Corp.	
Artem Tikhomirov		

Contributors and Their Contributions

Ref	Size	Description
Andres Alvarez Mattos (adinet.com.uy)		
317241	5124 bytes	Diagram generation does not respect the Interface Name Pattern supplied in genmodel Patch (With compilation errors)
Andres Alvarez Mattos (gmail.com)		
2ead3a	66 lines	Bug 317241 : Tentative patch
8aa888	66 lines	Bug 317241 Tentative patch
317241	4954 bytes	Diagram generation does not respect the Interface Name Pattern supplied in genmodel Git Proposed Patch
Aurelien Pupier (bonitasoft.com)		
329465	108 bytes	Memory leak with SVGFigure comment #1
ghillairet (montages.com)		
005192	121 lines	[QVTo bridge] Refactoring of TransformToGenModelOperation to use current QVTO API instead of deprecated one
030c8b	31 lines	Updated tests for qvto bridge
0b14bc	276 lines	Commented tests, rework later
0e4a3c	6426 lines	[#368285] fixed

25fea9	14 lines	[368344] - Add Check Button in GenModel Generation Wizard to allow using of Modeled Viewmap
2acb3f	107 lines	code cleaning
2b01af	6 lines	[368988] - post-merge problem: Fixed settings of preferences after execution of gmfgn generation.
2d3453	6 lines	Collect orphans palette entries at the end of transformation, see PaletteTest#referenceToolFromWrongPalette
313db8	1083 lines	updated qvto bridge - rewrite generation of visualIDs - support for recursive node mapping - fix GenCompartment mapping - extend audit mapping - fix expression provider mapping - fix LabelMapping - fix LabelModelFacet - fix Viewmap attributes - add support for ModeledViewmap add qvto library Map2GenUtil containing queries for main transformation
345119	192 lines	Renamed CustomBehaviours to Behaviours - now holds all Behaviour related mappings.
35fa38	1 lines	Added dependency to org.eclipse.gmf.bridge.trace, needed for test on VisualIDWithTrace
3789b7	38 lines	add call to CustomBehaviour mapping
3a0f77	11 lines	Changed import from Map2GenUtil to Utils
3e6a60	19 lines	Removed call to class attribute by call to method.
417cb6	149 lines	add qvt library Map2GenUtil
4d4338	2759 lines	Tests for bugs: #369562 #369428 Signed-off-by: ghillairet <hillairet@montages.com>
5550cf	88 lines	Setting of visualIDs now handle in Mappings. Identity library kept for further port of NaiveVisualIdentityDispenser in qvto.
585087	81 lines	Added GenParser tests
591032	21 lines	Removed unused imports. Removed call to Viewmap, now done in Mappings Removed call Identity, now done in Mappings Removed call to Behaviour, now done in Mappings
5a9aea	149 lines	add qvt library Map2GenUtil
5db2a6	1415 lines	[QVTo bridge] Updated Header/Copyright form
6382d2	1547 lines	removed old tests
63d5f3	56 lines	CustomBehaviours library contains mappings for CustomBehaviour objects, e.g. VisualEffect
6dcc56	127 lines	Moved GenParser creation to Parsers library
79a451	960 lines	removed for this release
829aec	2 lines	Added vm args -XstartOnFirstThread to allow execution of UI tests on OSX
84d530	32 lines	removed commented code
87401a	43 lines	Add getter/setter for transformation URL.

891e84	1 lines	suppress unnecessary annotation
8ad06b	70 lines	update qvto bridge to include: - use enum choice parser for labels with single enum typed - OclChoiceParser - VisualEffectMapping
923a4e	30 lines	Added helper for creation of CustomBehaviours for TopNodeReference Fixed editPolicyQualifiedClassName
9416ca	2023 lines	Refactoring qvto bridge, modularize transformations by using libraries.
a1a6d4	421 lines	Updated tests for qvto bridge
a57ff4	1105 lines	Refactoring of tests for comparison of java and qvto bridge
abc6f8	1083 lines	updated qvto bridge - rewrite generation of visualIDs - support for recursive node mapping - fix GenCompartment mapping - extend audit mapping - fix expression provider mapping - fix LabelMapping - fix LabelModelFacet - fix Viewmap attributes - add support for ModeledViewmap add qvto library Map2GenUtil containing queries for main transformation
b80da6	2060 lines	Updated Tests for comparison of transformation engine.
b866ae	7 lines	removed unnecessary filter
c2dbc2	145 lines	Add option to set custom qvto transformation path. Updated event listeners.
c621ad	13 lines	added PREF_USE_IN_TRANSFORMATION_CODE_GEN, used to indicate usage of code generation during qvt bridge execution. When false transformation creates ModeledViewmap instead of InnerViewmap.
d83110	94 lines	Rewrite the mapping of CompartmentMapping, previous usage of Tuples throws IllegalArgumentException under OCL 4.0.0 Signed-off-by: ghillairet <g.hillairet@gmail.com>
e1dcb3	113 lines	Modifications to handle setting of viewmaps in Mappings.
e20d23	1 lines	suppress unnecessary annotation
e7c0ea	294 lines	Modifications to handle setting of visualID in Mappings. Modifications to handle setting of viewmaps in Mappings. Modifications to handle setting of custom behaviours in Mappings. Reimplemented mapping of Compartments to mimic Java version.
ede44a	13 lines	added PREF_USE_IN_TRANSFORMATION_CODE_GEN, used to indicate usage of code generation during qvt bridge execution. When false transformation creates ModeledViewmap instead of InnerViewmap.
f07ad4	16 lines	Updated tests
fa2e9f	287 lines	Renamed Map2GenUtil as Utils Removed CompartmentMapping helpers Moved ElementType helpers into Mappings
368285	5994 bytes	QVTO transformation is executed by Map2Gen Wizard when Java transformation is selected This patch fixes gmfgn model generation wizard bug that executes qvto when java is selected
	110935	Support of ModeledViewmap in QVTO Bridge

368988	bytes	Support for generation of ModeledViewmap in QVTO-Bridge
368344	179 bytes	Add Check Button in GenModel Generation Wizard to allow generation of Modeled Viewmap comment #2
James Bruck (gmail.com)		
232389	1296862 bytes	TVT34:TCT282: TR-Print screen totally English on Windows unlike Linux Updated .rc files for windows.
Lidija Grahek (ca.ibm.com)		
240753	35998 bytes	DVT34: broken link in documentation GMF Doc Link Corrections
240968	2224 bytes	DVT34: broken link in documentation Patch
Mariot Chauvin (gmail.com)		
300374	3147 bytes	Update templates to use new layout policies patch for head
Michael Golubev (montages.com)		
127252	210390 bytes	gmfgraph model/codegenration to include explicit support for draw2d layouts Support for native draw2d layouts added
246252	945 bytes	Remove obsolete/unused preferences-related keys from diagram plugin property file Fixes the subj
250271	4939 bytes	Replace anonymous inner class for creation editpolicy by using the GEF getTargetEditPart() method Fixes the subj
260087	2428 bytes	Reconicle standart actions and their properties GenContextMenu#id added
Mickael Istria (redhat.com)		
325648	1032 bytes	Template used by GMF that generates ???DiagramEditor.java should check for null diagram or resource in the getNavigatorSelection method Proposed patch
Ralph Gerbig (gmail.com)		
338522	1494 bytes	ElementInitializer.xpt and Sequence {IntegerValue} Patch
skovalsky (montages.com)		
03d3ff	328 lines	[374583] - OCL-choice parser: support in templates
0d8422	87 lines	[374583] - common base classes for parsers that use ocITracker to auto-update the labels defined in OCL
10c116	89 lines	[161545] - OcITracker API -- component that gets notified when a result of OCL expression has changed
29adc6	142 lines	Allow VisualEffectMappings's for LinkMappings - bridge and templates
2f858f	755 lines	[158116] - support for PredefinedEnumParser's in the templates

316fd3	55 lines	[379358] Fixed: ParserTest fails under GMF 3.0M7
3d501	6 lines	[379484] - Adjustments after [380320]: all fields should be private, +avoid accessing protected super.figure directly
56db6b	142 lines	Allow VisualEffectMappings's for LinkMappings - bridge and templates
6ba37f	23 lines	[374583] - OCL-choice parser: support in (java) bridge
71e7ef	3591 lines	GMFMap - introduce VisualEffectMapping - bounds some OCL expression to GMFGraph Pin
84f31c	1 lines	[368398] - Common base class for all visual effects reexported (separate commit to simplify cherry-picking)
8d0059	1 lines	[368169] - common API for VisualIDRegistries exported (separate commit to simplify merge)
8e9a1b	797 lines	[374583] - Generic OCL-configurable choice parser: gen model + edit
985676	3585 lines	GMFMap - introduce VisualEffectMapping - bounds some OCL expression to GMFGraph Pin
9a0b6e	109 lines	[158116] - EnumParser runtime support
a4e9f3	1239 lines	Intorducing GenVisualEffect's - the codegen input that bounds it all together
abf934	233 lines	[368169] - common API for all VisualIDRegistries is extracted and typed adapter is generated (backport from U2T), +sample regenerated
adbd05	176 lines	[368398] - Common super class for all VisualEffect's extracted to gmft-runtime
c97d2a	803 lines	[374583] - refactoring: AbstractParser split to EStructuralFeature- and EAttribute-parts to reuse the former in EReference-parsers
c9f3a5	1254 lines	Intorducing GenVisualEffect's - the codegen input that bounds it all together
d7f3b7	596 lines	[368521] - separate code for modeling assistants and edit parts
f2c55e	529 lines	[161545] - component to listen for notifications that affects the result of OCL expression. GMFT-specific implementation to be replaced with ImpactAnalyzer when it will be available.
fdd37d	3 lines	[380320] - fixed NPE on creation vertical label with initial text (TOE sample)
368398	314426 bytes	Support Visual Effects - visual diagram properties automatically updated based on the values of semantic element(s) initial revision - custom/color/visible pins for nodes - 100% generated
374583	277091 bytes	Support parser for non-containment EReference[0..1] Support EReference[0..1] for OCL choice labels
Tatiana Fesenko (borland.com)		
256123	1163 bytes	Correctly name diagrams initialized from a domain model Proposed patch
Yuri Chernikov (ychernikov.info)		
fa0784	10 lines	[174005] - Allow inner phantom elements +amended to correctly set author

174005	22383 bytes	Allow generation for inner phantom elements fix TypeModelFacetImpl.isPhantomElement()
------------------------	----------------	--

Repositories

The information contained in this log was generated by using commit information from the following repositories:

`/gitroot/gmf-tooling/org.eclipse.gmf-tooling.git`