

Race Manager App - Race List Spec

[Issue 3011](#)

[Attention: See below for the test data setup.](#)

General Display, Grouping and Sorting

Headers and Groups

Each regatta series combination should create a race group to be shown with its own list header.

Because the order of series within a regatta is predefined this order has to be preserved as retrieved from the server.

Each header should display the display name of the regatta.

If the series name is not "Default" its name should be displayed following the regatta name in the header.

→ The general tab should display the headers "Laser", "49er - Qualifications", "49er - Finals", "49er Medals"

Races

Every series race column and fleet combination creates a separate race row within a group.

Because the race columns within a series are ordered, the races list must preserve this order.

Each race row should display the race columns name.

→ 49er Finals has 4 rows ordered: F1 - Silver, F1 - Gold, F2 - Silver, F2 - Gold

If the races fleet name is not "Default" the fleet name should be displayed in front of the races name.

→ Laser has 3 races: R1, R2, R3

The Current Tab/Filter

Series ([Race Group](#)) Filter

*Implementation hint from Axel: I guess we wouldn't need to discuss hiding and showing of "groups" in the first place. We only need to specify which **races** are to be shown. Due to the hierarchical display in leaderboards-->series it's easy: simply don't show empty series and empty leaderboards.*

Hide a race group if all races of this group are finished.

→ Given that all races of the 49er Qualifications are in the state "finished" and no race of a subsequent series has been started: The Group 49er Qualification **is not** visible.

→ Given for the 49er Qualifications that one race is in the state "finishing" and all others are in the state "finished" and no race of a subsequent series has been started: The group "49er Qualification" **is** visible.

Hide a series if any race of a subsequent series has already been started.

→ Given that not all races of the "49er Qualifications" are in the state "finished" and one of the races of "49er Finals" is in the state "running" the "49er Qualifications" **are not visible**.

→ Given that all races of the "49er Qualifications" are in the state "unscheduled" and also all of the races in the groups "49er Finals" and "49er Medals" are unscheduled, the "49er Qualifications" **are visible**.

Hide a race group if all of its races are unscheduled and it's not the first series of a regatta or no race of the last race column of a prior group has been started.

→ Given that all races of the "49er Finals" are unscheduled and the "Yellow Q3" as well as the "Blue Q3" are in the state "starting": The "49er Finals" are **not** visible.

→ Given that all races of the "49er Finals" are unscheduled and the "Yellow Q3" is starting and the "Blue Q3" is running: The "49er Finals" **are visible**.

→ Given that all races of the "49er Qualifications" are unscheduled and no race of a subsequent series has been started: The "49er Qualifications" **are visible**.

(Alternatively: Show a group unless all races of this group are finished and there is no subsequent series for with an already started race and unless there is a prior group where all races of the last race column are not yet started.)

Races Filter

Show a race if its race status is between "scheduled" and "finishing".

→ Given that “49er Qualifications” races “Q2 Yellow” is scheduled and “Q3 Blue” is finishing and all other races of this series are unscheduled: “Q2 Yellow” and “Q3 Blue” are visible. (Beside that also “Q1 Blue” and also “Q1 Yellow” are visible - but that’s because of the specification below.)

Show an unscheduled race if it “follows” a race that is at least in state “scheduled” or if it belongs to the first race column of the leaderboard. A race A “follows” a race B if A and B are in the same fleet of the same series and A is in the race column that immediately follows B’s race column, or if A’s race column is the first of a series that immediately follows B’s series and B’s race column is the last in its series.

→ Given that all races of “49er Qualifications” are unscheduled: “Q1 Blue” and “Q1 Yellow” **are visible** all other races of this series **are not visible**. (Q1 Blue and Q1 Yellow don’t follow any other races, but both belong to the first race column of the leaderboard.)

→ Given that the race “Q1 Blue” of “49er Qualifications” is finished and the race “Q2 Yellow” is scheduled and all other races of the series are unscheduled:

- “Q2 Blue” **is** visible because “Q2 Blue” follows Q1 Blue which is at least “scheduled”.
- “Q1 Yellow” **is** visible because “Q1 Yellow” belongs to the first race column of the leaderboard.
- “Q2 Yellow” **is** visible because it is scheduled.
- “Q3 Yellow” **is** visible because the unscheduled race Q3 Yellow follows Q2 Yellow which is at least in state “scheduled.”
- “Q1 Blue” **is not** visible because it is finished.
- “Q3 Blue” **is not** visible because the unscheduled race Q3 blue follows Q2 Blue, but Q2 Blue is not at least in state “scheduled,” and Q3 Blue is not in the first race column of the leaderboard.

Test Data Setup

Given 2 regattas on the selected area

- .. one regatta named Laser with no series and no fleets and 3 races R1 to R3
- .. and another regatta named 49er with 3 series namely
- .. qualifications with 2 equally ordered fleets: blue and yellow with 3 races Q1,Q2 and Q3
- .. finals with 2 unequally ordered fleets: gold and silver with 2 races F1, F2
- .. medals without fleets with one race M1