

CAREORBIT

Client Training & User Acceptance Testing Manual

Operational Guide • Role Workflows • UAT Sign-off

Version 1.0 | 4 July 2026

Live system <https://janani-careorbit.vercel.app/>

Use this manual to train staff, perform controlled acceptance testing, and record client approval before routine clinical use.

Patient information is confidential. Use test patients during training and store exported PDF, Excel and JSON files only in approved locations.

1. How To Use This Manual

Training lead: demonstrate each workflow once, then ask the staff member to repeat it using a test patient. Complete the matching UAT case and record Pass or Fail.

Training sequence

1. Create or confirm staff accounts and assign the correct roles.
2. Use one clearly named test patient for the end-to-end demonstration.
3. Complete registration, appointment, queue, consultation, prescription, lab, pharmacy and billing in that order.
4. Confirm in-app notifications appear for the receiving role.
5. Download the PDF, Excel and backup files and open each file.
6. Record any failed UAT case, retest after correction, and obtain client sign-off.

System scope

Available now	Not part of this release
Login and role access	Inpatient admission and bed management
Patient registration and history	Surgery and operation theatre workflows
Appointments, doctor assignment and queue	Radiology image or DICOM management
EMR timeline and prescriptions	Telemedicine video consultations
Lab, pharmacy and billing	Facial recognition
In-app notifications, audit and exports	Automated WhatsApp/SMS delivery

Important In-app notifications are active. External WhatsApp/SMS delivery is not included unless a messaging provider is configured separately.

Acceptance status Development verification confirms technical behavior. Client UAT remains pending until the client completes the test cases and signs the acceptance section.

2. Roles And Access

Role	Main responsibilities	Key areas
Admin / Hospital Admin	Setup, oversight, users, audit and backup	All operational modules
Doctor	Consultation, clinical review, prescriptions and lab orders	Patients, EMR, Prescriptions, Laboratory
Staff / Nurse	Registration, appointments, queue and patient coordination	Patients, Appointments, Queue
Lab Technician	Process lab orders and enter results	Laboratory
Pharmacist	Maintain stock and dispense medicines	Pharmacy
Billing Operator	Create invoices, record payments and issue receipts	Billing

Access rule A restricted message is correct when a user opens a module outside the assigned role. Administrators can access operational modules for supervision.

3. Login, Navigation And Notifications

Sign in

7. Open <https://janani-careorbit.vercel.app/> in Chrome or Edge.
8. Enter the email address and password supplied by the administrator.
9. Select Sign in and wait for the dashboard.
10. Confirm the user name and expected role are shown.
11. Use the left navigation to open an allowed module.

Notifications

12. Select the bell icon in the application header.
 13. Review unread items and open the related module when action is required.
 14. Mark reviewed items as read.
- A newly assigned appointment notifies the assigned doctor.
 - A prescription notifies pharmacists.
 - A new lab order notifies lab technicians.
 - A completed lab result notifies the ordering doctor.

Sign out

Always use the profile menu and Sign out when leaving a shared computer. Closing the tab alone is not a secure sign-out.

Forgotten password

15. On the sign-in page, select Forgot password?.
16. Enter the account email and select Send reset link.
17. Open the CareOrbit recovery email and select the secure link.
18. Enter and confirm a password that satisfies every displayed requirement.
19. Select Update password, then sign in again using the new password.

Expired link If the recovery page says the link is invalid, expired or already used, request a new link. Never forward recovery emails.

4. Patient Registration And History

Register a patient

20. Open Patients and select Add patient.
21. Enter the patient identity, date of birth, gender and contact details.
22. Add an emergency contact when available.
23. Review spelling and phone number before saving.
24. Select Save and confirm that the patient appears with a generated MRN.

View patient history

25. Open Patient History.
26. Search using the patient name or MRN.
27. Open the matching record.
28. Review appointments, clinical events, prescriptions, lab activity and billing history.

Duplicate prevention Search by phone number, name and MRN before registering a returning patient.

5. Appointment And Queue Workflow

Book and assign

29. Open Appointments and select New appointment.
30. Select the patient and doctor.
31. Choose the date and time, then add the reason for visit.
32. Save the appointment.
33. Confirm the appointment is listed and the assigned doctor receives an in-app notification.

Reschedule or cancel

34. Open the appointment action menu.
35. Choose Reschedule, select the new date/time and save; or choose Cancel and confirm.
36. Verify the updated time or cancelled status is visible.

Manage the queue

37. Open Queue and locate the patient.
38. Move the patient through the available waiting and consultation states.
39. Confirm the queue order and status update without refreshing the browser.

6. EMR And Prescription Workflow

Review the EMR timeline

40. Open EMR Timeline and select the patient.
41. Review chronological clinical events and confirm the correct MRN.
42. Use the timeline as reference before entering new clinical information.

Issue and download a prescription

43. Open Prescriptions and select New prescription.
44. Select the patient and enter the diagnosis.
45. Add each medicine with dose, frequency, duration and instructions.
46. Enter clinical advice and select Issue prescription.
47. Select PDF on the created prescription and open the downloaded file.
48. Select Excel to download the prescription register for reporting.

Clinical check The prescribing clinician remains responsible for medicine, dose, interactions and patient-specific advice.

7. Laboratory Workflow

Doctor or administrator

49. Open Laboratory and select New lab order.
50. Select the patient, enter the test name and choose Routine or Urgent.
51. Create the order and confirm an order number is generated.

Lab technician

52. Open Laboratory and locate the order.
53. Select Update result.
54. Change the status as work progresses.
55. Enter the result and reference range.
56. Set the status to Completed and save.
57. Confirm the ordering doctor receives a result-ready notification.

Export

Select Excel to download the current lab order and result register. Open the workbook and confirm the order number, patient, test, status, result and reference range.

8. Pharmacy Workflow

Add stock

58. Open Pharmacy and select Add stock.
59. Enter medicine name, SKU, batch, expiry date, quantity, reorder level and unit price.
60. Save and confirm the stock row is visible.

Dispense medicine

61. Select Dispense.
62. Choose the patient and, when available, link the prescription.
63. Select the medicine and quantity.
64. Confirm dispensing.
65. Verify the stock quantity decreases by exactly the dispensed quantity.

Select Excel to download two sheets: Stock and Dispensations. Low-stock items are marked in the exported data.

9. Billing, Payments And Receipts

Configure invoice branding (administrator)

66. Open Hospital Settings.
67. Enter the hospital identity, legal, contact, address and tax details.
68. Upload a PNG, JPG or WebP logo no larger than 2 MB.
69. Enter invoice terms, payment details, footer and authorized signatory.
70. Save and verify the logo and hospital details appear in invoice preview.

Create an invoice

71. Open Billing & Payments and select New draft.
72. Select the patient.
73. Choose catalogue services or add a custom line with quantity, price and tax rate.
74. Enter discount and notes when applicable.
75. Confirm the calculated subtotal, tax and total, then save the draft.
76. Select Preview and compare patient, hospital and financial details.
77. Select Finalize invoice only after the preview is correct.

Drafts may be edited or deleted and do not count as patient debt. Finalized invoice financial lines cannot be edited. An unpaid issued invoice may be cancelled only with a reason; paid invoices require a separate refund process.

Record payment

78. Select Record payment on an invoice with an outstanding balance.
79. Enter an amount not greater than the balance.
80. Choose cash, card, UPI, bank transfer, insurance or other.
81. Enter a payment reference when applicable and save.
82. Confirm paid amount, balance and invoice status are updated.
83. Select the generated receipt number to download the branded payment receipt PDF.

Download

- Select PDF to download the patient invoice/receipt.
- Select Excel to download the invoice register with total, paid and balance columns.

10. Audit, Backup And Downloads

Administrator exports

84. Open Audit & Backup.
85. Review the latest activity rows and confirm user, action and record are visible.
86. Select Export Excel for a readable multi-sheet operational workbook.
87. Select Export JSON Backup for the structured application-data snapshot.
88. Open both files and store them in the approved encrypted backup location.

Where downloaded files go

- Chrome and Edge normally save files in the Windows Downloads folder.
- Use Ctrl+J to open the browser download list.
- Expected file types are .pdf, .xlsx and .json.
- If the browser asks for permission, allow downloads for janani-careorbit.vercel.app.

Backup limitation An exported JSON file is an application-data snapshot. Supabase platform backups and recovery settings must also be managed by the system owner.

11. Controlled Data Imports

Open Data Imports. Only panels allowed for the signed-in role are shown. Use the supplied template whenever possible.

Standard import procedure

89. Select Template and enter data without formulas or passwords.
90. Choose a CSV or XLSX file no larger than 5 MB and 2,000 rows.
91. Map each CareOrbit field to the matching file column.
92. Review the five-row preview and correct missing required mappings.
93. For pharmacy updates, enable existing-record updates only after confirming SKU and batch matches.
94. Select the confirmation checkbox and then Confirm import.
95. Review imported and skipped totals; download the error report when rows were rejected.

Import	Authorized roles	Key validation
Patients	Admin, Staff, Nurse	MRN, phone, email and name/date-of-birth duplicates
Pharmacy	Admin, Pharmacist	SKU/batch, expiry, quantity and price
Billing services	Admin, Billing Operator	Unique code, price, tax and active status
Appointments	Admin, Staff, Nurse	Existing MRN/doctor, date/time and doctor conflict
Staff invitations	Admin	Email, supported role and secure activation email; no passwords

Import safety A skipped row is not silently corrected. Review its error, correct the source file and import that row again.

12. User Acceptance Testing

Use test data only. Enter Pass or Fail in the Result column. A failed case must include notes and be repeated after correction.

ID	Role	Test and expected result	Result	Notes
UAT-01	All	Valid login opens dashboard; invalid login shows an error.	___	
UAT-02	All	Allowed navigation opens; restricted module shows restricted access.	___	
UAT-03	Staff	New patient saves once and receives an MRN.	___	
UAT-04	Staff	Patient search returns the correct name and MRN.	___	
UAT-05	Staff	Appointment saves with selected doctor/date/time.	___	
UAT-06	Doctor	Assigned appointment notification appears in-app.	___	
UAT-07	Staff	Rescheduled appointment shows the new time.	___	
UAT-08	Staff	Cancelled appointment shows cancelled status.	___	
UAT-09	Staff	Queue status changes without duplicate entries.	___	
UAT-10	Doctor	Patient EMR timeline opens for the correct MRN.	___	

ID	Role	Test and expected result	Result	Notes
UAT-31	All	Forgot-password request shows a generic success message.	___	
UAT-32	All	Recovery email opens reset page and accepts a strong new password.	___	
UAT-33	All	Expired/used recovery link is rejected.	___	
UAT-34	Admin	Hospital profile and invoice text save and reload.	___	
UAT-35	Admin	Valid logo uploads; invalid type/oversize logo is rejected.	___	
UAT-36	Billing	Draft saves without becoming outstanding patient debt.	___	
UAT-37	Billing	Draft edit and delete work; finalized lines cannot be changed.	___	
UAT-38	Billing	Preview and invoice PDF show matching branding and totals.	___	
UAT-39	Billing	Cancellation requires a reason and preserves audit history.	___	
UAT-40	Billing	Payment receipt PDF has receipt/invoice numbers and balance.	___	

ID	Role	Test and expected result	Result	Notes
UAT-41	Staff	Patient template downloads and valid CSV/XLSX imports.	___	
UAT-42	Staff	Duplicate patient is skipped with a row error.	___	
UAT-43	Pharmacist	Pharmacy import skips matching batch without confirmation.	___	
UAT-44	Pharmacist	Confirmed matching batch update changes intended values.	___	
UAT-45	Billing	Service import updates catalogue and service is selectable.	___	
UAT-46	Staff	Appointment import rejects missing MRN/doctor and conflicts.	___	
UAT-47	Doctor	One notification appears for each successful imported appointment.	___	
UAT-48	Admin	Staff import sends activation email without importing passwords.	___	
UAT-49	All	Formula, invalid-file and oversized-file imports are rejected.	___	
UAT-50	All	Unauthorized roles cannot see or execute import/settings actions.	___	

ID	Role	Test and expected result	Result	Notes
UAT-11	Doctor	Prescription saves all medicine instructions.	—	
UAT-12	Doctor	Prescription PDF downloads and opens correctly.	—	
UAT-13	Doctor	Prescription Excel downloads and contains the new row.	—	
UAT-14	Pharmacist	New prescription notification appears in-app.	—	
UAT-15	Doctor	Lab order saves with generated order number.	—	
UAT-16	Lab Tech	Lab order notification appears in-app.	—	
UAT-17	Lab Tech	Result and reference range save as Completed.	—	
UAT-18	Doctor	Completed lab result notification appears.	—	
UAT-19	Lab Tech	Lab Excel downloads and contains result data.	—	
UAT-20	Pharmacist	Stock item saves with batch, expiry and price.	—	

ID	Role	Test and expected result	Result	Notes
UAT-21	Pharmacist	Dispensing reduces stock by the entered quantity.	—	
UAT-22	Pharmacist	Pharmacy Excel contains Stock and Dispensations sheets.	—	
UAT-23	Billing	Invoice total matches items, discount and tax.	—	
UAT-24	Billing	Payment reduces balance and updates status.	—	
UAT-25	Billing	Invoice PDF downloads and opens correctly.	—	
UAT-26	Billing	Billing Excel contains total, paid and balance.	—	
UAT-27	Admin	Audit list shows recent tested actions.	—	
UAT-28	Admin	Admin Excel downloads with multiple data sheets.	—	
UAT-29	Admin	JSON backup downloads and opens as valid JSON.	—	
UAT-30	All	Sign out returns user to login and protects dashboard.	—	

13. Training Checklist

Training item	Completed	Trainer notes
Login, navigation and secure sign-out	☐	
Forgot-password and reset-password recovery	☐	
Role permissions and restricted access	☐	
Patient registration and history	☐	
Appointment, reschedule, cancel and queue	☐	
EMR review and prescription	☐	
Laboratory order and result	☐	
Pharmacy stock and dispensing	☐	
Billing, payment and receipt	☐	
Hospital branding and invoice configuration	☐	
CSV/XLSX mapping, preview, import and error reports	☐	
Notifications	☐	
PDF, Excel and JSON downloads	☐	
Audit and backup handling	☐	
Privacy and security responsibilities	☐	

Troubleshooting

Problem	Action
Page appears stuck	Wait briefly, refresh once, then sign in again. Record the page and time if repeated.
Download does not appear	Use Ctrl+J, allow site downloads, and retry the button once.
Wrong access	Ask an administrator to verify the assigned role; do not share another user's account.
Record not visible	Confirm search spelling/MRN and refresh the module.
Notification missing	Confirm the receiving user's role and refresh the notification panel.
Incorrect clinical or billing data	Do not create duplicates. Notify the authorized supervisor for correction.

14. Security And Operating Rules

- Each staff member must use an individual account.
- Never share passwords, administrator tokens or Supabase/Vercel keys.
- Use only the role required for the staff member's job.
- Verify the patient name and MRN before any clinical, lab, pharmacy or billing action.
- Do not store exported patient files on personal devices or unapproved cloud drives.
- Sign out from shared computers and report lost credentials immediately.
- Run client-approved backups on a documented schedule and test recovery separately.
- Never place passwords in staff import files; invitations must use secure activation emails.
- Review invoice drafts before finalization because finalized financial lines are locked.

Client Acceptance

The undersigned confirms that the listed workflows were demonstrated, tested with approved test data, and accepted subject to any recorded exceptions.

Name / role	Signature	Date
Client representative:		
Training lead:		
System administrator:		

Exceptions or follow-up actions
