

The Effect of Establishment Size on Work Place Accidents

Anna*

Tomoyoshi[†]

Yuhan[‡]

Will[§]

May 31, 2024

Abstract

This research investigates the impact of establishment size on workplace safety, specifically examining the correlation between establishment size and the rate of injuries. Motivated by the role of workplace safety in employee well-being and business success, our study employs data from the Occupational Safety and Health Administration (OSHA) to explore this relationship. The theoretical foundation suggests that larger establishments may experience fewer injuries per worker due to potential economies of scale in OSHA inspections and safety practice implementation costs. Preliminary findings indicate a weak or non-existent correlation. This paper contributes valuable insights to the discourse on workplace safety dynamics.

1 Introduction

Workplace safety is a critical concern that impacts both individuals and organizations. Over the last 50 years, industry standard is putting a larger focus on diminishing serious workplace injuries and overall workplace safety. As such, understanding the dynamics of workplace safety becomes increasingly important. In this context, our research investigates the nuanced relationship between establishment size and workplace injuries. The motivation for this study arises from the paramount

*Email: asrupert@syr.edu

[†]Email: ttakita@syr.edu

[‡]Email: ywang399@syr.edu

[§]Email: wmwaghor@syr.edu

importance of maintaining safe working conditions, not only for the well-being of employees but also for the overall success and reputation of businesses.

Ensuring workplace safety is not only a moral imperative but also a strategic move for organizations aiming to attract and retain talent. The ability to create and maintain a safe work environment is central to fostering a healthy and productive workforce. In this paper, we address the question of whether there exists a correlation between establishment size and the rate of workplace injuries. By leveraging data collected by the Occupational Safety and Health Administration (OSHA), we seek to contribute valuable insights that transcend specific industries and job types.

The choice of this research topic is driven by the need for an understanding of the factors influencing workplace safety. While numerous studies focus on this subject, our research stands out by examining injury rates broadly, as well as specific injury types. Our primary objective is to answer whether establishment size plays a significant role in determining the rate of workplace injuries. To achieve this, we conduct a thorough analysis of variables such as total injuries and injury types across different decile groups based on establishment size.

Preliminary findings challenge the common hypothesis that larger establishments would experience fewer injuries per worker. Instead, our results suggest a weak or non-existent correlation. Our research does not fully unpack the nuances behind these findings but instead suggests plans for future research and possible data report/collection issues. Overall, our findings are important in understanding the layout of workplace safety and offers insight for new ideas.

2 Literature Review

Our paper takes a close look at the factors that contribute to workplace safety and the factors connected to frequent accidents. Early studies, like Viscusi (1979) and Smith (1979), asked if having safety inspections at work actually made things safer. These papers found that the increase in inspections in 1973 correlated with a downturn the following months, workplace injuries went down by 17%. However, in 1974, the injury rate rebounded back to its original standing. This raises questions about how much of an impact these inspections have and if the impacts are long lasting.

Li (2019) also contributes to our research by touching on the most recent data. They suggest that OSHA has a positive impact on worker safety. Having public data about an establishment's injury rate would, in theory, offer incentive for an establishment to increase workplace safety. In this study, Li examined if being in a labor union contributed to a lower incident rate. This notion seems logical because unions are supposed to protect workers' safety. However, the study showed that being in a union did not have a substantial impact on the number of accidents. These findings do not mean labor

unions are not imperative to aid in other workplace problems such as wage or hours worked. Labor unions not having an impact on workplace injuries supports the idea that there are other variables contributing to workplace accidents, which supports our research. This was also a helpful inclusion in our research because the shared use of the OSHA data could have similar results for us which could help point out flaws in the data collection or reporting process.

There have been countless studies surrounding OSHA data and its impact. Haviland et al. (2010), examined the types of injuries that OSHA data and inspections prevented, asking important questions like: What particular violations of standards, when cited and abated, are associated with reductions in particular types of injuries and illnesses? This research explored the data but failed to address how the data impacted establishments of different sizes, providing more justification for our research.

Our research also highlighted the importance of job type. Depending on the sector, one job can be impacted by more or less variables. For example, Johnson et al. (2019) showed that in mining, when there's a sudden increase in demand for a resource, there tend to be more work place accidents. This most likely stems from an increase in efficiency per worker or per establishment, which may lead to establishments not focusing on following safety regulations.

Levine (2012) investigated firms' incentives surrounding work place safety. He suggested that companies that create a safer workplace environment could pay workers a lower amount compared to other more unsafe establishments. This would, in the long run, increase the company's profit, therefore providing an incentive for safer working conditions.

Our literature review focuses on previous work on workplace accidents spanning across several different variables. Given our research, we found little information about the impact of establishment size on workplace accidents. Our paper will add insightful information and add a new variable to this plethora of research. By including new research to this important area of study, we hope to promote future research and help understand the factors that are apart of workplace accidents.

3 Theoretical Analysis

In this paper, we examine the hypothesis that larger establishments are more likely to experience fewer injuries per worker compared to smaller establishments. This assertion is grounded in the concept of economies of scale, particularly in terms of the costs associated with implementing or improving safety practices. Larger establishments, benefiting from economies of scale, may find it more cost-effective to invest in comprehensive safety measures and OSHA compliance. This financial advantage could potentially lead to enhanced safety practices and a reduced likelihood of workplace injuries. In contrast, smaller establishments, facing comparatively higher costs per unit, may have incentives to

adopt practices that do not prioritize worker safety. This theoretical framework provides a foundation for our empirical analysis of the relationship between establishment size and workplace injuries.

4 Data

The data used for this research project is from the Occupational Safety and Health Administration (OSHA). OSHA collects data primarily from private sector employers, including those in construction, general industry, and maritime. The agency's coverage extends to federal government employees, excluding those in the United States Postal Service. OSHA's data collection focuses on workplace injuries and illnesses, aiding in the enforcement of safety regulations and the identification of areas for improvement in various industries. This is cross sectional data from 2022 to 2023 that has more than 20 variables across approximately 350,000 establishments. The decision to use the data from 2022 to 2023 is based on the possible impacts COVID-19 has on the number of employees working across all establishment types. Using the most recent data makes this study more relevant and accurate to the current state of workplace injuries. OSHA collects data on workplace accidents primarily through employer record keeping, including the maintenance of OSHA Forms 300 and 301, which document work-related injuries and illnesses. Electronic reporting, OSHA inspections, and collaboration with the Bureau of Labor Statistics further contribute to the comprehensive collection of information on occupational safety and health in the United States. This data was pointed out to us by Professor Singleton, Syracuse Economics Department, psinglet@syr.edu as he continues his work on workplace safety and violations.

We are testing the relationship between establishment size and number of injuries using several of the given variables and also generating our own variables to help create a more robust analysis. To begin, our first goal is to make sure the data is clean and that it will generate usable conclusions. For example, an employee working 6,000 hours a year is not possible. In our data cleaning process, we identified and addressed anomalies like the one above that most likely resulted from procedural reporting issues, as suggested by the presence of impossible ratios among variables. For the variable representing the average number of employees annually, we deemed values below zero or those equal to or exceeding the total hours worked within the same entry as erroneous. Some observations were represented as 123456 in a consecutive manner, which also led us to believe there was a reporting issue. For background, the variable total number of days of job transfer or restriction refers to the cumulative number of days that an injured or ill worker has been either transferred to a different job or has had restrictions on their regular job duties due to a workplace injury or illness. For this variable, if the value surpassed or equaled the total hours worked or fell below zero within the same

entry, we replaced it with a null value. These adjustments were made to enhance the integrity of our data analysis. Overall, these corrections did not significantly impact the final analytical outcomes.

After cleaning the data, we generated variables that made sense for our hypothesis. For example, we know we want to focus on the Total Injuries variable but in bigger establishments there is bound to be more total injuries due to the increased number of employees. To combat this issue, we generated a new variable entitled injury rate. This variable creates a per establishment rate based on the number of employees at that establishment. To do this we calculated the quotient of total injuries over the annual average employees. In doing so, we now can look at the injury rate across all establishment sizes and compare those data points. We replicated this process across all the different injury types: skin disorders, respiratory issues, and poisonings.

The final change we made to the data was creating the variable decile. This variable uses annual average employees and separates it into ten equal groups based on percentile. This is motivated by how skewed our data is across all firms. The range for this variable is from 0 to 817,067, with a median of 46. This shows that there is a large skew in the data with most of the data points in the very far away from the maximum value. This decile variable is the way to answer our hypothesis because to find the relationship between establishment size and workplace injuries we need to come to an under-standing of what “establishment size” means. For our research, establishment size is based on the number of employees and is separated into 10 groups. This promotes a more holistic understanding of establishment size and the trends associated with it.

	Mean	SD	CV	N
total_skin_disordersrate	.0001993	.0054231	27.21	343579
total_poisonings_rate	.0000231	.0021069	91.26	343579
total_respiratory_conditionsrate	.006328	.0474458	7.50	343579
total_hearing_lossrate	.0002158	.0032476	15.05	343579
total_other_illnessessrate	.0025469	.0304254	11.95	343579

5 Results

In this section, we aim to understand the relationship between establishment size and workplace injuries. Our establishment size groups, as discussed in the data section, are grouped by percentile and range from nine workers to over a million workers. It is important to note that from decile one to decile nine the range is 244 employees, this gives context to the real sizes of these establishments. To begin our analysis, we created a bar chart (Figure 1) comparing the Injury Rate means across each of our decile groups to see if injury rate correlated with establishment size. From first glance there was not a clear trend within the data. We then proceeded to run a simple correlation test between




Figure 1: Mean Injury Rate Across Establishment Sizes

the two variables, to present a numerical understanding of what we were already viewing in our bar chart. We found a correlation coefficient of -0.0136 which suggests an extremely weak negative correlation. While the negative sign indicates a negative relationship, the small magnitude implies that the relationship is not practically significant. In other words, the variables have little linear association. Based on the summary statistics, a substantial number of the observations are between 0 and 0.3. One piece of the summary statistics that stood out to us were the outliers, 7.5, 9.37, 10.76, and 28. These data points are substantially outside of our interquartile range. These data points also imply that a hypothetical establishment with 1 worker is getting injured 7 to 28 times. These summary statistics offer insight into the accuracy of our data and can also lead us to questions about the data collection process.

For the second part of our analysis, we aimed to break down the data into injury types. The reasoning for this is because the variable total injuries encapsulates several different injury types, all with different relationships with the decile variable. To provide more insight on this notion we have included three new variables, Total Poisonings Rate, Total Skin Disorders rate, and Total Respiratory Conditions rate. First, we examine how the poisoning rate varies across the establishment size distribution in Figure 2. From a first glance the first decile group has a much higher poisonings rate compared to the other nine. To explore this outlier, we first looked at summary statistics. We chose to look through the data for possible outliers causing the smallest decile group to have the highest




Figure 2: Mean Poisoning Rate Across Establishment Sizes

rate. We found that one observation had a Skin Disorder rate of exactly 1, implying that every person at that establishment had a skin disorder. Finally, we ran a correlation test and found a correlation coefficient of $-.0025$ which does not support our hypothesis because it highlights a subtle negative correlation between the two variables.

The next variable we looked at was the total skin disorders rate. As shown in Figure 3, we created a bar chart to analyze the relationship between the skin disorders rate and establishment size. At first glance it is hard to see if there is a correlation between the two variables, so we ran a correlation test and found a correlation coefficient of $.0031$. A correlation coefficient of 0.0031 suggests no correlation between the two variables. Additionally, the strength and direction of the relationship can vary based on the context of the data. Compared to the main injury rate and the other types of injuries within our data this variable has a more compact distribution with no huge outliers. The median of 0 also implies this injury does not occur much across establishments.

We also looked at mean hearing loss across establishment sizes. This variable was a helpful addition because it was one of the variables that offered lower variation. Based on Figure 4, as establishment size grows, so does the hearing loss rate. This result differs from other variables where outliers impacted decile groups so heavily that injury rates among smaller establishments were having the highest injury rate. This result has to be viewed with the understanding that hearing loss is challenging to report, and it is not always an instant injury. This provides challenges for data collection




Figure 3: Mean Skin Disorder Rate Across Establishment Sizes

and validity because hearing loss is usually caused by a culmination of factors in one's life. Nonetheless, it is helpful to include this result, as it shows a pattern that is distinctive relative to the other injury types we have examined.

The last injury rate we examine is for respiratory conditions. This variable measures the rate of respiratory issues reported within a year over the number of employees at a given firm. Figure 5 shows the relationship between firm size and the rate of respiratory conditions. The decile group with the highest respiratory rate was decile 8 which leads to questions about why? Is the correlation of this injury type sector based? To finalize our analysis, we ran a summary command and found a slightly less compact distribution with a range from 0 to 4.625, implying that this variable may have more outliers than skin disorder injuries. The summary statistics show that many of the establishments avoided respiratory issues but certain establishments must have been more prone than others based on the range spanning so wide.

Finally, we wanted to include more about the variance of our data and provide further insight on the issues this data had with outliers. In doing so we created box plot to examine the different establishment size's injury rates to see if there were any trends in variance that were worth noting. The main takeaway from this graph was that some establishment sizes had more outliers than others. For example, decile 1 had one observation with an injury rate of 28. Decile 1 is the establishments with one to seven people, meaning that some of these firms were having all eight employees injured




Figure 4: Mean Hearing Loss Across Establishment Sizes




Figure 5: Respiratory Rate Across Establishment Sizes




Figure 6: Injury Rate By Decile

28 times. We also noticed that there was no trend in variance based on establishment size. This was not shocking based on the amount of outliers across the board but did highlight issues with data collection across all establishment sizes. This was also explored through the inclusion of median and mean comparison in our summary statistics because it highlights skewed distribution in the data and the large variance across all establishment sizes.

The core finding of our analysis highlights the amount extreme outliers and a limited correlation between injury rates and establishment size within the data set. While our initial hypothesis lacks robust support from this data, it serves as a catalyst for refining our approach in future studies on workplace safety. Despite the current data set's limitations, it lays the groundwork for future inquiries, offering valuable insights into potential hypotheses and nuances specific to distinct lines of work.

6 Discussion

The data analysis and results above display potential issues with outliers and broken data within the data set. The data collected by OSHA is all establishment self-reports. This means that the number of accidents from individual establishments can be adjusted with little examination. The different policies that each establishment has for reporting and defining an accident may lead to the outliers within our results. For example, for an establishment with 3 employees it is highly unlikely that each employee would be injured 28 times, however, this was the case for one of our observations. For our research, there was no obvious way to avoid these extreme cases without unknowingly removing real data points. To continue this important research, it would be helpful to use another data set that had similar variables to compare the results to this data set. It would also be helpful for OSHA to adjust

the way they collect data or at least increase the monitoring of data collection. In addition, it would be helpful to further study the variable of total respiratory conditions. Our results provided insight on how respiratory issue rates increase in certain decile groups, which may be due to the industry or could possibly point to an impact of COVID-19. We are curious about how reporting COVID-19 cases within the workplace has changed the data and how it contributes to the concept of work place accidents. In future studies, a deeper exploration of the total respiratory conditions in the year cases of 2019, 2020, 2021, and 2022 would be a necessary inclusion to understand the influence of COVID-19 on this variable.

7 Conclusion

In this study, we investigate the potential correlation between injury rates and establishment size, utilizing data obtained from OSHA. Our analysis involves computing total injury rates for each establishment, examining rates for specific injury types (such as total skin disorders, respiratory conditions, and poisoning), and comparing mean rates across ten decile groups. The findings reveal minimal to no correlation between injury rates and establishment size, contrary to our initial hypothesis that larger establishments would experience lower injury rates per worker compared to smaller ones. Future research could involve analyzing data from different years or sources. Additionally, when assessing the impact of establishment size on workplace accident rates, it is crucial to consider uncontrollable factors like reporting policies. Further investigation into accident rates, including policy development and industry compositions, could also provide valuable insights. Overall, addressing potential outliers within the data emerges as the next logical step in advancing our understanding of workplace accidents.

8 Bibliography

. Haviland, Melia, et al. "What kinds of injuries do OSHA inspections prevent?" *Journal of Safety Research**, vol. 41, no. 4, 2010, pp. 339-345. *ScienceDirect**, doi:10.1016/j.jsr.2010.03.005.

Johnson, Charles K.K. M.S., S. J. "Demand conditions and worker safety: Evidence from Price shocks in mining". National Bureau of economics reserch. 2019. Accessed 19 Dec. 2023.

Keiner, T. J., and Leeth, J. "Regulating Occupational and Product Risks." *Handbook of the Economics of Risk and Uncertainty**, edited by [Editor's Name], vol. [Volume Number], Publisher, Year, pp. 493-600.

Li, L.R "The Effect of Workplace Inspections on Worker Safety." Sage, 2019, pp. 718-748.

Li, L. R. "The Effect of Labor Unions on Workplace." *A Journal of Economy and Society**, 2020, pp. 643-670.

Levine, David I et al. "Randomized government safety inspections reduce worker injuries with no detectable job loss." *Science** (New York, N.Y.) vol. 336,6083 (2012)

Smith, Robert Stewart. "The Impact of OSHA Inspections on Manufacturing Injury Rates." *The Journal of Human Resources**, vol. 14, no. 2, 1979, pp. 145–70. JSTOR, <https://doi.org/10.2307/145640>. Accessed 19 Dec. 2023.

United States. Occupational Safety and Health Administration. Occupational Safety and Health Administration, U.S. Department of Labor, 2023, [<https://www.osha.gov/Establishment-Specific-Injury-and-Illness-Data>].

Viscusi, W. Kip. "The Impact of Occupational Safety and Health Regulation." *The Bell Journal of Economics**, vol. 10, no. 1, 1979, pp. 117–40. JSTOR, <https://doi.org/10.2307/3003322>. Accessed 19 Dec. 2023.

Data Appendix

The data being used for this research project is from the Occupational Safety and Health Administration (OSHA) from the year 2022-2023. OSHA collects data primarily from private sector employers, including those in construction, general industry, and maritime. The agency's coverage extends to federal government employees, excluding those in the United States Postal Service. OSHA's data collection focuses on workplace injuries and illnesses, aiding in the enforcement of safety regulations and the identification of areas for improvement in various industries. We are using the most recent data set entitled "Establishment Specific Injury and Illness Data (Injury Tracking Application) CY2022."

Accessing OSHA Data Directions:

1. Go to the accidents team public repo by following this link: <https://github.com/ecn310/course-project-accidentsteam>
2. Select the Reproducibility Folder
3. Press on the Data Folder
4. Inside the Data folder, press on the file entitled "ITA-data-cy2023.2 (1).zip"
5. Press the Download button to download the zip file. This will download a CSV file of the data.

Converting the CSV file to DTA Directions:

1. Find the CSV file in your downloads.
2. Select "Extract All..." from the context menu.
3. Choose the destination folder where you want to extract the contents.

4. Import the CSV file into stata using the following code: `import delimited "C:YOURPATH/ITA Data CY 2022 submitted thru 7-31-2023.csv", encoding(UTF-8)`. Make sure you change the path to where you downloaded the file!
5. Then, use the following code to save the file as a STATA.dta file: `save "Data.dta"` you can change the location of where the file was saved using the "change directory" or "cd" command.
NOTE: You do not need to use the replace command because it is good practice to keep the original data source.

Opening Master Do-File

1. Go to accidents team repo page linked here: <https://github.com/ecn310/course-project-accidentsteam>
2. Open Reproducibility Package folder
3. Download Master.do
4. Make sure Stata is downloaded onto your desktop
5. Open Master.do, which will open Stata
6. Change Directory using the CD command on line 65, this will put all of the graphs from the output into your selected folder.
7. Run Master.do. Any questions should be answered within in the notes on the file or in README.md.