


Framework Express.js

Aplicativo Web tradicional

- Utilização do formato HTML
- Métodos **GET** e **POST**
- Links com Query String
- Templates EJS
- Controladores com Express

```
<html>
  <body>
    <form method="post">
      <input type="text"
name="n1"><br/>
      <input type="email"
name="e1"><br/>
      <button
type="submit">Adicionar</button>
    </form>
```



A screenshot of a web form. It consists of two stacked text input fields. Below the second input field is a button labeled 'Adicionar'.

- XPTO :: xpto@xpto.com [Excluir](#)

```

    <ul>
    <% for(let i=0; i<contatos.length; i++) {%>
    <li><%= contatos[i].nome %> :: <%=
    contatos[i].email %>
    &nbsp; <a
    href="/contatos?delId=<%=i%>">Excluir</a>
    </li>
    <% } %>
    </ul>
    </body>
</html>

```

```
const express = require('express')  
const app = express()  
const port = 3000
```

```
app.set('view engine', 'ejs');  
app.set('views', './views');  
app.use(express.urlencoded({ extended: true  
}))
```

```
let contatos = [ { nome: "XPTO", email:  
"xpto@xpto.com" } ];
```

```
app.get('/contatos', (req, res) => {
  if(req.query.delId)
    contatos.splice(req.query.delId, 1);
  res.render('contatos', {contatos: contatos});
})
app.post('/contatos', (req, res) => {
  contatos.push({nome: req.body.n1, email:
req.body.e1});
  res.render('contatos', {contatos: contatos});
})
app.listen(port);
```