Cucumber Report

| Start : Apr 21, 11:54:14.106 PM	End : Apr 21, 11:54:50.386 PM	Duration : 36.280 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 3

Features: 1

Scenarios: 2

Steps: 9

Pass % — 0 %

Pass % — 50 %

Pass % — 55 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
US002 Parameter Usage with failed_scenario	*36.280 s*	2	1	1	0	9	5	1	3

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@failed_scenario	2	1	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	US002 Parameter Usage with failed_scenario	2	1	1	0	36.280 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	US002 Parameter Usage with failed_scenario	TC01 User searches with parameters on Amazon	4	4	0	0	16.731 s
2	US002 Parameter Usage with failed_scenario	TC02 User searches with parameters on Amazon	5	1	1	3	19.380 s

US002 Parameter Usage with failed_scenario

FAILED	DURATION - 36.280 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 9 Pass - 5 Fail - 1 Skip - 3	
/ 11:54:14.106 PM // 11:54:50.386 PM /					

TC01 User searches with parameters on Amazon

PASSED	DURATION - 16.731 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:54:14.119 PM // 11:54:30.850 PM /				
US002 Parameter Usage with failed_scenario				
@failed_scenario				

#	Step / Hook Details	Status	Duration
1	Given User goes to Amazon page	PASSED	9.568 s
2	Then User searches for "Nutella"	PASSED	6.586 s
3	And User tests whether the resutls contain "Nutella"	PASSED	0.109 s
4	And Closes the page	PASSED	0.388 s

TC02 User searches with parameters on Amazon

FAILED	DURATION - 19.380 s		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 11:54:31.006 PM // 11:54:50.386 PM /				
US002 Parameter Usage with failed_scenario				
@failed_scenario				

#	Step / Hook Details	Status	Duration
1	Given User goes to Amazon page	PASSED	3.564 s
2	Then User searches for "Güllaç"	FAILED	15.044 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#twotabsearchtextbox"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.2', revision: '9a5a329c5a' System info: host: 'DESKTOP-IPET1QD', ip: '192.168.1.9', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [1581ef4a023961b9dcf37cda8f8f338f, findElement {using=id, value=twotabsearchtextbox}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\Lenovo\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:56739}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56739/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1581ef4a023961b9dcf37cda8f8f338f
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:558)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:382)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at com.sun.proxy.$Proxy26.sendKeys(Unknown Source)
	    at stepdefinitions.AmazonStepdefinition.userSearchesFor(AmazonStepdefinition.java:62)
	    at ?.User searches for "Güllaç"(file:///C:/Users/Lenovo/IdeaProjects/Cucumber_2023/src/test/resources/features/US017_failed_Scenarios. feature:15)
	* Not displayable characters are replaced by '?'.		

3	And User tests whether the resutls contain "Baklava"	SKIPPED	0.003 s
4	Then User takes a screenshot	SKIPPED	0.001 s
5	And Closes the page	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.750 s

#	Step / Hook Details	Status	Duration
	failed_scenarioTC02 User searches with parameters on Amazon		