Mapillary pipeline

Mapillary Interface $\xrightarrow{\text{Download data CSV}}$ Name it {user selected jurisdiction name} traffic-inventory → Store: R2 Storage ↓ user will provide R2 credential

[Note: when new download happen it will replace/delete previous CSV]

(the tool is hosted in Coolify - has R2 credential)

CSV data fetch will fetch to the tool ← CSV will store respective jurisdiction folder

[create a button - so that user will press it to store in R2]

Maptab Asset layer ↓ create a Parent layer called Inventory (update date)

Inventory will be divided different sub-category such as ~~Regulatory~~ sign — Regulatory, speed, - - -

Infrastructure etc. ↳ signal etc.

User can turn on/off each of layer.

(Note: currently Mapillary detect Traffic signal by signal heads & count by each head which is not practical. Instead

of each head. We can have some geofencing & called 1 signal instead of X signal.
Think how can we do it.

Question: How can we do automatic mapillery pipeline using automic way. I am using Coolify. I want to automatic download it & save it in R2 storage once in a year].

[Note currently Analysis tab - Mapillery tab is integrated with the tool, when user press download button entrie crash lens tool shut down - what's your recommendation? I am think, if user press download - it will create a new browser window & perform/display (whatever) in the new window separating from the tool so that user can use the tool while download is happening - give us solution]

Scanned with CamScanner