



χMCF v3.0: An Interface Standard for Exchanging Weld* Information within CAD/CAE

* and beyond



Challenging Joining Technologies & Processes

Challenges wrt. Connection Information

-PROSTEP
VOLKSWAGEN

Big Variety & Complexity

- > 60 known connection techniques.
- Up to 25 quality criteria per connection technique.












Section of a Spot Weld































Heat Stake

Challenges wrt. Product Development Process



Context: Requirements / Functions / System Lifecycle Management Product Development Process (PDP) **Product Structure & Meta Data CAD Data** Connection Data - bi-directional Results CAD CAE MES, .. Test Connections are the mandatory 3rd cross-sectional data track of PDP!

What is so Special about Connection Data?



Connections differ from product structure, meta data and CAD data, since e. g.:

function dominates over their shape

need more
PLM upstream
data propagation
than CAD

work needs different tools & plugins, special process steps and expert knowledge

belong to
inner nodes
of product tree,
not to its leaves

data size is much smaller than CAD data CAD and connections complement each other. Each is useless without the other.

What are the Frequent Problems?



- Every OEM creates own CATIA/NX macros or buys proprietary software.
- Common suppliers need to be familiar with all of those tools.
- Data exchange along process chain needs additional tools, frequently "home-brewed".
 - → Expensive and error-prone.
- However, in reality only few techniques are supported with only a fraction of their data.
- Inventing new techniques or adding new parameters results in excessive costs and process threats.
- Changing software vendors implies high investments.
- → Resulting "vendor lock-in-effect" impedes competition and hence hinders progress.



χMCF – the Enabler for Smooth Processes

χMCF: *The* Standard for Connection Information





Forschungsvereinigung AK 25 Fügetechnik defines and maintains χMCF.


XML-based xMCF meets all "usual" requirements to a standard, plus:

- All connection types & techniques can be represented.
- All PLM processes are supported CAD, CAE, CAT, Manufacturing Planning & Execution, including special sub processes, e. g.:
 - Durability simulation,
 - Robot programming,
 - Supplier integration, ...
- One xMCF-file contains either data of one assembly, one car or all variants of a series.
 - → xMCF meets any kind of OEM specific process design.
- xMCF allows imbedding custom data specific to OEM, process and tool.
- → All existing proprietary formats can be replaced sustainably.

- VDA: German Association of the Automotive Industry
- FAT: Research Association for Automotive Technology: department of VDA
- AK 25: Working Group 25; focus on joining technologies


χMCF Accumulates Data along the Process Chain





χMCF – A Standard with History and Broad Support VOLKSWAGEN







Strategy & Example Use Cases at BMW

BMW decided to replace old VIP 2 format by xMCF 3.0.

Use Case @ BMW: χMCF Data Exchange between PDM & Production Planning



SAP IPPE

- Product structure data
 - metadata (PPXML)

PRISMA (TDM)

- Part information
 - metadata
 - geometrical data (JT)

VIP

(Verbindungstechnisches Informationssystem)

- Manufacturing features data
 - metadata (χMCF 3.0)
 - geometrical data (JT)

Teamcenter Manufacturing

EBOM

BodyBOM

BOP

Plant BOM


Implementation: PROSTEP, 2018

BMW χMCF Strategy



- Production Planning (Teamcenter Manufacturing)
 has been addressed 2018 supported by PROSTEP AG.
- This year, CAE is addressed supported by BETA CAE.
- Data for CAE will contain technology parameters, e.g. weld shape.
- Other core business processes will follow.

ANSA acts as a *verification tool*, comparing VIP & χMCF data:






Example Use Case at Volkswagen


Use Case @ at Volkswagen: Ouality-Gate between CAD and CAE – Enabled by χMCF

- Frequently, a complete digital vehicle is assembled in CAE for the first time in product development process.
- Using χMCF, connection data can be provided to CAE in the most automated and low-error fashion.
- Powerful features of a preprocessor like ANSA allow for automated, fast and reliable quality checks.
- Custom scripts provide custom error categorization.
- Via χMCF, categorized quality issues can be sent back to design.
- Categories allow CAD to fix the issues by a defined and plannable process.



Use Case @ at Volkswagen: Quality-Gate between CAD and CAE – Step 1






Step 1 with ANSA connection tools

- create seamline by ANSA connection creation tools
- set up geometric information, e.g. weld direction, using ANSA connection manager
- set up site and tool specific data using custom attributes
- provide native xMCF data
- proceed using site specific ANSA macro

Use Case @ at Volkswagen: Quality-Gate between CAD and CAE – Step 2





Step 2 with site specific control panel

- Save χMCF
- Start FE representation process:
 Make All
- Visualize and check FE-representation
- If necessary, adjust the connection parameters for individual connections.
- Extend the solver deck with the connection's FE-representation using outputPre and outputPost functionality.
- Send failed/corrected connections back to CAD via xMCF – specifically attributed.



χMCF @ ANSA

Status & Outlook at ANSA PRE PROCESSOR




- ANSA continuously extends xMCF support since years.
- ANSA V.1911 introduces support for Rivets and Screws according to χMCF 3.0:
 Rivet – Screw





 In 2020, χMCF attributes will determine FE-realization, e.g.: "Self-piercing rivets with hardness > 100 get a special PID".

Disclaimer: PROSTEP and Volkswagen are not liable for this information, provided by BETA CAE.



Summary



- Connection processes are *rich and manifold* so are the data.
- χMCF 3.0 is the powerful and mature standard for piping connection data forward and backward through the product development process.
- It is able to bridge any gap between process steps or tools.
 - As has been shown by example applications at BMW & Volkswagen.
- Many important tools already support χMCF 3.0 more to come.
- PROSTEP offers support when optimizing your processes to benefit from χMCF 3.0.
- More demand placed at software vendors will lead to even wider support of χMCF.

VOLKSWAGEN

AKTIENGESELLSCHAFT

Thank You!





PROSTEP AG

Dipl.-Math. Dr. **Carsten Franke**Carsten.Franke@prostep.com – Mobile: +49 151 500 36868
Wankelstr. 14/II, 70563 Stuttgart

www.PROSTEP.com



Volkswagen AG

Dr.-Ing. **Genbao Zhang**Genbao.Zhang@volkswagen.de – Mobile: +49 152 52596103
EXB/1, 38436 Wolfsburg

www.volkswagen.de