
LIVE CRICKET INTELLIGENCE

CricPredict

Understand the game beyond the scoreboard.

An AI-powered live cricket intelligence and prediction platform.

cricket-score-predictor.com



Prepared for the Cricketviz team · November 2026

THE PROBLEM

Cricket fans see the score. But do they understand the game?

1. What is a realistic final score?
2. How likely is the batting team to reach 200?
3. Has the batting team actually gained momentum?
4. How significant was that wicket?
5. How much did a dropped catch or missed run-out change the game?
6. How many runs does good fielding save, even when nobody gets out?

SCOREBOARD · 17.0 OVERS

84/4

Final score	Reaches 200?	Momentum
?	?	?

THE PROBLEM, IN ONE SENTENCE

A scoreboard reports what has happened. **It does not tell fans what is likely to happen next, or why it changed.**

THE SOLUTION · HOW CRICPREDICT ANSWERS THE PROBLEM

From score reporting to cricket intelligence

PREDICT

LIVE ON SITE

Answers questions 1 and 2 (previous slide)

- Projected final score, with a range
- Wickets still to fall
- Next-over expectation
- Win probability in chases (heuristic estimate)

EXPLAIN

LIVE ON SITE

Answers questions 3 and 4 (previous slide)

- Plain-English reading of each projection
- Drivers shown: run rate, wickets in hand, overs left, momentum
- Venue and pitch conditions
- Re-run at any match state to see how it moves

QUANTIFY

PROPOSED RESEARCH

Answers questions 5 and 6 (previous slide)


- Today: one fixed fielding rating per team
- Proposed: measure the effect of chances (dropped catches, run-outs) and of runs saved (ground fielding, dives, boundary saves)
- Research tooling is built; it needs labelled event data

LIVE ON SITE = available in the product today. PROPOSED RESEARCH = experimental or planned; not part of the production prediction.


THE PRODUCT

A live intelligence layer for cricket

PROJECTION AND RANGE · SAMPLE SCENARIO



WIN PROBABILITY · SYNTHETIC CHASE



Projections with a range

Final score, wickets to fall and a likely range, not one number.

Win probability in chases

Chase probability, runs needed and required rate.

Predictions that evolve

Re-run as wickets, overs and conditions change (example on the next slide).

Explained, not just stated

Plain-English meaning and the factors behind each number.

ALSO IN THE PRODUCT Pre-match insights · Analytics · Saved predictions and match alerts (Pro)

Live walkthrough next

Screenshots: the current product with synthetic inputs (a built-in sample scenario and a made-up chase, 92/3 chasing 168). Neither is live or real match data.

A REAL PREDICTION · NEW ZEALAND VS INDIA, ODI

Predictions that evolve with the game

AT 17.0 OVERS — 84/4

Predicted final score

199

Range 170 – 228

AT 37.3 OVERS — 171/9

Predicted final score

183

Revised after five more wickets


FINAL

Actual final score

185

Revised prediction was 2 runs away

WHERE EACH ESTIMATE LANDED (FINAL SCORE, RUNS)




One match illustrates how the model behaves. It does not establish overall accuracy; see the 400-innings backtest on the next slide.


BEYOND DEMONSTRATIONS · 400-INNINGS BACKTEST

Testing predictions against real cricket

Average error in final score, by format (MAE, runs)



ODI error falls as the innings unfolds (MAE, runs)



400

first innings replayed

100 per format · 1,800 checkpoint predictions

WHAT MAE MEANS


The average gap, in runs, between predicted and actual final score. Roughly 13 to 16% of the average final score in each format.

WHERE WE ARE HONEST

ODI score prediction is the biggest improvement opportunity. Death-over acceleration and other match-specific factors remain hard. Predicted ranges held the final score 47 to 56% of the time.

Historical replay of the current model on the 100 most recent eligible full-length internationals per format (Cricsheet); not an out-of-time holdout or independent validation. Run of 11 Nov 2026.

Fielding changes a match in two different ways



Fielding moves the score in two different ways: by creating or wasting chances, and by saving runs even when no one is out.

CHANCES → WICKETS

1. Dropped catch
2. Missed run-out
3. Successful run-out
4. Exceptional catch

Change the chance of a wicket.

RUNS SAVED → RUNS

5. Boundary save (dive)
6. Ground fielding: runs saved
7. Diving stop in the ring
8. Misfield (extra runs)

Change runs scored, even with no wicket.

WHY MEASURE IT

Wickets and runs both feed the projected total and the win probability. Measuring contributions could explain swings in a match and sharpen projections.

Illustrative field diagram: marker positions are generic, not data. Amber = chances, green = runs saved.

THE CURRENT APPROACH

Why today's fielding rating is not enough

WHAT IT IS AND DOES

- A hand-assigned prior: one value per team (0.71–0.94, for example India 0.92), in three tiers
- Scales projected runs ×0.90–1.15 and wickets ×0.79–1.15
- Ignores who is playing and recent form. Unlisted teams are neutral

WHAT THE EVIDENCE SHOWS

28.2 with the rating

27.3 switched off

Run MAE, real-model replay, 1,800 checkpoints: no gain at full strength.

- The best strength is about a quarter to a half of today's
- Ratings track catches and wickets per innings (rank correlation +0.3 to +0.7), but not runs conceded per over

WHY PUBLIC DATA CANNOT FIX IT

Missed chances and runs saved are not recorded. Fielders are named only on successful dismissals.

Outcomes are not skill. Catches and wickets reflect bowling and team quality as much as fielding.

Better data is paid. Event-level data is sold under licence; we use free sources only.

NEXT Label it an analyst estimate · Calibrate its strength on held-out matches · Replace it with event-level evidence

MAE: real-model replay, full vs zero fielding effect. Rank correlations: Cricsheet team outcomes, teams with 20+ innings (9 to 21 per cohort); confounded by team strength.

PROPOSED RESEARCH

Turning fielding events into predictive intelligence

DATA · LABELLED EVENTS NEEDED

1 Obtain event data

Structured historical fielding events from a partner.

2 Identify opportunities

Chances taken or missed, and run-saving actions.

3 Attribute events

To players and match situations, where possible.

MODEL · TOOLING BUILT

4 Quantify the effect

On the predicted score, through wickets and runs saved.

5 Add validated signals

Only signals that prove predictive join the framework.

TEST · BUILT

6 Held-out testing

Backtest on matches the model has not seen.

ALREADY BUILT · RESEARCH TOOLING, NOT IN PRODUCTION

- Player registry and ingestion for public data
- Opportunity-adjusted estimates with uncertainty
- Shadow-mode comparison with the live model, and an activation gate that blocks changes that do not improve held-out results

THE MISSING INGREDIENT

Labelled fielding-event data: dropped chances, misfields, direct hits and runs saved. Public data cannot supply it, which is why today's rating is only a prior (slide 8).

No validated fielding prediction exists yet. Shadow output equals the baseline until validated signals exist.

Proposed research, not a completed production feature. No fielding signal is in the live prediction today.

WHY CRICKETVIZ

An opportunity to take cricket analytics further

WHAT CRICKETVIZ MAY BRING

Domain knowledge, structured cricket information and data capabilities that could help investigate this problem.

I am not assuming what data you hold or can share, or that any of it is available. That is the first conversation.

WHAT I WOULD LIKE TO EXPLORE

- Structured historical fielding-event data
- Dropped catches and missed opportunities
- Run-out attempts and outcomes
- Runs saved or conceded (stops, dives)
- Fielder attribution and historical coverage

THE POTENTIAL VALUE FOR FANS


Making every moment of cricket more meaningful

A fan should be able to see how each fielding event changes the expected outcome of the match.

- **Dropped catch**
  The batter survives, so the projection rises
- **Missed run-out**
  The batter survives, so the projection rises
- **Exceptional catch**
  A wicket falls, so the projection falls
- **Boundary save**
  Runs are saved, so the projection falls

CONCEPT · ILLUSTRATIVE, NOT MODEL OUTPUT

How a projection could move, event by event



Each event moves the projection, and the fan can see why.

Illustrative concept, not current model output and not an existing feature. Arrows show direction for the batting side's projected score, not size. No numbers are implied.

COLLABORATION AND NEXT STEPS

Let's explore what's possible

1

Understand what data exists

What fielding-event data exists, how it is structured and how far back it goes.

2

Explore a small-scale arrangement

A limited data-sharing or research arrangement, starting with a sample.

3


Test whether it improves predictions

Evaluate predictive performance on held-out matches, run and wicket error.

PROPOSED FIRST STEP

A sample dataset and its data dictionary, so we can both see what is possible before any larger commitment.

These are points for discussion, not requests.



CRICPREDICT

Understand the game beyond the scoreboard

“I’m interested in exploring how better cricket data can help us build better predictions and give fans a deeper understanding of the game.”

Thank you, Cricketviz team.

cricket-score-predictor.com