

geotopbricks: An R Package for the Distributed Hydrology

Emanuele Cordano (Rendena100)

github.com/ecor

Giacomo Bertoldi , Elisa Bortoli (EURAC Ecohydro)

github.com/Ecohydro




Who are we?





- ▶ Environmental engineers with hydraulic and hydrological background (more deterministic and physical-based than statics!)
- ▶ Some of us are researcher, other are self-employed and freelancers - www.rendena100.eu .
- ▶ Some of us are author of several R-packages and R enthusiast.
- ▶ Some of us are developers of GEOTop hydrologic models with skills in hydrology and environmental science and also in C/C++, parallel programming, High Performance Computing, etc

Hydrology

Scientific study of the movement, distribution, and quality of water on Earth water cycle, including water resources and environmental watershed sustainability [*Wikipedia*]



Hydrological models



Soil water mass balance equation:



$$\frac{\partial \theta}{\partial t} = \nabla \cdot [K (\nabla(\psi + z_f))] + S + \dots$$

Soil Heat (energy) balance equation:

$$C_s \frac{\partial T_s}{\partial t} = \nabla \cdot [K_t (\nabla T_s)] + \lambda S + \dots$$


GEOtop Hydrological Model

GEOtop is an open-source integrated hydrological model, available through Github, www.geotop.org, simulating:



- ▶ soil water flow in the soil (*Richards' equation, De Saint-Venant Equation*);
- ▶ heat flow in the soil → (*heat equation and frozen soil thermodynamics*) ;
- ▶ energy exchange with the atmosphere → boundary conditions of the equations above.

GEOtop Hydrological Model Structure





- **Input:** meteo data, elevations, soil parameters, . . .
- **Output:** snow cover, soil temperature, soil moisture, . . .

GEOtop Hydrological Model Options

Water and/or energy budgets can be activated (both or only one) by users in function of the specific use case. GEOtop has two setup configurations :

- ▶ **1D:** only vertical fluxes → mass and energy balance at local scale (only in one soil column)
- ▶ **3D:** vertical and lateral fluxes → balances at basin scale




GEOtop Hydrological Model Software Package / Source Code

Core components of GEOtop software packages are:

- ▶ written in C/C++
- ▶ released in 2014 (version 2.0) as free open-source project, a re-engineering process is going to finish (version 3.0);
- ▶ scientifically tested and published;

Source code and documentation are available on GitHub repository: [<http://geotopmodel.github.io/geotop/>].



Water Resources Research

RESEARCH ARTICLE

10.1002/2016WR019191

Key Points:

- Seven hydrologic models were intercompared using three benchmarks of increasing complexity
- Models showed good agreement with respect to various hydrologic responses (storage, discharge, and

The integrated hydrologic model intercomparison project, IH-MIP2: A second set of benchmark results to diagnose integrated hydrology and feedbacks

Stefan Kollet^{1,2}, Mauro Sulis^{10,3}, Reed M. Maxwell⁴, Claudio Paniconi⁵, Mario Putti⁶, Giacomo Bertoldi^{10,7}, Ethan T. Coon^{10,8}, Emanuele Cordano^{7,9}, Stefano Endrizzi¹⁰, Evgeny Kikinzon⁸, Emmanuel Mouche¹¹, Claude Muegler^{10,11}, Young-Jin Park¹², Jens C. Refsgaard¹³, Simon Stisen¹³, and Edward Sudicky^{14,15}

Toulouse, France



geotopbrick R package: Why?

- ▶ complexity in input/output/configuration files (“frontend”) and data difficult to handle
- ▶ need of user friendly environment for to GEOTop data tidying and data analytics (e.g. *R*)

```
113 -----
114 ! LAND COVER
115 -----
116
117 Urban1, Pasture 2, Grassland 3, Agricultural 4, Broad leaf forest 5,
118 Bare Rocks 6, Bare Soils 9, Glacier 10, Lake/Marsh 11
119
120 NumLandCoverTypes = 11
121 SoilRoughness = 1,10,10,10,10,10,10,10,1,1
122 ThreeSnowSoilRough = 10,10,10,10,10,10,10,10,10
123 VegHeight = 0,200,600,600,1800,1800,1800,0,0,0
124 ThreeSnowVegUp = 50,50,50,50,50,50,50,50,50
125 ThreeSnowVegDown = 10,10,10,10,10,10,10,10,10
126 LAH = 0,2,5,7,7,0,0,0,0
127 CanopyReaction = 0,0,7,1,1,1,1,1,0,0,0
128 DecayCoeffCanopy = 2,5,2,5,2,5,2,5,2,5,2,5,2,5,2,5,2,5
129 VegSnowBurying = 1,1,1,1,1,1,1,1,1,1
130 RootDepth = 0,200,300,500,700,700,700,0,0,0,0
131 MinSnowmeltRes = 60,60,60,60,60,60,60,60,60,60
132 VegReflectVis = 0,1,0,1,0,1,0,1,0,1,0,1,0,1,0,1
133 VegRefInIR = 0,58,0,58,0,58,0,58,0,58,0,58,0,58,0,58
134 VegTransVis = 0,05,0,05,0,05,0,05,0,05,0,05,0,05,0,05
135 VegTransIR = 0,25,0,25,0,25,0,25,0,25,0,25,0,25,0,25
136 LeafAngles = 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
137 CanDensSurface = 0,5,0,5,0,5,0,5,0,5,0,5,0,5,0,5
138 SoilAlbVisDry = 0,15,0,15,0,15,0,15,0,15,0,15,0,15,0,15
139 SoilAlbIRDry = 0,25,0,25,0,25,0,25,0,25,0,25,0,25,0,25
140 SoilAlbVisWet = 0,15,0,15,0,15,0,15,0,15,0,15,0,15,0,15
141 SoilAlbIRWet = 0,25,0,25,0,25,0,25,0,25,0,25,0,25,0,25
142 SoilEmisVis = 0,96,0,96,0,96,0,96,0,96,0,96,0,96,0,96
143 SurfLowResLand = 0,05,0,05,0,05,0,05,0,05,0,05,0,05,0,05
144 SurfLowResExp = 0,667,0,667,0,667,0,667,0,667,0,667,0,667,0,667,0,667,0
145
146 -----
147 ! SOIL
148 -----
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
```

GEOtop configuration File (geotop.inpts)

A GEOtop simulation is organized in a set of files within a directory containing a **configuration file**, called *geotop.inpts* filled with a keywords system addressing to:

- ▶ simulation

options

(e.g. simulation
period)

InitDateDDMMYYYYhhmm=09/04/2014 18:00

EndDateDDMMYYYYhhmm =01/01/2016 00:00

- ▶ **input files**

(e.g. meteorological time
series)

[...]

MeteoFile = "meteoB2_irr"

PointOutputFile = "tabs/point"

- ▶ **output files**


geotopbricks Technical details

The aim of **geotopbricks** , starting in 2013, is to bring all the data of a GEOTop simulation into the powerful statistical **R** environment by using the keyword-value syntax of *geotop.inpts*. **geotopbricks** does the following actions:

- ▶ to parse *geotop.inpts* configuration files;
- ▶ to derive from *geotop.inpts*'s keywords the source files of I/O data;
- ▶ to import time series (e.g. precipitation, temperature, soil water content, snow) as *zoo* or *data.frame* objects;
- ▶ to import spatially and spatio-temporal gridded objects as *RasterLayer-class* or *RasterBrick-class* objects (**raster** package)

1D Simulation of soil water budget in an alpine site: two points

Soil water content (SWC) in two points P2 and B2 located in Val Mazia/Match, Malles Venosta/Mals Vinschgau, South Tyrol, Italy [<http://lter.eurac.edu/en>].



B2




Simulation of soil water budget in an alpine site

Here is the directory containing files of B2 point simulation:

```
library(geotopbricks)

## SET GEOTOP WORKING DIRECTORY
wpath_B2 <- "resources/simulation/Matsch_B2_Ref_007"
```



Getting simulation input data

Meteorological variable time series are imported and saved as 'meteo' variable (class 'zoo'). This variable is retrieved through the GEOTop keyword **MeteoFile** :

```
tz <- "Etc/GMT-1"
meteo <- get.geotop.inpts.keyword.value(
  "MeteoFile",
  wpath=wpath_B2,
  data.frame=TRUE,
  tz=tz)
class(meteo)
```

```
## [1] "zoo"
```

Getting simulation input data (verify)

Meteorological time series once imported are available in the R environment:


```
head(meteo[12:14,c("Iprec","AirT","Swglobal")])
```

##		Iprec	AirT	Swglobal
##	2009-10-02 11:00:00	0	12.38	396.02
##	2009-10-02 12:00:00	0	13.12	500.07
##	2009-10-02 13:00:00	0	13.96	564.02

```
head(meteo[12:14,c("RelHum","WindSp","WindDir")])
```

Plots of weather variables in B2

Air Temperature / Precipitation Intensity vs Time at B2



Getting results of the simulation at B2

Soil Water Content Profile:


```
tz <- "Etc/GMT-1"
SWC_B2 <- get.geotop.inpts.keyword.value(
  "SoilLiqContentProfileFile",
  wpath = wpath_B2,
  data.frame = TRUE,
  date_field = "Date12.DDMMYYYYhhmm.",
  tz = tz,
  zlayer.formatter = "z%04d"
)
help(get.geotop.inpts.keyword.value) ## for more details!
```

Getting results of the simulation at B2


The same for P2:

```
wpath_P2 <- "resources/simulation/Matsch_P2_Ref_007"  
SWC_P2  <- get.geotop.inpts.keyword.value(  
  "SoilLiqContentProfileFile",  
  wpath = wpath_P2,  
  data.frame = TRUE,  
  date_field = "Date12.DDMMYYYYhhmm.",  
  tz = "Etc/GMT-1",  
  zlayer.formatter = "z%04d")
```

Soil Water Content at P2 and B2




Soil Water Pressure Head at P2 and B2



Example of an Output Data Analytics (Soil Moisture Distribution)

Distribution of daily aggregated soil water content at a 18 cm depth:
Box Plot: Daily Soil Water Content




More details on the **eRun2018** poster.

3D Spatially Distributed Distribution: Val Venosta/Vinschgau - Upper Adige River Basin - Alps - I/CH/A


```
wpath_3D <- 'resources/simulation/Vinschgau'
basin <- get.geotop.inpts.keyword.value("LandCoverMapFile",
                                         wpath=wpath_3D,raster=TRUE)
basin
```

```
## class      : RasterLayer
## dimensions  : 48, 63, 3024 (nrow, ncol, ncell)
## resolution  : 1000, 1000 (x, y)
## extent      : 598000, 661000, 5145000, 5193000 (xmin, xmax, ymin, ymax)
## coord. ref. : +proj=utm +zone=32 +ellps=WGS84 +datum=WGS84 +units=m +no_defs
## data source : in memory
## names       : layer
## values      : 1, 11 (min, max)
```

Input GeoSpatial Map: Elevation and Weather Station




3D Spatially Distributed Simulation (Output Geospatial Map): Soil Water Content



```
help("brickFromOutputSoil3DTensor") ## for more details
```


3D Spatially Distributed Simulation (Output Geospatial Map): Surface Water Discharge at the Outlet



Dicussion

- ▶ Graphical Representation using R , useful for hydrologigists and Reaserchers;
- ▶ Open science : results accessible to a variegate community of professional, scientific or amateur people, *not all hydrologigists are R users but not all R users are hydrologigists!*
- ▶ Reproducible Analysis and Transparency : results can be automatically documented in reports or presentations.
- ▶ Though **geotopbricks** user can intercat between R and GEOTop using R enviroment and GEOTop keywords system indepently from the GEOTop simulation structure.

Conclusions and Way Forward

- ▶ Open Source (and not only) Hydrological Model needs powerful and FAIR interfaces to process I/O data;
- ▶ An R package working directly with GEOtop keywords facilitate the development of customized tools for specific GEOtop applications;
- ▶ Collaborations between hydrologists / modelers and R users are encouraged.

F_{indable}



A_{ccessible}



I_{nteroperable}



R_{eusable}



Finally

Aknowledgements to

- ▶ all **GEOtop** developers and users' group, in particular *Matteo Dall'Amico, Stefano Cozzini, Alberto Sartori, Stefano Endrizzi, Samuel Senoner, Riccardo Rigon*, who provided images about GEOtop and hydrologic models for this presentation
- ▶ the community of **R** whose packages allow to analize and visualise GEOtop data.

If intertested? See and follow us on (www.geotop.org) or (<https://cran.r-project.org/package=geotopbricks>)

Thank you for your attention! / Merci pour votre attention!
Find us as **@ecor** (presenter) or **@EURAC-Ecohydro** (co-authors) on *GitHub*.