


# PENGQUIN:

# PErsonal geNome QUery IN healthcare and clinical practice

Elias Crum

SPHN Visit
April 29th, 2025

© Elias Crum 2025

**SIB Research Stay:** 1 March – 30 April

# Context + Thank You!




© Elias Grüm 2025


**Tarcisio Mendes**

**Ana-Claudia Sima**

**Jerven Bolleman**

**Marco Pagni**

# An Intro to Elias




## My Journey:







BSc + MSc - Bioinformatics



# An Intro to Elias




## My Journey:






BSc + MSc - Bioinformatics






Prokaryotic Genomics




How can we increase **genomics** use in **medicine**?

© Elias Crum 2025

# PENGQUIN: PErsoNal Genome QUery IN healthcare and clinical practice




Genomic Data





Clinical Care



Semantic, Linked Data



Query Capabilities


Framework + App

**Advisors**: Dr. Gökhan Ertaylan[1], Dr. Bart Buelens[1], Dr. Ruben Taelman[2], Prof. Dr. Ruben Verborgh[2] 1 = vito 2 = GHENT UNIVERSITY


© Elias Crum 2025

# PENGQUIN Goals


## Data Storage




## Genomic Data Representation



## Question Answering




**Framework & web application**

© Elias Crum 2025

# PENGQUIN Goals

## Improve genomic data USAGE and SCALABILITY



Improve genomic data store accessibility (while maintaining privacy)



Represent genomic data semantically as Linked Data



Query genomic data and linkages

Beacon

Connect to existing initiatives / applications

## Proof-of-concept

Genome Pods

Develop a framework and web application

© Elias Crum 2025

# Talk Outline

## Decentralized Data Storage *(CHIST-ERA TRIPLE Project)*

- Introduction to Solid Pods

## Genomic Variant Data Semantification *(Semantic VCF)*


- Why Semantic VCF Data?
- Existing vocabularies/tools

## Federated Querying

- Motivation + Challenges
- Future aims

© Elias Crum 2025

# Private Data Storage





© Elias Crum 2025

# What is a Solid Pod?

*Secure, Decentralized Data Storage Specification*

- *Can store files, RDF data, and Linked Data*
- *Provides control policies for stored data*
- *Pod exists on a Server (accessible to the Web)*




https://solidproject.org/about

# Solid Pod vs SPARQL Endpoint?



## Solid Pod

+ decentralized storage strategy
+ can store both file data and RDF data
+ granular privacy policy capabilities

- native querying capabilities limited
- not designed for large-scale data
- no computation attached to data store




## SPARQL Endpoint

- centralized storage strategy
- triple store (only RDF)
- limited privacy capabilities

+ designed for high-performance querying
+ excels with large datasets
+ computation directly attached to data store

© Elias Crum 2025

# How to query a Solid Pod?

## A Query Engine


- *Query computation client-side*
- *Allows for SPARQL query execution "over" Solid Pod API*
- *Linked Data traversal + heterogeneous result joining capabilities*

**SPARQL Query**


```
1 SELECT DISTINCT ?p {
2     ?s ?p ?o
3 } LIMIT 10
```

*+ Source:*
*Elias' Pod*

**Results Binding Stream**
*SPARQL+JSON*




**Elias' Pod**




https://comunica.dev/about

© Elias Crum 2025

# Solid Pod Implementations?

BBC MyPDS App

athumi


Flemish Data Utility Company

we are

health data vaults

Flanders
State of the Art

Flemish Smart Dataspace




Solid Lab Use-cases


© Elias Crum 2025

# Semantifying Genomic Variant Data

Data Storage




Genomic Data Representation




© Elias Crum 2025

# Representing Genomic Variant Data Semantically

## Genomic Data, Health Care, and Semantics?

*Pharmacogenomics* Use-case (E.g. Warfarin):




https://alphagenomix.com/empowering-personalized-medicine/

## Semantic Genomic Variant Data?

***Research:***

↳ **F.A.I.R.** –
Findable. Accessible.
Interoperable. Reproducible.

***Clinic:***

↳ Data Linking
Data Provenance
Data Interoperability

# **Semantic VCF** – *Sequencing Data Formats Intro*

**FASTQ** ✚ **FASTA** → **SAM/BAM** → **VCF**

Raw Sequencing Outputs

Contiguous DNA sequence

FASTQ reads aligned to a FASTA reference

Areas in SAM where sample and reference differ

```
@FORJUSP02
CCGTCAATTC
+
AAAAAAAAAA
```

```
1  >gi|568336023|gb|CM000663.2| Homo sapiens chromosome 1, GRCh
2  CCTAACCCTAACCCTAACCCTAACCCTAACCCTAACCCTAACCCTAACCCTAAC
3  ACCCTAACCCTAACCCTAACCCTAACCCAACCCTAACCCTAACCCTAACCCTAA
4  TAACCCTAACCCTAACCCTAACCCTAACCCTAACCCTAACCCTAACCCTAACCC
5  CTAACCCTAACCCCTAACCCTAACCCTAACCCTAACCCTA
6  CAACCCCAACCCCAACCCCAACCCCAACCCCAACCCTAACCC
7  CCTAACCCTAACCCTAACCCTAACCCTAACCCCTAACCCCTA
8  TAACCCTAACCCCTAACCCTAACCCTAACCCTAACCCTCGCG
9  TCTGACCTGAGGAGAACTGTGCTCCGCCTTCAGAGTACCACC
10 CGCCCTCGCGGTGCTCTCCGGGTCTGTGCTGAGGAGAACGCA
11 CGGCGCAGGCGCAGAGAGGCGCGCCGCGCCGGCGCAGGCGCA
12 AGAGAGGCGCGCCGCGCCGGCGCAGGCGCAGAGAGGCGCGCC
13 CGCGCCGGCGCAGGCGCAGACACATGCTAGCGCGTCGGGGTG
14 GCCGCGCCGGCGCAGGCGCAGAGACACATGCTACCGCGTCCA
15 AGGCGCACCGCGCCGGCGCAGGCGCAGAGACACATGCTAGCG
16 GCAGAGACGCAAGCCTACGGGCGGGGGTTGGGGGGGCGTGTG
17 GCTGGGGCGGGGGGAGGGTGGCGCCGTGCACGCGCAGAAACT
18 GGTAGAACCTCAGTAATCCGAAAAGCCGGGATCGACCGCCCC
19 GCTTGCTCACGGTGCTGTGCCAGGGCGCCCCCTGCTGGCGAC
20 GAGTGGTGGCCAGCGCCCCCTGCTGGCGCCGGGGCACTGCAG
```

*Q scores (as ASCII ch*


*Base=T, Q=':'=25*

```
@HD     VN:1.0  SO
@SQ     SN:chr20
@PG     ID:TopHat
lign-edit-dist 2 -
20 /data/user446/m
HWI-ST1145:74:C101
       CCGTGTTTAAA
C    BBDCCDDCCDDDD
    AS:i:-15
HWI-ST1145:74:C101
       TGCTGGATCAT
G    DCDDDDEDDDDDD
    AS:i:-16
HWI-ST1145:74:C101DACXX:7:1204:14760:4030       16      chr20   270877  50      100M    *       0       0
       GGCTTTATTGGTAAAAAAGGAATAGCAGATTTAATCAGAAATTCCCACCTGGCCCAGCAGCACCAACCAGAAAGAAGGGAAGAAGACAGGAAAAAACCA
C    DDDDDDDDDCCDDDDDDDDDEEEEEEEFFFEFFEGHHHHFGDJJIHJJIJIJJJIIIIGGFJJIHIIIIJJJJJJIGHHFAHGFHJHFGGHFFFDD@BB
    AS:i:-11        XM:i:2  XO:i:0  XG:i:0  MD:Z:0A85G13    NM:i:2  NH:i:1
HWI-ST1145:74:C101DACXX:7:1210:11167:8699       0       chr20   271218  50      50M4700N50M     *       0
       0       GTGGCTCTTCCACAGGAATGTTGAGGATGACATCCATGTCTGGGGTGCACTTGGGTCTCCGAAGCAGAACATCCTCAAATATGACCTCTCG
accepted_hits.sam
```

```
##fileformat=VCFv4.3
##fileDate=20090805
##source=myImputationProgramV3.1
##reference=file:///seq/references/1000GenomesPilot-NCBI36.fasta
##contig=<ID=20,length=62435964,assembly=B36,md5=f126cdf8a6e0c7f379d618ff66beb2da,species="Homo sapiens",taxonomy=x>
##phasing=partial
##INFO=<ID=NS,Number=1,Type=Integer,Description="Number of Samples With Data">
##INFO=<ID=DP,Number=1,Type=Integer,Description="Total Depth">
##INFO=<ID=AF,Number=A,Type=Float,Description="Allele Frequency">
##INFO=<ID=AA,Number=1,Type=String,Description="Ancestral Allele">
##INFO=<ID=DB,Number=0,Type=Flag,Description="dbSNP membership, build 129">
##INFO=<ID=H2,Number=0,Type=Flag,Description="HapMap2 membership">
##FILTER=<ID=q10,Description="Quality below 10">
##FILTER=<ID=s50,Description="Less than 50% of samples have data">
##FORMAT=<ID=GT,Number=1,Type=String,Description="Genotype">
##FORMAT=<ID=GQ,Number=1,Type=Integer,Description="Genotype Quality">
##FORMAT=<ID=DP,Number=1,Type=Integer,Description="Read Depth">
##FORMAT=<ID=HQ,Number=2,Type=Integer,Description="Haplotype Quality">
#CHROM POS     ID        REF    ALT     QUAL FILTER INFO                              FORMAT      NA00001        NA00002        NA00003
20     14370   rs6054257 G      A       29   PASS   NS=3;DP=14;AF=0.5;DB;H2           GT:GQ:DP:HQ 0|0:48:1:51,51 1|0:48:8:51,51 1/1:43:5:.,.
20     17330   .         T      A       3    q10    NS=3;DP=11;AF=0.017               GT:GQ:DP:HQ 0|0:49:3:58,50 0|1:3:5:65,3   0/0:41:3
20     1110696 rs6040355 A      G,T     67   PASS   NS=2;DP=10;AF=0.333,0.667;AA=T;DB GT:GQ:DP:HQ 1|2:21:6:23,27 2|1:2:0:18,2  2/2:35:4
20     1230237 .         T      .       47   PASS   NS=3;DP=13;AA=T                   GT:GQ:DP:HQ 0|0:54:7:56,60 0|0:48:4:51,51 0/0:61:2
20     1234567 microsat1 GTC    G,GTCT  50   PASS   NS=3;DP=9;AA=G                    GT:GQ:DP    0/1:35:4       0/2:17:2       1/1:40:3
```

© Elias Crum 2025

# What does a VCF File Look like?





VCF Spec: https://samtools.github.io/hts-specs/VCFv4.2.pdf

© Elliot Crum 2025

https://davetang.github.io/learning_vcf_file/

# Representing VCF Semantically?

GA4GH Variant Schema:





© Elinor Crum 2025

https://vrs.ga4gh.org/en/2.0.0-ballot.2024-11/appendices/class_diagram.html#classdiagram

# Existing Semantic VCF Resources – Semantic Beacons

Semantic Beacons Schema:





https://gitlab.univ-nantes.fr/bodrug-a/genomic-variants-schema

© Elise Crum 2025

# *Existing Semantic VCF Resources – HERO Genomics*

HERO Genomics Ontology:




https://www.dei.unipd.it/~silvello/papers/2025_MCS_SWAT4HCLS.pdf

# *Existing Semantic VCF Resources – TOGO VAR*

TOGOVAR vcf2rdf:

- ? A tool for converting from VCF to RDF
  - ↳ Limited in its representation (uses hard-coded vocabulary)

© Elias Crum 2025

# Semantic VCF - Future Aims

## Construct VCF Knowledge Graph

manual conversion





**OR**

RocketRML





## Experiment with SPARQL Querying and Data Linking





© Elias Crum 2025

# SPARQL Federated Querying


## Data Storage




## Genomic Data Representation



## Question Answering




© Elias Crum 2025

# Real World Federated Query Survey

Swiss Institute of Bioinformatics

GHENT UNIVERSITY

## Motivation:

Federated querying for answering questions over **multiple heterogeneous data sources**

- ? Performance is currently ~*variable*~
  - ↳ We want to detail *WHY* performance varies so much && suggestions for improvement

- ? Assess federation algorithms on REAL endpoints
  - ↳ ***FedX*** – uses `ASK` queries to inform source-selection
  - ↳ ***SPLENDID*** – `VoID` descriptions to inform source-selection

© Elias Crum 2025

# ***Real World Federated Query Survey*** - *Design*

SPARQL Endpoints:




















“Real World” Federated Queries:




https://sib-swiss.github.io/sparql-examples/

SPARQL Query Engine:




https://comunica.dev/

© Elias Crum 2025

# Example Federated Query

**Query:** 027-biosodafrontend

**Question:** (*Bgee* | *UniProt*)

Retrieve the *genes* expressed in the *human pancreas*

and

those *genes*' *annotations*

https://www.bgee.org/sparql/

```
1  PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
2  PREFIX up: <http://purl.uniprot.org/core/>
3  PREFIX obo: <http://purl.obolibrary.org/obo/>
4  PREFIX genex: <http://purl.org/genex#>
5  PREFIX lscr: <http://purl.org/lscr#>
6  PREFIX orth: <http://purl.org/net/orth#>
7  SELECT DISTINCT ?geneEns ?uniprot ?annotation_text {
8      {
9          SELECT ?geneEns {
10             ?geneB a orth:Gene .
11             ?geneB genex:isExpressedIn ?cond .
12             ?cond genex:hasAnatomicalEntity ?anat .
13             ?geneB lscr:xrefEnsemblGene ?geneEns .
14             ?anat rdfs:label 'pancreas' .
15             ?geneB orth:organism ?o .
16             ?o obo:RO_0002162 ?taxon2 .
17             ?taxon2 up:commonName 'human' .
18         } LIMIT 100
19     }
20     SERVICE <https://sparql.uniprot.org/sparql> {
21         ?uniprot rdfs:seeAlso / up:transcribedFrom ?geneEns .
22         ?uniprot up:annotation ?annotation .
23         ?annotation rdfs:comment ?annotation_text .
24     }
25 }
```

visualization from: https://sib-swiss.github.io/sparql-editor/

Example obtained from:
https://biosoda.expasy.org/build_biosodafrontend/

# ***Real World Federated Query Survey*** *– [Preliminary] Findings 1*

## **Preliminary Results** (endpoints and queries):

Federated querying is not ”easy”

↳ Errors related to SPARQL endpoint availability

Invalid SPARQL endpoint response from https://semantic.eea.europa.eu/sparql (HTTP status 404)

↳ Errors caused by SPARQL endpoint-related errors

Invalid SPARQL endpoint response from https://sparql.orthodb.org/sparql (HTTP status 500)

↳ Errors related to SPARQL endpoint rate-limiting

Invalid SPARQL endpoint response from https://query.wikidata.org/sparql (HTTP status 429): Rate limit exceeded

↳ Errors related to SPARQL endpoint time-outs

Unexpected ""!"" at position 0 in state STOP

© Elias Crum 2025

# ***Real World Federated Query Survey*** – *[Preliminary] Findings 2*

## **Preliminary Results** (algorithms):

Federated querying is not ”easy”

↳ Errors within Comunica

Actor urn:comunica:default:query-operation/actors#source requires an operation with source annotation.

fetch failed

Could not retrieve https://idsm.elixir-czech.cz/sparql/endpoint/chebi (HTTP status 400)

FATAL ERROR: Ineffective mark-compacts near heap limit Allocation failed - JavaScript heap out of memory

↳ Errors related to algorithms

Actor urn:comunica:default:/actors#rdf-join cannot complete join with Asym-hash actor.

© Elias Crum 2025

# *Real World Federated Query Survey* – *Future Work*

## Future Aims:

**Execute 1 month worth of queries**

↳ 4 experimental runs per week

Vary time + part of week experiment is performed

**Publication goals:**

- In-Use Paper
- Journal Paper Extension (benchmark creation)

**Algorithmic variation**

- `VoID` vs `ASK` queries
- Various join algorithm combinations
- Rate-limiting
- `SERVICE` removal


**Metrics Assessed**

- Total execution time
- Query planning time
- Result set consistency
- # SPARQL requests
- # HTTP requests
- Individual query arrival times


For more detail see: https://docs.google.com/document/d/1U-RtYsJw9raw4U5Qe6BHfSh2VYGnUIkbT9-aSyJionU/edit?usp=sharing

# Unified System for Storage & Representation & Querying


## Data Storage




## Genomic Data Representation



## Question Answering




**Framework & web application**

GENOME Pods

© Elias Crum 2025

GHENT UNIVERSITY

IDLab
INTERNET & DATA LAB

vito

fwo

# Thank you!





More PhD specifics





LinkedIn






GitHub

© Elias Crum 2025

# Supplemental Slides

© Elias Crum 2025





knowledgeonwebscale.github.io/solid-cockpit/

© Elias Crum 2025

# Genome Sequencing in Health Care

## Sequence Generation Costs





Wetterstrand KA. Accessed 12/04/24.

Currently getting close to $100 per genome[4]

Per-base cost of sequencing has been dropping by half every ~5 months

**Per-base cost of sequence data storage is dropping by half every ~14 months**

## Use-cases




10.31887/DCNS.2016.18.3/jkrier

Examples include:

- Medication prescription (pharmacogenomics)
- Genetic disease screening
- Cancer diagnosis & treatment

© Elias Crum 2025

# Variant Call Format (VCF)

- tab delimited .txt file

- Rows represent individual mutations in a sequence (when compared to reference)

- Columns store information about that mutation




```
##fileformat=VCFv4.1
##fileDate=20140930
##source=23andme2vcf.pl https://github.com/arrogantrobot/23
##reference=file://23andme_v3_hg19_ref.txt.gz
##FORMAT=<ID=GT,Number=1,Type=String,Description="Genotype"
#CHROM  POS ID  REF ALT QUAL    FILTER  INFO    FORMAT  GEN
chr1    82154   rs4477212   a   .   .   .   .   GT  0/0
chr1    752566  rs3094315   g   A   .   .   .   GT  1/1
chr1    752721  rs3131972   A   G   .   .   .   GT  1/1
chr1    798959  rs11240777  g   .   .   .   .   GT  0/0
chr1    800007  rs6681049   T   C   .   .   .   GT  1/1
chr1    838555  rs4970383   c   .   .   .   .   GT  0/0
chr1    846808  rs4475691   C   .   .   .   .   GT  0/0
chr1    854250  rs7537756   A   .   .   .   .   GT  0/0
chr1    861808  rs13302982  A   G   .   .   .   GT  1/1
chr1    873558  rs1110052   G   T   .   .   .   GT  1/1
chr1    882033  rs2272756   G   A   .   .   .   GT  0/1
chr1    888659  rs3748597   T   C   .   .   .   GT  1/1
chr1    891945  rs13303106  A   G   .   .   .   GT  0/1
```

# Personal Genome Sequence Data


**Human genome data is big…**

~3.2 BILLION base pairs ----> ~1 GB

Sequencing output file ----> ~200 GB

*Variant Call Format* (***VCF***) file ----> ~200 MB

- Individual humans exhibit ~3 million mutations
- VCF file **records only those differences**
- Flat file




*VCF* file semantic representation

- **~ >27 MILLION** Triples when represented as RDF
- Ontology for conversion
- Header Dictionary Triples (for compression)

© Elias Crum 2025

# Scaling Genome Data Usage

**Research** genomic data sharing initiatives:







State-of-the-art for **clinical** genomic data sharing?

**GDPR (EU) / HIPPA (US)**
***EU Health Data Spaces***



Not much...

© Elias Crum 2025

# Experimental VCF Data

Primary dataset from publicly available repositories (>100 genomes)

- Personal Genome Project (https://my.pgp-hms.org/public_genetic_data)
- NIST's Genome in a Bottle public dataset (https://data.nist.gov/od/id/mds2-2336)
- Illumina Platinum Genomes repository (https://emea.illumina.com/platinumgenomes.html)


If more are needed (>1000 [research grade] genomes):

- 1000 genomes project (https://www.internationalgenome.org/)
- NCBI's ClinVar (https://www.ncbi.nlm.nih.gov/clinvar/)

© Elias Crum 2025


# Semantic Genome Data?

**Institution-centric**




© Elias Crum 2025

# A [Hybrid] Solid Solution




© Elias Crum 2025

# Solid Technology

- Does not solve ALL problems, but offers an environment where improvements are possible

  - ✓ Easier sharing (web-facilitated)
  - ✓ Granular privacy controls
  - ✓ Direct patient data access
  - ✓ Data representation flexibility (RDF)
  - ✓ Possibility of data-linking and querying

© Elias Crum 2025
https://solidproject.org/TR/protocol

# Project Goals





Create a proof-of-concept
storage **FRAMEWORK**
and accompanying **Web Application**

While **exploring representation + querying limits**

© Elias Crum 2025

# Envisioned Product Evolution














PhD End

Short Term

Medium Term

Long Term

PhD Deliverable

Start-up / Product development + Hospital implementation


Integrate with EHR + Increase application domains

Increase 3rd party application support + Scale to Europe and beyond

© Elias Crum 2025

# Workflow Overview

## Data Storage




© Elias Crum 2025

# Data Storage

**Solid can be implemented for genomic data storage.**

Solid pod instances → Community Solid Server[1]


VCF Genomic Data → Illumina Platinum Genomes[2]




[1] https://github.com/CommunitySolidServer/CommunitySolidServer
[2] https://emea.illumina.com/platinumgenomes.html

© Elias Crum 2025

# Workflow Overview





© Elias Crum 2025

# Genome Data in RDF

**VCF genomic data can be represented as RDF.**

VCF to RDF Vocabularies exist ⟶ SPHN Semantic Interoperability Framework[4]
+ FHIR HL7 Format[5]

**VCF genomic data can be Linked to other data.**





How to automate this?
What vocabularies could be used for the linkages?

© Elias Crum 2025

[3] van der Horst E, et al. Bridging Clinical and Genomic Knowledge: An Extension of the SPHN RDF Schema for Seamless Integration and FAIRification of Omics Data. 2023.

[4] Dolin RH, et al. vcf2fhir: a utility to convert VCF files into HL7 FHIR format for genomics-EHR integration. 2021.

# Workflow Overview




© Elias Crum 2025


# Data Privacy Controls

**Granular privacy controls can be implemented in Solid for genomic data.**

Web Access Contol ⟶ Solid Protocol ACP[3]

How granular can we make the privacy controls?

**Privacy controls at chromosome level, or even mutation level.**




Chromosome is a semantic Class

Mutation is also a semantic Class, above a triple but below a Chromosome


© Elias Crum 2025

[5] https://solidproject.org/TR/protocol

# Querying Genome Pods

**RDF genomic data pods can be queried.**

Query Engine → Custom Comunica implementation/engine[6]




[6] https://comunica.dev/

© Elias Crum 2025

# Querying Genome Pods (possibilities)

**Single Pod Query**


Utilizes an intra-pod index

**Many Pod Query**

First, utilizes an extra-pod aggregator
Then, utilizes the intra-pod indexes

**Beacon API for Researcher Queries**

Query is translated from Beacon API to Comunica
Then, the **Many Pod** query approach is followed




© Elias Crum 2025

# Implementation Specifics

Solid pod instances → Community Solid Server[1]

Genomic Data → Publicly available *VCF* data[2]

RDF Conversion → HERO Genomics + SPHN ontology[4]

Data-linking → Actively exploring ontologies / methodologies

Data Querying → Custom instance of Comunica[6]

© Elias Crum 2025