

---

# ECS Administration Manual

*Release 0 TODO:use git id*

**Latex Author Name**


Feb 24, 2017


## Contents

<b>1</b>	<b>Appliance architecture</b>	<b>2</b>
<b>2</b>	<b>describe installation &amp; configuration</b>	<b>4</b>
<b>3</b>	<b>describe signing (setup)</b>	<b>4</b>
<b>4</b>	<b>describe security &amp; user bootstrap</b>	<b>4</b>
<b>5</b>	<b>describe automatic task and submission closings (ecs cleanup)</b>	<b>4</b>
<b>6</b>	<b>describe the generated pdf's</b>	<b>4</b>
<b>7</b>	<b>describe the types of messages the ecs sends</b>	<b>4</b>

---

## Appliance architecture





Test Von Graphviz mit cpp dot-style.h

**describe installation & configuration**

**describe signing (setup)**

**describe security & user bootstrap**

**describe automatic task and submission closings (ecs cleanup)**

**describe the generated pdf's**

- pdf's:
  - with ec\_head:

```
templates/checklists/wkhtml2pdf/checklist.html:    {% include 'wkhtml2pdf/ec_head.  
→inc' %}  
templates/meetings/email/agenda.html:    {% include 'wkhtml2pdf/ec_head.inc' %}  
templates/meetings/wkhtml2pdf/agenda.html:    {% include 'wkhtml2pdf/ec_head.inc'  
→%}  
templates/meetings/wkhtml2pdf/protocol.html:    {% include 'wkhtml2pdf/ec_head.inc  
→' %}  
templates/meetings/wkhtml2pdf/timetable.html:    {% include 'wkhtml2pdf/ec_head.inc  
→' %}  
templates/meetings/wkhtml2pdf/vote.html:{% include 'wkhtml2pdf/ec_head.inc' %}  
templates/notifications/answers/wkhtml2pdf/base.html:    {% include 'wkhtml2pdf/ec_  
→head.inc' %}
```

+ without ec\_head:

```
templates/meetings/email/timetable.html:{% extends 'wkhtml2pdf/skeleton.html' %}  
templates/meetings/wkhtml2pdf/vote_preview.html:{% extends 'wkhtml2pdf/skeleton.  
→html' %}  
templates/notifications/wkhtml2pdf/base.html:{% extends 'wkhtml2pdf/skeleton.html'  
→%}  
templates/submissions/wkhtml2pdf/view.html:{% extends 'wkhtml2pdf/skeleton.html' %}
```

**describe the types of messages the ecs sends**

```
git grep "send_.*message" | grep -v "from.*import" | grep -v "def.*(.):"
```

- emails from text template: find . -name "\*.txt"

```
templates/submissions/presenter_change_new.txt  
templates/submissions/acknowledge_message.txt  
templates/submissions/change_message.txt  
templates/submissions/new_version_message.txt  
templates/submissions/creation_message.txt  
templates/submissions/presenter_change_previous.txt  
templates/submissions/susar_presenter_change_new.txt  
templates/submissions/susar_presenter_change_previous.txt  
templates/submissions/decline_message.txt  
templates/submissions/vote_publish.txt  
templates/users/new_signing_user.txt  
templates/users/indisposed_proxy.txt  
templates/users/division_of_work.txt
```

```
templates/search/indexes/help/page_text.txt
templates/checklists/external_review_publish.txt
templates/checklists/external_review_declined.txt
templates/checklists/external_reviewer_invitation.txt
templates/notifications/answers/new_message.txt
templates/communication/mail/digest.txt
templates/msg_core.txt
templates/meetings/email/basg.txt
templates/meetings/messages/primary_investigator_invitation.txt
templates/meetings/messages/expedited_reviewer_invitation.txt
```

- emails from html template: find . -name "\*email.html"

```
templates/users/registration/activation_email.html
templates/users/invitation/invitation_email.html
templates/users/password_reset/reset_email.html
templates/users/password_reset/register_email.html
```

- python code sending non template emails:

```
git grep "send_.*message" | grep -v "from.*import" | grep -v "def.*(.*)" | grep -v
→v "/.*\.txt" | grep -v send_message_on_close | grep -v message_template | grep -v
→tests.py | sort | uniq | manual filter
ecs/core/views/submissions.py
ecs/documents/tasks.py
ecs/tasks/tasks.py
ecs/votes/tasks.py
```