Java Code for word count:

```
import java.io.IOException;
import java.util.*;
import org.apache.hadoop.conf.*;
import org.apache.hadoop.fs.*;
import org.apache.hadoop.conf.*;
import org.apache.hadoop.io.*;
import org.apache.hadoop.mapreduce.*;
import org.apache.hadoop.mapreduce.lib.input.*;
import org.apache.hadoop.mapreduce.lib.output.*;
import org.apache.hadoop.util.*;
public class WordCount extends Configured implements Tool
      public static void main(String args[]) throws Exception
      {
            int res = ToolRunner.run(new WordCount(), args);
            System.exit(res);
      public int run(String[] args) throws Exception
      {
            Path inputPath = new Path(args[0]);
            Path outputPath = new Path(args[1]);
            Configuration conf = getConf();
```

```
Job job = new Job(conf, this.getClass().toString());
            job.setJarByClass(WordCount.class);
            FileInputFormat.setInputPaths(job, inputPath);
            FileOutputFormat.setOutputPath(job, outputPath);
            job.setJobName("WordCount");
            job.setMapperClass(Map.class);
            job.setCombinerClass(Reduce.class);
            job.setReducerClass(Reduce.class);
            job.setMapOutputKeyClass(Text.class);
            job.setMapOutputValueClass(IntWritable.class);
            job.setOutputKeyClass(Text.class);
            job.setOutputValueClass(IntWritable.class);
            job.setInputFormatClass(TextInputFormat.class);
            job.setOutputFormatClass(TextOutputFormat.class);
            return job.waitForCompletion(true) ? 0 : 1;
      }
      public static class Map extends Mapper<LongWritable, Text,
                                                                           Text,
IntWritable>
      {
            private final static IntWritable one = new IntWritable(1);
            private Text word = new Text();
            public void map(LongWritable key, Text value, Mapper.Context
context) throws IOException, InterruptedException
                  String line = value.toString();
                  StringTokenizer tokenizer = new StringTokenizer(line);
                  while (tokenizer.hasMoreTokens())
                        word.set(tokenizer.nextToken());
                        context.write(word, one);
                  }
```

```
}
      }
      public static class Reduce extends Reducer<Text, IntWritable, Text,
IntWritable>
      {
            public void reduce(Text key, Iterable<IntWritable> values, Context
context) throws IOException, InterruptedException
            {
                  int sum = 0;
                  for(IntWritable value : values)
                  {
                        sum += value.get();
                  context.write(key, new IntWritable(sum));
            }
      }
}
Input File
Pune
Mumbai
Nashik
```

Pune

Nashik

Kolapur