import pandas as pd
import numpy as np

df = pd.read_csv("StudentPerformance.csv")

df

	Gender	Math Score	reading score	writing score	Placement Score	Placement Count	Region
0	Female	75	65	55	70	2	pune
1	Male	60	65	90	80	2	pimpri
2	Female	78	78	90	81	1	Mumbai
3	Male	67	90	95	82	2	pune
4	Female	89	98	72	83	3	pune
5	Male	90	69	82	84	3	pune
6	Male	98	73	99	85	3	pune
7	Female	79	98	99	86	1	pune
8	Male	80	75	76	87	2	pune
9	Female	81	87	80	88	3	Banglore


from sklearn import preprocessing
label_encoder = preprocessing.LabelEncoder()
df['Gender']= label_encoder.fit_transform(df['Gender'])
df['Gender'].unique()

array([0, 1])

df

	Gender	Math Score	reading score	writing score	Placement Score	Placement Count	Region
0	0	75	65	55	70	2	pune
1	1	60	65	90	80	2	pimpri
2	0	78	78	90	81	1	Mumbai
3	1	67	90	95	82	2	pune
4	0	89	98	72	83	3	pune
5	1	90	69	82	84	3	pune
6	1	98	73	99	85	3	pune
7	0	79	98	99	86	1	pune
8	1	80	75	76	87	2	pune
9	0	81	87	80	88	3	Banglore

import matplotlib.pyplot as plt
boxplot = df.boxplot()
plt.show()



import scipy.stats as stats
df['Math Score'].mean()

```
mean = df['Math Score'].mean()
df['Math Score'].std()
std = df['Math Score'].std()
zscores = stats.zscore(df['Math Score'])
print(zscores)
     0 -0.447295
        -1.874831
     1
        -0.161787
-1.208647
     3
     4
         0.885072
         0.980241
         1.741594
        -0.066618
     8
         0.028551
         0.123720
     Name: Math Score, dtype: float64
threshold = 0
outlier = []
for i in df['Math Score']:
    z = (i-mean)/std
    if z > threshold:
       outlier.append(i)
print('outlier in dataset is', outlier)
     outlier in dataset is [89, 90, 98, 80, 81]
```

Colah naid products - Cancel contracts here