EPM Programmatic access user guide

Overview

We export the financial and planning data from **Oracle EPM Cloud Planning** to **Expedia Group Data Lake (EGDL)** tables and make it available to consumers for the programmatic access. The process is automated using scheduled airflow jobs, Oracle Integrations, and cloud storage.

Oracle Integration Cloud (**OIC**) enables automated data export from **Oracle EPM Cloud** to **AWS S3 EG Data Lake** by orchestrating data extraction, transformation, and storage processes. This integration helps maintain backups, enable advanced analytics, and ensure seamless data movement between cloud platforms.

Access

We have implemented a security model(**Row-Level Access**) to grant appropriate EPM cloud data access to the consumers in EGDL test and prod environments. For this we've created 3 security groups (request access to one of the below security groups based on your requirements) -

- **epm-access-all** → Access to both b2b and b2c brands
- **epm-access-b2c** → Access to only b2c brands
- **epm-access-b2b** → Access to only b2b brands
- ‘epm-access-b2c' and 'epm-access-b2b' are semi private groups, so you should be able to request access to these and we will review and approve it. If you think you need access to 'epm-access-all’ group (private), please reach out to @amarathe or @Nate Bannick so that we can add you. Note that you should be part of only one SG.

EGDL tables

- **EPM Cube data tables -**
  - ```
    select * from egdp_prod_finance_analytics.epm_fin_plan_cube_table;
    select * from egdp_prod_finance_analytics.epm_vtr_plan_cube_table;
    ```
- **Dimension meta data tables -**
  - ```
    select * from egdp_prod_finance_analytics.epm_account_metadata_table;
    select * from egdp_prod_finance_analytics.epm_brand_metadata_table;
    select * from egdp_prod_finance_analytics.epm_businessmodel_metadata_table;
    select * from egdp_prod_finance_analytics.epm_channel_metadata_table;
    select * from egdp_prod_finance_analytics.epm_company_metadata_table;
    select * from egdp_prod_finance_analytics.epm_costcenter_metadata_table;
    select * from egdp_prod_finance_analytics.epm_currency_metadata_table;
    select * from egdp_prod_finance_analytics.epm_day_metadata_table;
    select * from egdp_prod_finance_analytics.epm_hsp_metric_metadata_table;
    select * from egdp_prod_finance_analytics.epm_intercompany_metadata_table;
    select * from egdp_prod_finance_analytics.epm_lineitem_metadata_table;
    ```

```
select * from egdp_prod_finance_analytics.epm_location_metadata_table;
select * from egdp_prod_finance_analytics.epm_period_metadata_table;
select * from egdp_prod_finance_analytics.epm_planelement_metadata_table;
select * from egdp_prod_finance_analytics.epm_product_metadata_table;
select * from egdp_prod_finance_analytics.epm_scenario_metadata_table;
select * from egdp_prod_finance_analytics.epm_sec_attribute_metadata_table;
select * from egdp_prod_finance_analytics.epm_smart_lists_metadata_table;
select * from egdp_prod_finance_analytics.epm_timingcard_metadata_table;
select * from egdp_prod_finance_analytics.epm_version_metadata_table;
select * from egdp_prod_finance_analytics.epm_view_metadata_table;
select * from egdp_prod_finance_analytics.epm_years_metadata_table;
```

- **Fxrates table**
  - ```
    select * from egdp_prod_finance_analytics.epm_fxrates_table
    ```

Note: When dealing with dimension metadata tables, since the same dimensions can exist in multiple hierarchies, you need to exclude the shared hierarchy elements from your results to get the primary hierarchy results. To do that, you can add this filter to your query - `data_storage <> 'shared'`

Data sets

The below datasets can be fetched from -

`egdp_prod_finance_analytics.epm_fin_plan_cube_table`

`egdp_prod_finance_analytics.epm_vtr_plan_cube_table`

All the below jobs are scheduled based on PST and shouldn't be affected by Day light savings.

Data set	Cube	Criteria to fetch	Published	Schedule
Actuals	FIN_PLAN	scenario = Actual version = Final	After each consolidation monthly	Scheduled for WD1, WD2 & WD3 of each month at 11 PM PST. Adhoc - after the consolidation
Plan	FIN_PLAN & VTR_PLAN	scenario = Plan version = Final	After the Plan has been locked	Adhoc - Once after the Plan has been finalized
Finalized Forecast	FIN_PLAN &	scenario = <MMM> Forecast (Ex: Jan	After the current month forecast has been locked	Adhoc - Once a month after the
    ```

	VTR_PLAN	Forecast) version = <FYxx>_Archive (Ex: FY25_Archive)		forecast has been finalized
Active Forecast	FIN_PLAN & VTR_PLAN	scenario = Forecast version = Working_Prior	Ongoing basis - daily	Scheduled daily at: • 1st run - 7:30 AM PST • 2nd run - 11:30 PM PST
Dimensions Metadata		from dimension tables above	Daily	Scheduled daily at 11 PM PST

Fxrates	FIN_PLAN	• Archived forecast rates:
		  ◦ scenario = <MMM> Forecast (Ex: Jan Forecast)
		  ◦ version = <FYxx>_Archive (Ex: FY26_Archive)
		• Working forecast rates:
		  ◦ scenario = NoScenario
		  ◦ version = NoVersion
		• Spot rates:
		  ◦ scenario = Actual
		  ◦ version = Final
			Archived forecast rates - adhoc
			
			Working forecast rates - Daily
			
			Spot rates → Whenever actuals are loaded on a monthly basis
				• Archived forecast rates will be updated as part of loading the Archived forecast data for any locked period. This will be run adhoc whenever the forecast is locked.
				• Spot rates will be loaded as part of loading the Actuals data for a period. This will be run whenever the actuals are loaded during the first few working days of the month.
				• Working forecast rates will be updated daily

				twice as part of loading the daily active forecast data. The active forecast job will run twice a day like mentioned above at: • 1st run - 7:30 AM PST • 2nd run - 11:30 PM PST

Data Available in EGDL

For FIN_PLAN: `egdp_prod_finance_analytics.epm_fin_plan_cube_table`

- Actuals - Data from FY24 is available
- Plan - FY25 plan data is available
- Active Forecast - Working_Prior data for FY25,FY26 is available (this job is scheduled daily - will get the up-to-date forecast data)
- Archived Forecast - Oct and Nov Forecast data is available for FY25,FY26

For VTR_PLAN: `egdp_prod_finance_analytics.epm_vtr_plan_cube_table`

- Plan - FY25 plan data is available
- Active Forecast - Working_Prior data for FY25,FY26 is available (this job is scheduled daily - will get the up-to-date forecast data)
- Archived Forecast - Jan, Apr, Jun Forecast is available for FY25,FY26

For Fxrates: `egdp_prod_finance_analytics.epm_vtr_plan_cube_table`

- FY26_Archive fxrates for Jan,Feb & Mar forecast are loaded.

FAQ:

- How to access parent hierarchy for a particular dimension element?
  - We have parent columns for each row in each meta data table starting from parent_1...upto parent_15 where parent_1 being the top level parent and it flows down the hierarchy. We also

have alias columns for each parent (parent_1_alias,....parent_15_alias) which will be useful to find the parent names. We also have parents column at the end which stores the list of all parents for that particular dimension element with first value in the array being the top level parent until the direct parent of the element.

- How to get the total gbv or some metric value for a particular brand, product or location when i don't know the fusion values?
  - You can join `epm_fin_plan_cube_table` with the appropriate metadata table `epm_<xxx>_metadata_table` which will have more data about that particular dimension to get the needed results.

Support Contact:

Please reach out in #programmatic-access slack channel for any questions.