

RAINFALL AT *Calf of Man Low Station*Y<sup>26</sup>4Observer *Bd. of Northern Lights*

Rain { By.....

Gauge { Diameter.....in. Height above Ground.....ft.....in. Above Mean Sea Level.....ft.

YEAR.....	1820	1821	1822	1823	1824	1825	1826	1827	1828	1829	MEANS.
January.....						1.11	.63	2.05	1.47	.90	
February.....						.75	2.35	.41	1.54	.93	
March.....						1.19	.81	2.62	1.25	.43	
April.....						.57	1.33	1.36	2.20	2.84	
May.....						1.19	.45	.87	1.15	.78	
June.....						.65	.10	1.23	.63	.78	
July.....						.18	1.04	1.25	1.92	2.84	
August.....						1.99	1.85	3.68	1.70	4.76	
September.....						1.87	.62	1.28	1.03	1.65	
October.....						3.58	1.65	1.62	1.99	3.22	
November.....						4.04	2.44	2.31	2.66	1.71	
December.....						1.93	2.66	3.06	2.32	1.34	
TOTALS ....						19.05	15.93	21.74	19.86	22.18	

Rainfall at

*Half ofellan*

20

High Station *Y26*

*Bd. of Northern Lights*

Diameter of Gauge, ..... in.

Height above Ground, ..... ft. .... in.

Above Mean Sea Level, ..... ft.

YEAR - -				1823	1824	1825	1826	1827	1828	1829	MEANS.
January - -				1.73	.96	1.12	.40	2.05	1.39	.89	
February - -				2.35	.59	.76	2.46	<del>4.1</del>	1.50	.90	
March - - -				1.68	1.50	1.25	.78	<del>2.62</del>	1.19	.42	
April - - -				<del>73</del>	.85	.66	1.34	<del>1.36</del>	2.06	2.75	
May - - -				2.19	.10	1.42	.41	<del>.87</del>	1.12	.85	
June - - -				56	1.51	.64	.09	<del>1.23</del>	.62	.47	
July - - -				2.22	.82	.16	.95	<del>1.25</del>	1.86	2.50	
August - - -				2.89	<del>1.86</del>	1.58	1.82	3.68	1.68	4.59	
September -				3.05	2.33	1.94	.59	<del>1.28</del>	1.07	1.60	
October - -				2.78	5.41	3.30	1.60	<del>1.62</del>	1.93	3.09	
November -				.98	<del>2.36</del>	3.89	2.32	<del>2.31</del>	2.56	1.65	
December -				2.68	<del>4.55</del>	1.86	2.66	<del>3.06</del>	2.49	1.19	
TOTALS -				23.90	<del>23.10</del>	18.58	15.42	21.74	19.44	21.20	
					22.83						

1823 Sent by A. W. Moore Oct 1885

Corrections sent by A. W. Moore 30.9.85 after examining the records at the Northern Light Office Edinburgh.

# 30

## RAINFALL AT *Calf of Man Low Station*

Observer *Bd. of Northern Lights*

*1864*

Rain { By .....

Gauge { Diameter.....in.      Height above Ground.....ft.....in.      Above Mean Sea Level.....ft.

YEAR.....	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	MEANS.
January.....	.66	1.58	1.16	.80	3.65	2.97	1.47	1.55	.90	1.13	
February.....	1.24	2.90	.75	4.14	2.15	1.48	1.23	3.58	.97	1.38	
March.....	1.32	2.97	1.70	1.82	1.09	1.70	1.34	.76	3.07	1.72	
April.....	2.07	1.57	.81	.67	1.43	1.14	1.12	1.51	1.87	.76	
May.....	2.86	.24	1.11	1.33	.63	2.82	.04	1.20	1.35	.90	
June.....	2.80	2.21	1.79	3.03	2.37	.75	1.61	1.89	2.26	1.33	
July.....	2.09	1.69	.49	1.60	4.19	1.98	2.63	3.09	1.78	4.35	
August.....	2.01	.84	2.94	1.18	2.99	1.03	2.39	1.40	2.80	1.62	
September.....	3.54	3.85	.56	2.77	2.27	1.75	3.55	1.53	.97	4.24	
October.....	2.16	3.08	2.61	1.27	2.25	3.13	1.87	1.62	2.11	3.21	
November.....	4.35	3.24	3.82	3.08	1.82	4.16	2.41	1.43	3.68	3.11	
December.....	2.51	3.05	2.26	3.37	1.24	1.71	2.56	3.53	1.47	2.77	
TOTALS ....	27.61	27.22	20.00	25.06	26.08	24.62	22.22	23.09	23.23	26.52	

*Values supplied by A. W. Moore 30.9.85 after visiting the Northern Light Office Edinburgh.*



Rainfall at *Calp ofellan*

High Station

30

7365

Diameter of Gauge, ..... in. Height above Ground, ..... ft. Above Mean Sea Level, ..... ft.

YEAR -	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	MEANS.
January -	.62	1.66	1.18	.90	<del>2.65</del>	<del>2.97</del>	<del>1.47</del>	<del>1.55</del>	.90	1.13	1.603
February -	1.28	2.98	.76	4.09	<del>2.15</del>	<del>1.48</del>	<del>1.23</del>	<del>3.58</del>	.97	1.38	1.988
March -	1.39	3.06	1.71	1.83	<del>1.09</del>	<del>1.70</del>	<del>1.34</del>	.76	3.07	1.42	1.767
April -	2.11	1.55	.75	.70	<del>1.43</del>	<del>1.14</del>	<del>1.12</del>	<del>1.51</del>	1.87	.76	1.294
May -	2.85	.25	1.14	1.38	<del>.63</del>	<del>2.82</del>	<del>.04</del>	<del>1.20</del>	1.35	.90	1.256
June -	2.74	2.30	1.82	3.09	<del>2.37</del>	<del>.75</del>	<del>1.61</del>	<del>1.89</del>	2.26	1.33	2.016
July -	2.13	1.77	.48	1.65	<del>4.19</del>	<del>1.98</del>	<del>2.63</del>	<del>3.09</del>	1.78	4.35	2.405
August -	1.98	.87	2.78	1.12	<del>2.99</del>	<del>1.03</del>	<del>2.39</del>	<del>1.40</del>	2.80	1.62	1.898
September -	3.44	3.80	.62	2.77	<del>2.27</del>	<del>1.75</del>	<del>2.55</del>	<del>1.53</del>	.97	4.24	2.397
October -	2.16	2.98	2.52	1.36	<del>2.25</del>	<del>3.13</del>	<del>1.87</del>	<del>1.62</del>	2.11	3.21	2.321
November -	4.33	3.25	3.81	3.02	<del>1.82</del>	<del>4.16</del>	<del>2.41</del>	<del>1.43</del>	3.68	3.11	3.102
December -	2.39	3.08	2.25	3.09	<del>1.24</del>	<del>1.71</del>	<del>2.56</del>	<del>3.53</del>	1.47	2.77	2.407
TOTALS -	27.42	27.53	19.80	25.00	26.08	21.62	21.22	23.09	23.23	26.52	21.453

1836 Correction sent by A.W. Moore 30.9.85 after examining the records at the Northern Light Off. Edinburgh.

Rainfall at *half of Man*

Diameter of Gauge, ..... in.

Height above Ground, ..... ft. .... in.

Above Mean Sea Level, ..... ft.

YEAR - -	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	MEANS.
January - -	1.44	.70	2.35	1.95	2.42	2.74	3.64	3.28	2.65	2.53	2.370
February - -	1.45	1.90	2.03	1.14	2.99	.95	1.09	.82	2.99	.99	1.635
March - - -	.15	1.48	2.32	1.05	1.38	.79	1.78	.81	2.18	.80	1.304
April - - -	.50	1.12	.44	2.89	1.09	1.07	2.74	1.59	1.62	2.18	1.524
May - - -	1.54	2.70	2.01	2.55	.32	.97	.61	1.98	.46	1.37	1.451
June - - -	1.72	1.85	1.65	2.62	1.20	3.46	1.84	1.88	3.02	.60	1.984
July - - -	1.88	2.77	2.95	2.43	2.39	2.15	2.67	.60	1.83	1.72	2.139
August - -	3.55	1.85	.98	2.12	1.86	2.55	3.21	1.40	2.28	3.23	2.303
September -	3.80	2.14	2.35	.74	2.50	1.55	2.79	1.84	1.52	1.91	2.114
October - -	1.86	4.63	1.19	5.48	1.68	3.59	4.96	2.96	3.77	1.30	3.142
November -	3.76	2.48	3.93	3.94	1.94	4.35	2.28	2.44	3.19	1.82	3.013
December -	1.19	3.16	.80	.79	.71	2.39	2.03	3.32	1.29	1.00	1.668
TOTALS -	22.84	27.08	23.00	27.70	20.48	26.56	29.64	22.92	26.80	19.45	24.647

Rainfall at *Calf of Man**See of Man.*

Diameter of Gauge, ..... in.

Height above Ground, ..... ft. .... in.

Above Mean Sea Level, ..... ft.

YEAR - -	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	MEANS.
January - -	.38	5.41	2.43	2.61	2.39	.14	1.26	6.94	2.19	2.41	2.622
February - -	1.49	.89	3.21	2.00	.98	1.12	1.37	2.13	1.84	4.55	1.958
March - - -	.71	3.08	.98	1.28	.66	1.49	1.05	3.16	1.18	3.30	1.689
April - - -	2.93	1.33	.79	1.31	.27	.27	1.98	5.00	2.06	2.88	1.882
May - - - -	.99	1.55	2.01	.58	.60	1.25	4.17	2.59	2.44	.40	1.658
June - - - -	1.50	2.31	1.76	1.55	2.34	1.70	2.07	2.06	2.95	1.84	2.008
July - - - -	2.67	1.55	2.13	2.01	.93	1.47	.98	1.36	3.92	1.76	1.878
August - - -	.63	1.55	1.86	1.17	.76	.22	3.64	3.18	1.55	.28	1.484
September -	1.29	.75	1.48	1.21	1.19	.31	5.15	1.91	1.89	1.46	1.664
October - - -	1.92	1.67	3.25	3.00	4.47	.83	3.89	4.04	4.01	2.43	2.951
November - -	2.35	2.73	5.22	2.57	2.09	1.10	2.40	3.16	2.04	3.18	2.684
December - -	1.38	.74	5.03	1.10	1.84	.89	5.38	1.78	3.63	2.08	2.385
TOTALS -	18.24	23.56	30.15	20.39	18.52	10.82	33.34	37.34	29.70	26.57	21.863

C C C C C X C C C C C



*Calf of Man*

*Lat 54.3 N Lon 4.30 W*

60

*Isle of Man*

+ Ground 10.

+ Sea Level

YEAR -	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	MEANS.
January -	8.19	4.23	5.14	3.85	2.22	2.02	2.93	3.85	3.56	5.04	
February -	2.67	3.23	1.22	.65	1.22	2.11	2.04	.89	1.62	2.76	
March -	2.30	3.31	4.35	1.09	4.44	1.01	1.69	1.53	2.36	.75	
April -	.91	1.20	4.98	2.04	2.21	.53	.63	1.54	2.10	2.00	
May -	2.36	.80	2.99	1.69	1.08	2.91	.63	1.15	1.23	no entry	
June -	4.75	3.02	4.48	1.95	1.86	.85	2.59	.36	no entry	.75	
July -	.65	4.45	4.64	.66	.75	1.54	1.68	3.13	no entry	1.15	
August -	3.89	4.34	2.98	3.52	.81	2.18	2.28	1.97	1.63	.20	
September -	.51	5.25	1.24	2.75	2.46	.36	2.26	1.64	.78	4.10	
October -	6.38	3.18	4.10	5.20	2.99	2.85	1.43	2.77	no entry	1.92	
November -	2.44	5.55	2.46	2.67	2.89	3.17	3.26	.82	1.95	2.32	
December -	2.30	4.68	3.91	1.80	2.14	2.76	2.22	2.27	3.72	2.85	
TOTALS -	37.35	43.24	42.49	27.87	25.07	22.29	23.64	21.92			

1869 Monach says 'Nil' in May

RAINFALL AT *Calf of Man*

Lat. .... Lon. .... County of *Isle of W. Man.*  
 Rain Gauge, by ..... Observer *Reard of Mother's Lights*

Diameter .....											
Height .....											
Altitude .....											
YEAR .....	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.
January.....	3.65	2.60	3.42	2.70	2.10	4.96					
February .....	1.65	3.80	3.75	.65	1.10	.46					
March .....	1.90	1.80	3.45	2.35	.45	2.08					
April.....	1.50	2.80	2.40	.25	.60	.10					
May .....	.65	.53	1.21	.25	.60	.99					
June.....	.82	1.15	2.74	.20	.00	1.10					
July .....	.55	2.07	2.18	.45	.95	1.13					
August.....	.70	1.73	1.55	1.85	2.55	.86					
September.....	1.70	2.70	3.85	.70	1.30	1.25					
October.....	4.30	5.10	4.80	3.25	3.45	7.15					
November.....	2.25	2.30	4.10	1.40	5.99	3.30					
December.....	1.55	2.65	4.55	1.00	4.70	.73					
TOTALS.....	20.71	29.23	38.00	16.05	23.79	24.11	18.76	30.80	18.11	21.26	21.583

C C C

- Chicken Rocks More

Apr 1870 + May & Dec 1873 computed from  
 Douglas Duly by