

RAINFALL AT *Templecombe Rectory*

Lat. _____

Lon. _____

County of *Somerset*

Rain Gauge, by _____

Observer *Rev J. C. Fox*

Stour - 7.

Diameter					5						
Height					6						
Altitude					215T						
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.
January					2.90	3.35	1.13	1.92	1.43	4.52	
February					3.35	.72	.47	5.16	3.04	3.19	
March					1.92	2.60	4.03	4.81	1.02	.44	
April					2.05	2.61	.63	3.70	2.18	3.16	
May					2.22	.25	.17	1.99	4.54	2.43	
June					3.30	1.11	1.84	3.43	1.97	.83	
July					6.85	3.92	.52	.71	.52	2.72	
August					1.91	3.43	2.72	3.93	1.92	1.46	
September....					2.43	.80	7.80	4.34	1.90	3.25	
October					3.70	3.33	2.48	1.21	4.61	2.54	
November					8.15	7.39	1.12	1.00	3.74	4.82	
December					3.06	2.99	6.46	6.95	3.23	2.78	
TOTALS					41.84	32.50	29.37	39.05	30.10	32.14	

RAINFALL AT Temple Combe Rectory

Lat.

Lon.

County of Somerset South

Rain Gauge, by

Observer Rev J.C. Fox

Stour - 7.

Diameter ..	5											
Height	0 6											
Altitude ..	215											
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.	
January ..	4.40	3.07	1.48	3.51	3.95	.95	6.26	1.08	1.58	1.69	2.797	
February ..	5.09	1.03	1.35	1.98	5.03	1.15	3.15	1.61	1.47	1.17	2.303	
March	1.78	3.41	2.16	4.31	1.73	5.22	1.74	.89	3.54	5.02	2.980	
April	1.71	2.63	2.04	3.82	1.68	2.42	1.36	4.78	2.34	2.15	2.493	
May	3.04	1.52	2.68	2.53	3.16	.41	5.08	2.06	2.00	1.36	2.384	
June	2.89	1.08	4.30	3.01	.87	3.64	2.19	2.70	.40	3.61	2.469	
July	1.32	2.65	1.67	3.66	3.55	.31	2.15	2.11	2.13	3.93	2.348	
August	2.84	2.64	3.56	4.09	3.74	3.83	1.88	2.63	3.46	2.29	3.096	
September ..	.52	3.41	1.41	2.69	2.45	1.45	.92	.61	3.24	3.52	2.022	
October	2.94	2.26	2.53	7.24	2.59	2.19	4.87	6.44	2.32	6.89	4.027	
November ..	3.76	.89	4.35	2.03	1.98	4.52	3.12	3.52	1.31	.94	2.642	
December ..	7.49	6.63	1.99	2.34	3.54	.93	2.48	5.18	3.79	5.10	3.947	
TOTALS ..	37.78	31.22	29.52	41.21	34.27	27.02	35.20	33.61	27.58	37.67	33.508	

1903 Temple Combe Church
Station } 1/2 mile W

Hub

RAINFALL at Templecombe RectoryCounty of SomersetObserver Rev J. C. FoxRiver Basin Stour7

Rain Gauge, by _____

Diameter ...	5											
Height	0 6											
Altitude ...	215											
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.	
January ...	4.46	1.35	5.48	5.78	.93	4.42	1.58	1.36	4.10	4.72		Total 16.17 11.76
February ...	4.80	2.48	2.90	1.07	4.42	5.81	6.04	1.32	1.58	3.03		11.97
March94	2.68	5.11	3.39	5.82	1.02	3.48	3.61	1.10	4.98		13.17
April	2.64	2.27	.17	3.41	1.41	1.53	1.32	2.15	1.91	2.69		8.07
May	2.24	1.30	1.65	3.15	2.35	2.67	2.91	2.82	1.87	.69		8.29
June	6.17	2.50	4.28	1.28	2.11	1.26	2.28	3.62	1.17	1.22		8.39
July	4.00	.07	2.88	.91	4.21	4.31	1.34	3.63	6.25	2.45		13.67
August	3.95	1.25	6.48	1.90	2.66	3.55	8.20	5.91	2.93	4.20		21.24
September ..	.35	1.55	1.34	3.53	2.48	2.38	4.02	2.07	5.74	2.27		14.10
October ...	4.98	3.15	4.50	3.49	3.04	7.16	6.96	4.57	1.76	2.23		15.52
November ...	4.56	3.30	2.34	4.16	4.79	2.57	5.38	1.12	3.10	2.69		12.29
December ...	7.00	9.66	5.63	2.92	7.86	7.49	4.49	1.37	3.70	6.36		15.92
TOTALS ...	46.09	31.56	42.76	34.99	42.08	44.17	48.10	33.55	35.21	37.63		154.33 42.4

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
			Templecombe	1/4 m	W	Templecombe	1/4 m	W

RAINFALL at Templecombe Rectory,County of SalisburyObserver Rev. J. G. FoxRiver Basin 7. Stour.Rev. Pres. R. W. Windsor (1921) per H. A. Bagg(1926) British Assoc. Rain Gauge, by _____

Diameter ...	5											
Height	0.6										1.0	
Altitude ...	215						250					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 Mean.	
January ...	5.31	3.58	4.48	1.85	4.17	4.09	4.33	3.70	4.74	1.51	5.43	Total 63.19
February ...	9.5	2.9	3.16	7.43	6.9	5.18	2.50	4.74	2.73	1.41	.93	30.01
March	2.75	2.01	3.30	2.06	1.61	1.10	1.22	4.78	2.58	.36	2.09	23.86
April	5.52	1.32	3.56	2.79	3.24	2.84	4.13	1.88	1.36	.73	2.39	27.76
May	2.69	2.36	.62	2.12	4.63	3.57	2.34	1.59	1.73	2.36	1.95	25.96
June	2.49	.38	.86	.50	2.02	.08	2.61	2.63	2.94	1.77	.54	16.82
July	5.77	.55	4.50	1.39	4.63	3.15	2.18	2.88	2.16	1.89	2.69	31.79
August	2.02	2.04	4.10	2.41	4.24	4.11	1.12	4.24	2.16	1.83	3.98	32.25
September...	1.94	1.68	2.51	3.88	4.48	3.62	1.19	6.73	1.78	.69	4.11	32.61
October	3.07	1.06	1.40	5.88	5.94	4.81	3.48	3.24	6.29	5.90	3.17	44.24
November...	1.76	2.45	1.96	2.48	3.45	2.74	8.69	3.66	3.50	8.92	4.69	44.30
December...	2.45	2.32	4.08	3.52	5.60	3.75	.58	3.94	3.19	8.29	4.31	42.03
TOTALS...	36.72	20.04	34.53	36.31	44.70	39.04	34.37	44.01	35.16	35.66	36.28	396.82
	0	D	D	D	D	D	D	D	D	2	D	48.6

Stallies 18' high 50" x 10" 5
 Wall 10' ... 30" ... 15'

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
			Templecombe	1/2 m.	W.	Templecombe	1/2 m.	W.

RAINFALL at Templecombe Rectory

County of SomersetshireObserver Rev. Fred R. W. WindsorRiver Basin Stour - 7Type of Gauge B. 2Annual Average 34.9 in. based on 27 years obs. un-weighted. Period of average 1881-1915 Ref. 523763/28

Diameter	5.										
Height	1.0.			1.4							
Altitude	250.										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Totals Means
January	3.03	2.81	2.76	3.06	4.92	5.03	6.72	3.31	7.25	2.95	37.84
February	2.71	.04	4.63	.16	3.50	2.80	5.56	.90	2.34	3.25	25.89
March	1.24	1.84	3.45	2.90	1.02	4.69	4.61	.31	1.37	2.42	23.85
April	2.89	2.93	1.29	2.53	4.38	2.06	2.39	.05	2.59	2.86	23.97
May	3.26	4.84	1.72	1.07	1.44	.64	2.85	2.65	.56	2.11	21.14
June	3.21	1.93	4.94	1.33	4.58	3.93	1.21	1.56	2.93	.55	25.97
July	3.73	2.97	2.58	2.39	.79	7.23	3.68	3.52	7.56	3.68	38.13
August	3.51	1.22	1.42	3.91	3.01	.29	1.65	3.94	4.90	.23	24.08
September	1.59	5.24	2.61	3.29	3.92	3.78	3.73	2.12	.68	1.98	28.94
October	.58	7.07	2.76	3.00	5.12	1.71	5.36	3.28	4.26	4.50	37.64
November	5.79	2.50	0.81	1.68	7.37	3.33	2.26	5.12	7.45	8.50	44.81
December	1.54	2.03	0.95	7.42	5.69	3.74	4.20	4.75	2.30	3.64	36.26
TOTALS	33.08	35.42	29.92	32.74	41.74	39.03	44.22	31.51	44.19	36.67	368.52
	D.	D.	D.	D.	D.	D.	D.	D.	D.	D.	

Wall 8' high 20" W. Building 15' high 15' N. Hedge 6' high 6' S.
1934 Hedge 6' high 25 yds away.

* pen and woman

Position of Station on reduced Ordnance Survey Map, }
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1931			Templecombe	1/4 m	SW	Templecombe	1/4 m	SW

Station No. 2119RAINFALL at Templecombe Rectory

41

County of SomersetObserver Rev. P. B. WindsorRiver Basin Stour - 7The Rev. G. D. Wright (1942)Type of Gauge BAAnnual Average 34.9 in. based on 22 years obs. un-weighted. Period of average 1881-1915 Ref. SFile No. 823763/28

Diameter	5					342	550					
Height	10			1' 4"						1' 4"		
Altitude	250											
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	
January	4.10	5.41	7.55	2.51	2.06	3.00	2.44	6.39	1.82	1.62		Total 35.90
February	3.48	4.7	1.55	.97	2.11	2.71	1.52	1.64	1.34	5.77		21.56
March	3.25	2.54	1.02	.38	1.20	.87	7.50	4.9	2.39	1.23		20.87
April	1.42	1.64	.91	1.57	.68	3.95	2.16	2.74	1.70	1.83		18.60
May	1.90	4.29	2.51	.69	3.23	3.62	2.13	4.24	2.33	2.37		27.31
June	1.89	.38	2.24	1.85	3.42	4.66	1.51	2.86	.32	1.58		20.71
July	1.88	1.77	3.32	3.18	1.92	1.27	1.77	1.69	1.29	4.54		22.63
August	4.92	3.71	3.68	2.79	1.73	6.71	.91	3.37	2.01	7.94		37.77
September	.84	2.58	2.96	2.25	3.42	5.09	1.53	2.67	3.34	4.47		29.15
October	1.73	3.53	4.54	4.85	4.12	.92	.69	5.38	7.01	1.38		32.15
November	2.56	1.86	2.87	6.61	.73	6.21	1.85	2.26	5.47	7.81		38.23
December	1.84	4.81	3.01	3.25	4.16	3.92	3.25	5.22	1.91	2.85		34.22
TOTALS	29.81	32.99	36.16	30.90	28.78	42.93	27.26	36.95	30.93	42.39		337.10

* Templecombe Rectory
 per Somerset River Board

 Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series. No. of Map..... Reference No. 31-708228

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.

Station No. 2V19**RAINFALL at Templecombe Rectory**

51

County of SomersetObserver The Rt. Rev. S. W. WrightRiver Basin Stour - 7

Rev. W. G. C. Morris (A.S.N.A.)

Type of Gauge B. A.Annual Average 34.9 in. based on 22 years obs. un-weighted. Period of average 1881-1915 Ref. S35.97 " " 35 " " 1916-1950File No. 823763/28

Diameter ...	5"			342	550						
Height ...	1' 6"										
Altitude ...	250'										
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	4.26										
February ...	5.46										
March ...	3.60										
April ...	3.66										
May ...	2.89										
June ...	1.75										
July ...	1.68										
August ...	5.25										
September ...											
October ...											
November ...											
December ...											
TOTALS ...											

1951 A.P. temp

1953 A. read with a low total is revised in per.

1957 T action 27.8.57. Gauge at school. Daily recorded, 50' 12 yds S., 50' 6 yds W. BA gauge. L.H.D.

Position of Station on Ordnance One-Inch map :

No. of Map.....

National Grid Reference ST(31) 78379

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

1916-1950, P-accepted

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
	✓	✓	✓	✓	
	✓ Sub - 11	✓	✓	241.43.99 d 92	