

## RAINFALL at Sallagh Springs, Larne

County of Antrim 2 Observer J. H. H. Surveyor Esq. Cr  
 Glenarm &c.  
 River Basin East Belfast Lough 2  
 Larne Rain Gauge, by C. Hall

Diameter ...										5		
Height .....										1.0		
Altitude ...										566		
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.	TOTALS, 16-19.
January ...					44	(4.45)	3.66	3.33	6.78			18.22
February ...					o	(7.10)	1.52	5.74	8.65			17.01
March .....						(2.95)	3.76	.82	4.49			12.50
April .....						(7.10)	3.53	1.98	2.62			15.05
May .....						(6.30)	6.63	3.06	1.85			17.64
June .....						(1.80)	2.87	2.21	2.71			9.59
July .....						(1.70)	2.75	4.61	.67			9.73
August .....						(2.30)	6.16	5.00	4.00			16.52
September...						(1.75)	2.21	6.90	4.41			15.27
October ...						(7.20)	9.97	5.79	8.98			25.94
November..						(5.15)	6.79	6.16	4.51			22.61
December...						(5.20)	3.24	5.65	10.42			24.41
TOTALS ...						53.00	52.09	51.15	48.85			204.49
												44

1209  
 5115  
 0825  
15149 / 128.53  
 118.10

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
			Larne	4.5 mi	S.E.			

**RAINFALL** at Farm. Salisbury Springs

County of Ontario

Observer

Approved by Clarkston Council

River Basin Planning &c. - 2

J. K. H. ~~leucine~~<sup>8</sup> Eq. b. 8 (125)  
(obs. J. F. Dickson)

Glaisher Rain Gauge, by  
(189)

1929 No objects near q, except low stone walls several yards away

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series		No. of Map	Reference No.				
Date	Lat. N.	Long.	Railway Station	Distance from gauge	Direction from gauge	Parish Church	Distance from gauge
			Lane	45 mi	SE.	Lane	000399

RAINFALL at Larne (Ballagh Springs.)

County of Antrim

Observer J.H.H. Swiney, G.E. died May 1931

River Basin. 2 - Glenasm &c.

*J.E. Crossdale Esq. M.A. M.Inst.CE.*

Type of Gauge..... glass

Annual Average 50.0\* in. based on..... years obs. un-weighted. Period of average

Ref. 746989/27

Diameter		5"									
Height		1' 0"									
Altitude		566'									
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	5.76	5.07	2.85	4.38	2.24	7.11	7.70	6.16	5.34	6.23	51.8
February	4.22	.08	4.01	.51	5.40	3.53	7.18	2.67	4.62	4.25	36.4
March	1.62	2.29	3.21	2.78	1.44	3.83	4.67	2.12	5.00	5.39	32.3
April	3.19	5.00	2.25	4.81	3.62	1.25	3.18	.60	2.99	6.35	33.2
May	4.95	3.02	2.90	4.37	1.19	2.58	2.23	4.54	1.19	1.52	28.1
June	7.66	2.97	2.68	2.03	4.82	3.33	2.99	4.91	2.89	1.05	36.8
July	4.47	5.20	4.34	2.36	1.94	7.82	4.35	4.63	5.74	4.55	45.4
August	5.25	2.03	3.14	5.30	1.66	3.67	3.09	3.00	1.90	1.63	30.6
September	2.63	4.75	1.89	6.09	6.81	4.32	2.87	4.27	2.85	3.91	37.8
October	3.12	5.07	4.15	5.89	8.16	4.01	3.69	8.78	4.53	7.90	55.5
November	7.96	2.85	2.06	2.02	7.11	5.08	2.53	6.38	6.58	8.47	51.0
December	3.67	6.86	2.68	8.46	5.29	5.01	4.75	6.21	4.31	5.94	53.1
TOTALS	54.50	45.19	35.66	49.00	49.68	51.54	49.23	54.27	47.44	56.19	472.00

used in general tables in Italy. Origin unknown, p. 2

*Position of Station on reduced Ordnance Survey Map,* } No. of Map.....  
1 mile to 1 inch Series

*Reference No.*

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
			Larne	4½ m.	S.E.	Larne		

Station No. M. 6228

## RAINFALL at Laxey (Ballagh Springs) ✓

41

County of Antrim

Observer J. E. Crossdale Esq., M.A.-M. Inst C.E.

River Basin Glenarm + C - 2

Type of Gauge Glaisher

Annual Average 50.0<sup>0</sup> in. based on years obs. un-weighted. Period of average.

Ref.

File No. 746989/27

Diameter	5°		967	033	X						
Height	1' 0"				1						
Altitude	566'				41						
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	3.37	7.87	7.28	5.03	4.35	5.88	4.96	7.53	3.81	2.24	Totals. 52.32
February	4.97	2.66	3.28	1.81	4.27	3.73	1.72	2.72	3.53	4.28	32.97
March	4.71	4.35	1.35	1.50	1.73	2.26	5.08	3.11	2.94	2.19	29.22
April	2.73	2.64	3.41	3.43	1.81	96	4.47	1.65	3.62	5.25	29.97
May	2.54	5.07	4.32	2.64	5.00	1.27	4.06	1.88	2.91	1.90	31.59
June	0.46	.63	3.95	4.15	5.12	4.48	3.07	4.18	1.08	2.06	29.17
July	4.39	4.30	1.92	3.48	3.48	3.80	4.98	2.78	9.88	6.65	32.66
August	5.63	6.26	7.83	3.10	1.34	5.04	.12	5.90	3.73	6.32	45.27
September	2.08	5.72	6.23	8.20	5.50	8.39	3.28	5.47	3.63	8.48	54.98
October	6.75	4.40	5.34	6.46	4.62	1.77	2.78	3.27	8.09	3.07	46.55
November	6.92	1.16	4.50	6.62	1.78	6.70	7.35	2.65	5.15	3.25	46.08
December	2.63	7.19	3.65	5.55	5.47	4.70	2.80	5.37	5.65	4.29	47.30
TOTALS	47.18	52.25	53.06	51.97	42.17	48.98	44.67	46.51	47.02	49.98	484.09 485.00

used in general tables in italics. Origin unknown. P.W.

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No. ....  
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge

Station No.

M. 6278

re-opened 1965  
Fall W  
1975 T

## RAINFALL at Lane (Village Springs)

51

County of Cumbria

Observer J. E. Brookes Esq., M.A.M. Inst. C.E.

River Basin River Esk &amp; C

H. G. Warner Esq. (AM. Sc.) (C.M.S.)

Type of Gauge H.O.

Not roomy Gen. Pab.

Dug Feb 1956

Annual Average 50% O.in. based on years obs. un-weighted. Period of average 1916-1950 Ref.

Origin unknown

50.35 m. base or 35° - 1916-1950 File No. 746989/27 P

Diameter	5"		5"	967	033						
Height	1' 0"		4' 6"	1' 0"		1					
Altitude	566'		586'		51						
Year	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January	3.51	4.21	1.52	5.07	5.24	5.05	5.58	5.87	3.47		
February	3.26	1.80	1.47	5.41	6.05	1.85	4.50	5.26	1.61		
March	3.70	2.18	1.60	4.73	1.77	2.06	4.23	3.04	3.25		
April	2.31	1.96	2.36	1.33	3.69	1.47	1.86	2.61	3.67		
May	2.79	2.38	2.92	4.05	3.54	1.80	3.36	3.53	1.84		
June	4.43	2.81	3.13	3.29	5.13	3.72	3.34	6.08	2.43		
July	2.55	2.30	6.34	4.26	.19	4.62	5.27	6.00	4.66		
August	5.93	7.14	4.15	3.10	1.77	8.67	5.01	5.16	1.61		
September	3.41	3.54	5.12	4.36	5.86	4.81	8.15	5.44	1.84		
October	0.85	5.27	2.96	7.42	4.86	3.68	5.40	3.83	-100		
November	8.79	4.22	5.00	6.51	3.45	2.86	2.52	1.94	-100		
December	6.64	4.41	4.15	6.88	7.40	6.57	7.07	6.72	-100		
TOTALS	48.17	41.22	39.72	56.41	48.95	47.16	56.29	55.48	100	NR	
	D	D	D	D	D	D	D	D	np.		

1953 Farm 20. High 150' S. base 20'. High 50' N. S.E. tree 40' High 100' S.  
 Just E 1948 B.O.B. Tree 25' S.E. 30' S.E. N.N.E. Tree 240' N.W. quite v. old unreliable. Trees 55'-56'  
 just behind our shelter but necessary for wind-break. Reasonable exposure of sound  
 25'-26'. Terminalized. No drift.

000739

In 1953 road taken over by County Borough Council of Lane.

Position of Station on Ordnance One-Inch map : No. of Map ..... National Grid Reference ED 348 049

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Parish Church.	Distance from gauge.
1953			Lane	19,000' ESE	Cawforth (St. Paul's)	8,000' NNE

Summary of Earlier Records from 10-year Sheets :

1916-1950, P-accepted

Record D, or d	1910-19		1920-30		1931-40		1941-50		1951-60	
				✓			✓		✓	
				D 21-29		D 32-40		✓		