

254891

RAINFALL AT How on the Wold, Icomb Place

Lat. \_\_\_\_\_

Lon. \_\_\_\_\_

County of E. Gloucester

Rain Gauge, by \_\_\_\_\_

Observer S. M. Simpson, Esq.  
(for Holmes & Hayward, Esq.)Windrush - 7.

Diameter ....												
Height .....												
Altitude ....												
Year .....	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.	
January ....										2.40		
February ....										2.44		
March .....										.50		
April .....										1.55		
May .....										1.79		
June .....										1.41		
July .....										1.32		
August .....										1.52		
September....										2.77		
October .....										1.94		
November....										3.07		
December ....										2.55		
TOTALS . . .										23.26		

18.99-1908 recd. 13.85 09. entd. 23.4.12

MET. O. S. RAIR  
RETROSPE. 10

NGR: SP(42) 211224

ALT: 525 160

254891

Date of review 15/5/79

254891

RAINFALL AT Stonewashed Lamb Place

Lat. \_\_\_\_\_

Lon. \_\_\_\_\_

County of E. Gloucester.

Rain Gauge, by \_\_\_\_\_

Observer S. M. SimpsonWindsch - 7.for H. Simpson - Maynard Co.

Diameter ...											
Height .....											
Altitude ...									550?		
Year ...	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.
January ...	3.55	1.25	10.2	3.22	3.41	1.05	4.74	.72	1.52	1.16	
February ...	6.33	1.50	1.43	1.30	4.27	.82	2.22	1.47	1.01	.45	
March .....	.89	2.33	1.96	3.53	1.51	3.49	1.58	1.26	2.78	3.85	
April .....	.91	2.99	1.92	2.49	.92	2.24	.75	2.70	3.51	2.29	
May .....	1.70	1.31	2.68	4.51	2.97	.20	1.65	3.53	1.72	1.66	
June .....	1.97	.95	2.89	4.39	1.12	4.45	2.78	2.82	1.22	4.07	
July .....	.99	2.54	1.55	3.62	1.93	.94	1.58	3.45	2.58	2.89	
August .....	4.85	2.76	3.42	3.00	2.56	4.63	.62	2.17	3.64	1.81	
September ..	.63	1.72	1.68	2.45	2.68	1.49	.76	.65	1.21	3.37	
October ...	2.93	1.91	2.32	5.58	.87	1.39	5.23	6.57	2.21	4.24	
November ..	2.66	1.06	2.82	2.06	1.75	3.55	3.14	1.80	1.20	.98	
December ...	5.12	4.78	2.00	1.38	2.11	1.21	2.37	3.96	2.40	4.07	
TOTALS ...	32.43	25.10	25.69	37.53	26.10	25.49	47.42	31.10	25.00	36.84	

1899-1908 recd. 13. VI. 09. entd. 23. V. 12

MET. O.S. RAINMASTER  
RETROSPECTIVE SITE REVIEWNO. STN.  
NUMBER 254891

NGR: 51(42) 211224

ALT: 525 ft = 160 metres. Date of reading 15/5/79

RAINFALL at Stow-on-the-Wold Scorb RaceCounty of GloucestershireObserver G. Kimpton Hager and LegRiver Basin Thames-Windrush & C

7

Rain Gauge, by N 43  
 old gal. iron bleacher } 8.00  
 new copper bleacher old } 8.01 new { 7.98  
 1918 } 7.98  
 Glass certified } 8.02  
 7.98 NGR 42/21222

Av 1916-1950 31.39 in based on  
 31 yrs within 1916-50

Diameter ...	g								8		
Height .....	1 3									1 6	
Altitude ...	500 T										
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January ...	2.51	1.30	4.86	4.19	.94	3.72	1.78	1.99	3.51	4.33	
February ...	3.97	1.82	2.20	1.27	3.15	4.90	4.93	1.15	1.43	3.15	
March .....	.71	2.18	4.28	3.53	3.87	1.03	4.15	2.38	1.23	5.11	
April .....	2.43	.73	.12	3.70	1.15	1.18	1.23	1.86	2.95	3.00	
May .....	1.35	1.60	2.03	2.33	1.42	3.18	2.35	3.34	1.91	.57	
June .....	4.61	2.12	5.28	.82	2.74	3.02	2.18	1.48	.93	1.01	
July .....	2.56	.92	4.44	1.98	3.36	3.58	1.83	2.28	3.80	2.30	
August .....	3.49	1.67	5.00	.65	1.60	1.95	3.93	6.38	1.33	2.63	
September ..	.50	1.57	1.03	2.47	1.55	1.71	2.00	2.70	6.60	2.02	
October ...	3.30	3.15	3.32	3.61	2.41	3.51	4.75	4.05	2.01	1.87	
November ..	4.10	3.67	1.59	2.95	4.55	2.30	3.55	1.15	2.29	1.57	
December ...	5.03	7.20	3.81	1.16	6.08	5.48	4.10	1.76	2.71	4.50	
TOTALS ...	34.56	27.93	37.96	28.66	32.82	35.56	36.78	29.52	30.70	32.06	

1910 Home 40 ft hgt 50 yds NW  
 60 80 WNW

MET. O.B. RAINMASTER  
 RETROSPECTIVE SITE REVIEW

NO. STN.  
 NUMBER 254891

NGR: SP(42) 21122A

ALT: 525 ft = 160 metres. Date of survey 15/5/79

Inspected 31.3.20 C.B. Landfalls away slightly on SSE, shrubs on N+W.  
 well sheltered on SW by belts of conifers 100-300 yds. distant.  
 old. Kew's very sheltered kitchen garden. N.W. in position of old.

Date.	Lat. N.	Long. W.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
1910	51 3/4	1 1/2	Kingham Stow	4 Miles 2 1/2	ESE W & N	St Marys Scorb	1/4 mile 300 yds	E NE

RAINFALL at ~~How-on-the-Wold~~ (Kimb Place).County of GloucesterObserver Capt. G. W. Simpson HaywardRiver Basin 7 - WinderushRain Gauge, by N.G.

Ar 1916-1950, 31.39 in based on 31 yrs within 1916-1948

Diameter ...	8										
Height .....	1.6				1.3						
Altitude ...	500										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 Mean
January ...	5.17	2.61	3.64	1.89	3.34	1.80	4.69	3.12	4.48	1.42	4.37
February ...	1.11	.48	3.20	5.63	.75	3.99	2.34	3.54	2.49	.66	.47
March .....	5.10	1.34	2.40	2.49	1.21	.60	.80	2.99	2.81	.08	1.78
April .....	5.52	1.40	3.09	2.40	3.25	2.14	3.47	1.57	1.06	1.27	3.91
May .....	1.57	1.74	.83	1.71	5.87	3.48	2.73	1.10	.88	2.19	1.61
June .....	3.04	.32	.77	1.30	2.02	.16	2.59	3.47	2.61	1.39	1.75
July .....	4.77	.26	5.04	2.66	3.56	4.47	2.14	3.14	2.47	1.67	3.44
August .....	1.80	2.48	5.69	2.27	2.66	2.18	1.42	4.22	1.94	1.48	2.60
September...	2.04	1.58	2.63	2.56	4.10	3.63	1.50	5.73	1.07	.59	3.31
October .....	3.64	1.53	.68	4.99	4.32	3.05	2.55	1.95	5.38	3.92	2.01
November...	.98	2.22	1.66	1.85	2.49	1.93	6.91	3.20	3.90	3.43	4.02
December...	2.97	1.73	3.91	3.17	4.33	2.90	.54	3.58	2.47	7.01	4.01
TOTALS...	23.71	17.69	33.54	31.92	34.90	30.36	31.68	37.61	31.66	30.11	33.28

120 Stable 30 ft. 1/2. 50 ft. off. N.  
" 45" - 60 " W.

1922: No signs near g.

Inspected 31/3/20 (C.D.) - satisfactory.

MET.O.S. RAINMASTER  
RETROSPECTIVE SITE REVIEW

NO. 254891

NGR: SP(42) 21122A

ALT: 160 ft. 525 metres. Date of review: 15/5/79

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map

NG Reference No. 42/210223

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	51° 4' W.	15° W.	How.	2 1/2 m.	W. x N. W.	Kimb (St. Mary)	300 yds.	N.E.

RAINFALL at Stow-on-the-Wold (Icomb Place)County of GloucestershireObserver Capt. G. H. Simpson-HaywardRiver Basin Hammer Windrush - 7

Type of Gauge.....

Annual Average 29.3 in. based on 31 years obs. un-weighted. Period of average 1881-1915 Ref. 5  
3139 " 31 with 1916-48 1916-1950

Diameter	8										
Height	1.3							1' 6"			
Altitude	500										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	1.90	2.81	2.30	2.66	1.92	3.95	4.52	4.25	6.02	2.71	
February	2.67	3.0	3.51	3.7	3.08	2.31	4.85	4.7	1.52	3.22	
March	1.2	1.95	2.77	2.48	1.50	2.22	3.71	2.29	2.08	2.32	
April	4.15	3.50	1.23	2.33	4.88	1.83	3.06	1.09	3.68	1.99	
May	4.21	7.04	1.67	1.83	1.07	1.74	2.43	1.86	1.00	1.61	
June	3.02	1.15	2.01	1.37	3.24	3.29	2.07	1.01	2.38	1.60	
July	4.11	1.72	1.40	1.42	1.67	5.23	1.90	1.94	4.99	3.39	
August	3.42	3.38	0.62	2.58	1.87	1.39	1.89	2.54	2.40	1.09	
September	2.05	3.16	2.07	2.50	4.61	6.76	1.73	3.79	2.08	1.67	
October	1.46	4.53	3.58	1.49	4.39	1.83	3.45	3.91	4.57	4.22	
November	4.56	2.82	1.15	1.78	6.18	2.51	1.98	3.32	4.77	7.64	
December	1.35	1.06	0.36	6.31	3.98	3.69	2.78	4.02	2.36	1.66	
TOTALS	32.32	32.94	22.67	26.12	35.39	34.65	33.37	27.99	37.85	30.22	
	D.	D.	D.	D.	D.	D.	D.	D.	D.	D.	

1937. Plants about 1' high near gauge.

1940. Jan. post estd.

MET. OBS. RAINFALL  
RETROSPECTIVE SITE REVIEW

254891

NGR: SP(42) 211224

A.M. 525 ft = 160 metres. Date of review 15/5/79

Position of Station on reduced Ordnance Survey Map,  
1 mile to 1 inch Series

No. of Map..... N.G. Reference No. 42/210223

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1931.			Stow	2 1/2 m	N.W.	Icomb	300 yds	N.E.

Station No. 2212

RAINFALL at *Stow-on-the-Wold (Icomb Place)*

41

County of Gloucestershire

Observer

River Basin Thames - Windsor 2C-7

Type of Gauge

Annual Average: 29.3 in. based on 31 years obs. un-weighted. Period of average: 1881-1915 Ref. S  
31.39 - 31 within 1916-48 File No. E 2194/45 (PA Dec 75)

File No. E 2194/45 (Dec. '52)

Diameter	8"	254891		MET. OBS. STATION		RETROSPECTIVE		254892			
Height	1' 6"	SP(42) 211224		1' 3"		SP(42) 213226					
Altitude	500'	523 FT = 160 M		525		11 = 160		THIRDS Date of review 10/5/7			
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	3.29	4.16	5.09	2.32	2.05	2.70	2.33	5.99			
February	3.46	.80	1.24	1.02	2.46	2.71	1.35	1.22			
March	2.99	2.37	1.40	.43	1.02	1.40	5.94	1.16			
April	1.15	1.37	.96	1.78	1.39	1.93	2.58	1.79			
May	1.67	3.85	3.45	1.05	2.03	3.12	1.83	3.79			
June	2.13	.29	2.38	2.61	3.51	3.15	1.53	2.44			
July	3.74	2.42	.70	3.01	1.69	1.34	3.31	1.08			
August	5.25	4.10	2.67	2.35	1.94	5.42	.42	3.97			
September	.88	1.98	2.02	2.71	1.79	4.56	2.08	2.83			
October	2.16	3.08	2.27	3.97	3.48	1.16	.42	3.14			
November	3.34	2.14	2.05	4.63	.28	7.12	1.68	.94			
December	1.75	4.05	1.25	2.41	3.80	2.89	1.81	3.44			
TOTALS	31.84 D	30.61 D	25.68 D	28.29 D	25.44 D	37.50 D	25.28 D	21.79 D	#		Revised as handwritten

941 Shrubs 2' or 3' high 6' or 8' E. & N.

1944 gauge moved in October 300 yds NE. Now kept by H. Postney from gift to Mr. Simpson-Hayward.

249-46. No reply received to application for 1944 record

28-9-46 1944 record received & copied.

# 1949. Record ceased 11/1/49, because known to be hibernation. Saw one 9A, E 2/9/49; observations not resumed.

1910-19	1920-30	1931-40	1941-50
✓	✓	✓	41-48 Tag
D 11, 15, 16.	D 27-30	✓	Nov. - 44

*Position of Station on reduced Ordnance Survey Map,  
1 mile to 1 inch Series*

No. of Map.....

Reference No. 42-210223

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Stow on Wold	3 m.	N.N.W.	Geoms.	$\frac{1}{2}$ m.	E.