

RAINFALL AT Wearside W. W. Junstall

Lat. _____

Lon. _____

County of _____

Durham

Rain Gauge, by _____

Observer _____

R. Askwith Esq C.E.Wear 2

| | | | | | | | | | | | |
|---------------|------|------|------|------|------|-------------------|-------|-------|-------|-------|--------|
| Diameter | | | | | | 8 | | | | | |
| Height | | | | | | 1 2 | | | | | |
| Altitude | | | | | | 724 ft | | | | | |
| Year | 1890 | 1891 | 1892 | 1893 | 1894 | 1895 | 1896 | 1897 | 1898 | 1899 | MEANS. |
| January | | | | | | [#] 6.93 | .96 | 3.03 | 1.63 | 4.92 | |
| February | | | | | | 2.25 | .70 | 2.38 | 2.75 | 1.96 | |
| March | | | | | | 3.79 | 4.17 | 5.05 | 2.77 | 1.52 | |
| April | | | | | | 1.92 | 1.33 | 2.03 | 2.31 | 3.71 | |
| May | | | | | | .90 | .60 | 1.84 | 2.17 | 3.72 | |
| June | | | | | | 1.72 | 2.25 | 3.31 | 1.52 | 1.18 | |
| July | | | | | | 6.47 | 2.44 | .64 | .78 | 3.82 | |
| August | | | | | | 2.26 | 2.19 | 3.12 | 2.27 | .61 | |
| September.... | | | | | | .50 | 3.73 | 2.68 | 1.68 | 3.06 | |
| October | | | | | | 5.06 | 6.07 | 1.14 | 6.81 | 2.56 | |
| November.... | | | | | | 4.62 | 1.96 | 2.31 | 3.15 | 2.95 | |
| December | | | | | | 3.99 | 5.51 | 3.64 | 2.85 | 3.94 | |
| TOTALS | | | | | | 40.41 | 31.91 | 31.17 | 30.69 | 33.95 | |

Wolsingham Church $2\frac{1}{2}$ miles SNew gauge January 1st 1895

RAINFALL AT Weardale W.W. Tunstall

Lat.

Lon.

County of Durham

Rain Gauge, by

Observer R. Ackwith Esq. C.E.Wear - 2.

| | | | | | | | | | | | |
|-------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|
| Diameter .. | 8 | | | | | | | | | | |
| Height | 1.2 | | | | | | | | | | |
| Altitude .. | 724 ft | | | | | | | | | | |
| Year | 1900 | 1901 | 1902 | 1903 | 1904 | 1905 | 1906 | 1907 | 1908 | 1909 | MEANS. |
| January .. | 4.58 | 2.64 | 1.21 | 3.82 | 2.86 | .83 | 3.97 | .84 | 1.99 | 2.26 | 2.500 |
| February .. | 7.58 | 1.65 | 1.38 | 3.60 | 2.85 | 1.38 | 1.35 | 1.62 | 2.66 | 2.11 | 2.618 |
| March | 1.70 | 3.52 | 1.55 | 3.10 | 2.09 | 2.72 | 1.62 | 1.94 | 5.07 | 5.91 | 2.922 |
| April | 1.30 | 1.97 | 2.06 | 1.75 | 2.20 | 3.42 | 1.40 | 1.72 | 4.09 | 2.67 | 2.258 |
| May | 1.39 | 1.59 | 2.88 | 3.11 | 3.04 | .86 | 4.84 | 3.71 | 2.15 | 1.89 | 2.546 |
| June | 3.65 | 1.79 | 2.15 | 2.01 | 1.95 | 1.67 | .70 | 3.99 | .56 | 3.47 | 2.194 |
| July | 1.42 | 1.53 | 4.49 | 5.32 | 2.03 | .70 | .61 | 1.77 | 2.46 | 2.63 | 2.296 |
| August | 6.89 | 2.37 | 2.21 | 3.19 | 3.02 | 3.96 | 3.48 | 1.74 | 2.00 | 2.90 | 3.176 |
| September.. | .81 | 1.68 | 1.14 | 2.80 | .67 | 2.79 | .93 | .34 | 2.71 | 2.35 | 1.622 |
| October.... | 6.59 | 2.27 | 2.62 | 9.55 | 1.14 | 2.52 | 5.04 | 6.18 | 2.68 | 2.96 | 4.155 |
| November .. | 4.51 | 5.92 | 2.60 | 1.75 | 2.51 | 5.62 | 4.03 | 2.88 | 1.89 | .78 | 3.249 |
| December .. | 3.02 | 4.12 | 3.72 | 2.80 | 2.21 | 1.17 | 2.85 | 4.43 | .87 | 4.09 | 2.928 |
| TOTALS .. | 43.44 | 31.05 | 28.01 | 42.80 | 26.57 | 27.64 | 30.82 | 31.16 | 29.13 | 34.02 | 32.44 4.33 |

Hub

RAINFALL at Weardale Watbols Tunstall Res.County of Durham Observer R. Ashish Esq. Ch.River Basin Wear 2

Rain Gauge, by _____

| | | | | | | | | | | | |
|---------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----------------------------|
| Diameter ... | 8 | | | | | | | | | | |
| Height | 1.2 | | | | | | | | | | |
| Altitude ... | 724 π | | | | | | | | | | |
| Year ... | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 1916-19 MEANS. Totals |
| January ... | 3.94 | 2.55 | 4.75 | 5.66 | 1.53 | 2.76 | 1.96 | 5.11 | 2.96 | 4.39 | 14.42 |
| February ... | 3.66 | 1.63 | 3.04 | 1.32 | 2.17 | 4.17 | 4.93 | .88 | 2.58 | 2.10 | 10.49 |
| March | 1.80 | 3.66 | 3.18 | 5.00 | 2.22 | 1.94 | 5.09 | 2.51 | 1.38 | 3.99 | 12.97 |
| April | 3.01 | 1.27 | .18 | 3.74 | .92 | .72 | 1.62 | 2.78 | 1.47 | 1.49 | 7.36 |
| May | 2.28 | 1.20 | 2.88 | 2.30 | 1.40 | 2.09 | 3.96 | 1.69 | 1.71 | 1.67 | 9.03 |
| June | 1.93 | 4.30 | 5.82 | 1.27 | 4.04 | .82 | 2.27 | 2.27 | .35 | .79 | 5.68 |
| July | 4.16 | .25 | 3.85 | 1.56 | 2.29 | 3.24 | 2.89 | 1.51 | 3.78 | 1.64 | 9.82 |
| August | 4.38 | 2.97 | 5.67 | 1.08 | 1.92 | 3.53 | 2.41 | 7.52 | 2.20 | 2.49 | 14.62 |
| September ... | .35 | 2.73 | 2.54 | 3.29 | 1.76 | 1.02 | 2.01 | 1.30 | 6.49 | .88 | 10.68 |
| October ... | 3.36 | 3.25 | 2.92 | 3.31 | 2.69 | .97 | 3.94 | 3.32 | 2.73 | 4.14 | 14.13 |
| November .. | 3.72 | 4.91 | 2.16 | 1.79 | 4.84 | 1.92 | 4.25 | 1.81 | 1.55 | 4.80 | 12.41 |
| December ... | 3.33 | 4.39 | 3.20 | 1.78 | 7.73 | 7.22 | 3.21 | 2.86 | 2.98 | 3.54 | 12.59 |
| TOTALS ... | 35.36 | 33.11 | 40.19 | 32.10 | 33.81 | 30.40 | 38.54 | 33.56 | 30.18 | 31.92 | 134.20 |
| | π | π | π | π | π | π | π | π | π | π | |

| Date. | Lat. N. | Long. | Railway Station. | Distance. | Direction. | Church. | Distance. | Direction. |
|-------|---------|-------|------------------|-----------|------------|---------|-----------|------------|
| | | | | | | | | |

RAINFALL at *Meandale Water Works Lunsell Reservoir*County of *Durham*Observer *H. Robinson Esq. C.E.*River Basin *Wear 2*

*Snowdon Rain Gauge, by
inner can leads
hole in seam of funnel } correct (X.26
measure correct.*

| | | | | | | | | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------------------|-------|-------|-------|-------|--------------|------------------|--|
| Diameter ... | 9 | | | | | | | | | | | | |
| Height | 1.2 | | | | | | | | | | | | |
| Altitude ... | 724 | | | | | | | | | | | | |
| Year | 1920 | 1921 | 1922 | 1923 | 1924 | 1925 | 1926 | 1927 | 1928 | 1929 | 1930 MEAN | 1920-30 Total | |
| January ... | 3.37 | 5.20 | 4.47 | 1.52 | 2.89 | 2.86 | 2.27 | 2.25 | 4.43 | 1.49 | (5.13) | 35.88 | |
| February ... | 1.59 | .21 | 2.37 | 5.55 | 1.04 | 4.49 | 2.07 | 0.57 | 2.32 | 1.02 | 3.14 | 24.37 | |
| March | 4.31 | 1.25 | 1.95 | 2.25 | 1.11 | 2.16 | .82 | 2.77 | 2.71 | .04 | 3.66 | 27.03 | |
| April | 4.38 | 1.22 | 2.74 | 2.25 | 1.46 | 3.40 | 2.28 | 3.04 | .78 | .77 | 2.92 | 25.24 | |
| May | 4.20 | 1.74 | .74 | 2.59 | 6.15 | 3.76 | 1.77 | 1.81 | 1.63 | 1.67 | 1.03 | 27.09 | |
| June | .96 | .24 | 1.04 | .89 | 1.91 | .20 | 3.03 | 3.11 | 5.29 | 1.87 | 1.08 | 19.62 | |
| July | 3.46 | 1.53 | 5.34 | 2.48 | 4.12 | 1.04 ² | 2.40 | 5.21 | 2.11 | 4.74 | 6.97 | 39.40 | |
| August | 1.78 | 5.32 | 2.36 | 5.05 | 2.23 | 3.17 | 2.93 | 8.28 | 4.50 | 3.43 | 5.55 | 44.60 | |
| September... | 1.44 | .85 | 4.55 | 2.33 | 3.57 | 2.48 ² | 2.58 | 5.73 | .71 | 1.25 | 4.19 | 29.68 | |
| October | 2.59 | 1.88 | 1.94 | 2.94 | 4.12 | 3.29 | 3.22 | 2.59 | 5.38 | 2.84 | 2.86 | 37.85 | |
| November... | 1.63 | 2.89 | .86 | 4.41 | 1.91 | 2.31 | 4.76 | 3.13 | 4.10 | 5.50 | 3.70 | 35.20 | |
| December... | 4.79 | 2.69 | 5.70 | 2.94 | 3.20 | 2.96 ² | .74 | 2.07 | 1.26 | 9.29 | 3.96 | 39.60 | |
| TOTALS... | 34.50 | 25.02 | 34.06 | 35.20 | 33.71 | 32.12 | 28.87 | 40.56 | 35.42 | 33.92 | (44.19) | 377.56 | |

Inspected 9.9.12. S. in kitchen garden somewhat sheltered by trees but very good exposure. Sweet-peas too near.

1929. Ann. total about 9" high. Observer says gauge sound.

1930. Jan 15th 16th adjusted by surrounding area.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

| Date. | Lat. N. | Long. | Railway Station. | Distance from gauge | Direction | Parish Church. | Distance from gauge | Direction |
|-------|---------|-------|------------------|---------------------|-----------|----------------|---------------------|-----------|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

RAINFALL at Weardale W.W. (Tunstall Res.)County of DurhamObserver H. Robinson, Esq., C.E.River Basin Wear-2J.A. Redmalt, Esq., C.E. (1939)

Type of Gauge.....

Annual Average 32.4 in. based on 32 years obs. un-weighted. Period of average 1881-1915 Ref. 5

660612/26.

| | | | | | | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------------------------|--|
| Diameter | 8. | | | | | | | | | | | |
| Height | 1.2. | | | | | | | | | | | |
| Altitude | 724 | | | | | | | | | | | |
| Year | 1931 | 1932 | 1933 | 1934 | 1935 | 1936 | 1937 | 1938 | 1939 | 1940 | 1931-40 Means Totals | |
| January | 2.63 | 2.83 | 1.50 | 2.70 | 2.01 | 6.97 | 3.60 | 3.78 | 4.98 | 2.79 | 32.29 | |
| February | 2.41 | 1.56 | 5.32 | 3.4 | 4.77 | 3.51 | 4.01 | 1.52 | 1.63 | 1.88 | 26.95 | |
| March | 2.09 | 2.52 | 1.49 | 4.80 | 1.04 | 2.74 | 3.36 | .35 | 4.74 | 2.61 | 26.74 | |
| April | 4.48 | 2.73 | 1.47 | 5.06 | 3.11 | 1.82 | 2.98 | .02 | 1.50 | 1.74 | 24.91 | |
| May | 3.55 | 5.81 | 2.82 | 2.28 | 1.14 | 1.88 | 2.78 | 2.96 | 1.62 | 1.61 | 25.95 | |
| June | 4.02 | 1.05 | 3.08 | 2.87 | 3.17 | 3.79 | .44 | 3.09 | 2.64 | 1.40 | 25.55 | |
| July | 3.81 | 3.77 | 2.30 | 3.11 | .84 | 3.22 | 1.94 | 3.14 | 4.52 | 5.68 | 32.33 | |
| August | 3.885 | 2.06 | 1.07 | 2.95 | 1.40 | 1.39 | 2.30 | 2.62 | 5.46 | .81 | 28.91 | |
| September | 3.231 | 2.90 | 2.37 | 1.59 | 5.79 | 4.07 | 2.05 | 1.94 | 1.50 | 1.42 | 26.4 | |
| October | 1.257 | 5.62 | 4.42 | 4.53 | 5.00 | 1.88 | 2.44 | 5.16 | 7.53 | 5.24 | 46.29 | |
| November | 3.59 | 1.59 | 4.19 | 3.67 | 5.55 | 3.45 | 1.69 | 3.38 | 3.39 | 4.76 | 35.26 | |
| December | 1.31 | 1.90 | 1.58 | 5.23 | 1.92 | 3.08 | 4.49 | 4.66 | 1.76 | 2.56 | 28.49 | |
| TOTALS | 36.62 | 33.24 | 31.61 | 39.13 | 35.74 | 36.80 | 32.08 | 32.62 | 41.27 | 32.50 | 351.61 | |

1931 (August - October) believed to be 10 inches too big

Position of Station on reduced Ordnance Survey Map, }
1 mile to 1 inch Series

No. of Map.....

Reference No.....

| Date. | Lat. N. | Long. | Railway Station. | Distance from gauge | Direction from gauge | Parish Church. | Distance from gauge | Direction from gauge |
|-------|---------|-------|------------------|---------------------|----------------------|----------------|---------------------|----------------------|
| | | | | | | | | |

Station No. T.F. 3540RAINFALL at Wendale W.D. (Linstoll Res.)

41

County of DurhamObserver J. A. Rodwell Esq C.E.River Basin Ure - 2

Type of Gauge.....

Annual Average 32.4 in. based on 32 years obs. un-weighted. Period of average 1881-1915 Ref SFile No. 640612/26

| | | | | | | | | | | | |
|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|----------------------------|
| Diameter | 8" | | 022 | 164 | | | | | | | |
| Height | 1'2" | | | 1 | | | | | | | |
| Altitude | 724' | | | 41 | | | | | | | |
| Year | 1941 | 1942 | 1943 | 1944 | 1945 | 1946 | 1947 | 1948 | 1949 | 1950 | 1941-50 Means Totals |
| January | 4.03 | 2.64 | 3.52 | 1.67 | 5.15 | 2.60 | 3.06 | 9.35 | 1.21 | 1.83 | 35.06 |
| February | 6.00 | 2.19 | 1.34 | 2.34 | 2.29 | 1.15 | 4.69 | 1.97 | 1.86 | 4.64 | 28.47 |
| March | 2.28 | 1.76 | .88 | .36 | .90 | 1.91 | 6.52 | 1.53 | 1.47 | 1.19 | 18.80 |
| April | 1.66 | .76 | 2.56 | 1.33 | 2.56 | 1.55 | 6.84 | 2.05 | 1.93 | 2.47 | 23.77 |
| May | 1.89 | 1.78 | 3.68 | 1.94 | 4.53 | 2.39 | 2.04 | 1.68 | .91 | 1.96 | 22.80 |
| June | .80 | 1.30 | 2.30 | 1.91 | 3.42 | 1.84 | 3.09 | 5.03 | 1.07 | 1.16 | 21.92 |
| July | 2.59 | 2.76 | 1.36 | 2.67 | 2.42 | 3.53 | 2.42 | 1.11 | 2.44 | 3.91 | 25.21 |
| August | 2.70 | 3.50 | 4.76 | 1.60 | 4.91 | 4.06 | .19 | 4.37 | 3.27 | 5.47 | 34.53 |
| September | .56 | 3.41 | 2.82 | 6.03 | 2.16 | 4.37 | 1.81 | 3.62 | 2.33 | 5.17 | 32.28 |
| October | 3.42 | 2.37 | 2.65 | 4.43 | 4.19 | 1.07 | 1.07 | 1.66 | 3.47 | 1.62 | 26.01 |
| November | 3.40 | .71 | 2.87 | 6.61 | 1.31 | 6.43 | 2.77 | 1.73 | 5.27 | 6.96 | 38.06 |
| December | .68 | 2.37 | 1.35 | 2.53 | 2.19 | 3.11 | 2.55 | 5.04 | 4.90 | 2.84 | 25.56 |
| TOTALS | 30.01 D | 25.55 D | 30.09 D | 33.54 D | 36.03 D | 34.01 D | 37.05 D | 37.14 D | 30.13 D | 39.22 D | 332.77 D |

1941 Jan. adjusted for snow.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map.....

Reference No.....

| Date. | Lat. N. | Long. | Railway Station. | Distance from gauge | Direction from gauge | Parish Church. | Distance from gauge. | Direction from gauge. |
|-------|---------|-------|------------------|---------------------|----------------------|----------------|----------------------|-----------------------|
| | | | | | | | | |

BRITISH RAINFALL ORGANIZATION

Station No. 3540 *T.F.*RAINFALL at Wearside 10.10 (Tunstall Res.)

51

County of DurhamObserver A.C. D. Bodwell Esq. C.E.River Basin Wear-2

1/1/54

A.C. WILSON Esq. C.E.Type of Gauge SnowdonAnnual Average 32.4 in. based on 32 years obs. un-weighted. Period of average 1881-1915 Ref. 55 34.46 " " 35 " " 1916-1950File No. 660012/26 32254/58

| Diameter ... | 8" | | | | | | | 5" | | | |
|---------------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------------|
| Height ... | 1' 2" | | | | | | | 1' 0" | | | |
| Altitude ... | 724 | | | 51 | | | | | | | |
| Year ... | 1951 | 1952 | 1953 | 1954 | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | Means |
| January ... | 2.42 | 3.32 | .99 | 3.77 | 2.92 | 4.08 | 3.37 | 2.91 | 3.17 | 5.41 | 32.36 |
| February ... | 3.34 | 4.46 | 1.76 | 2.55 | 3.24 | (3.29) | 3.53 | 4.41 | .39 | 3.51 | 26.48 |
| March ... | 4.78 | 1.85 | .30 | 2.22 | 2.18 | 1.46 | 1.88 | 2.73 | 1.31 | 3.16 | 21.87 |
| April ... | 2.32 | 1.83 | 3.22 | .72 | .34 | 1.40 | .50 | 1.73 | 3.10 | 1.63 | 16.79 |
| May ... | 3.84 | 1.99 | 3.06 | 5.32 | 2.18 | .87 | 1.70 | 4.05 | .76 | 2.38 | 26.15 |
| June ... | 1.52 | 1.53 | 4.04 | 1.54 | 2.67 | 3.68 | 1.46 | 3.81 | 2.58 | .56 | 23.39 |
| July ... | 1.80 | 1.16 | 2.05 | 1.53 | 1.26 | 3.05 | 3.62 | 2.81 | 1.43 | 4.97 | 23.68 |
| August ... | 5.13 | 4.18 | 5.47 | 7.27 | 1.05 | 8.46 | 4.73 | 3.12 | .69 | 3.56 | 43.56 |
| September ... | 1.78 | 4.52 | 2.22 | 3.46 | 1.29 | 3.35 | 4.12 | 2.86 | .97 | 3.57 | 28.14 |
| October ... | 1.05 | 5.43 | 2.24 | 5.22 | 2.34 | 2.16 | 2.18 | 2.43 | 2.05 | 10.24 | 35.34 |
| November ... | 8.49 | 3.77 | 2.09 | 6.17 | 2.51 | 1.09 | 2.42 | .67 | 5.70 | 3.86 | 36.77 |
| December ... | 4.96 | 3.64 | 1.33 | 3.95 | 4.46 | 4.18 | 2.83 | 5.41 | 5.24 | 3.07 | 39.07 |
| TOTALS ... | 41.43 | 33.68 | 28.77 | 43.72 | 26.44 | 37.07 | 32.34 | 36.94 | 27.29 | 45.92 | 353.60 ✓ 10 |
| | D | D | D | D | D | D | D | D | D | D | |

1956. Feb part est M03. Eng. approx.

20004

1958 Eng. gauge at 1' 0" always.
Insp. III 1959 J.B.O.K. Badly sheltered except SW-N.W. Uncertified measure.

1960 gauged mound. Also with 24' square fence surround.

NZ(45) 063407

Position of Station on Ordnance One-Inch map:

No. of Map 84National Grid Reference 45 063407

| Date. | Lat. N. | Long. | Railway Station. | Distance Direction from gauge | Parish Church. | Distance Direction from gauge. |
|-------|---------|-------|------------------|-------------------------------|----------------|--------------------------------|
| | | | | | | |

Summary of Earlier Records from 10-year Sheets:

1916-1950, P-accepted

| Record D, or d | 1910-19 | 1920-30 | 1931-40 | 1941-50 | 1951-60 |
|----------------|---------|---------|---------|---------|---------|
| C 1295 | ✓ | ✓ | ✓ | ✓ | |
| | ✓ | ✓ | ✓ | ✓ | |