

RAINFALL at Halifax W.W. Gough MooreCounty of W.R. Yorkshire Observer E. P. Brook Esq.River Basin Ouse - Aire - Calder 8 1355 E of HalifaxSnowdon Rain Gauge, by _____

Diameter ...						8					
Height						1.0					
Altitude ...						1320					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 Mean
January ...						4.58	5.56	5.37	12.20	1.60	5.88
February ...						6.90	4.94	2.65	6.55	.95	.81
March						1.93	2.75	4.89	5.16	1.06	2.61
April						3.34	2.53	4.32	1.55	1.69	3.39
May						4.49	4.63	1.75	1.71	3.09	2.03
June						1.0	3.68	4.51	7.27	2.31	2.09
July						2.00	2.93	3.86	1.99	3.05	5.60
August						4.73	4.95	8.12	7.23	4.14	6.78
September...						4.19	4.32	5.19	.81	1.46	4.28
October						6.85	3.79	6.21	6.66	6.13	6.42
November...						2.80	4.62	5.72	7.51	8.86	5.72
December...						4.35	2.98	1.29	2.76	9.82	3.58
TOTALS...						46.26	50.68	53.88	59.00	44.16	49.19

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map _____

Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1925			Hebden Bridge	6 m	S.E.	Haptonstall	5 1/2 m	S.E.

RAINFALL at Halifax W.W. Limple ReservoirCounty of W.R. Yorkshire Observer E.P. Brook Esq.River Basin Ouse-Aire-Caldor S. W.W. Esq. Halifax.M.C. Rain Gauge, by _____

Diameter ...									5"		
Height									1' 6"		
Altitude ...									1028 ft.		
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 Mean.
January ...									10.38	1.54	5.44
February ...									4.38	.93	.66
March									3.20	.93	2.11
April									1.80	1.67	3.35
May									1.48	2.43	2.49
June									7.11	1.55	1.95
July									1.38	1.95	6.45
August									7.30	2.76	6.76
September...									.75	1.14	5.17
October									6.76	4.80	7.60
November...									6.38	8.45	7.13
December...									2.47	7.96	5.06
TOTALS...									53.59	36.01	54.17

1928. Nut & Sample 10-20 ft. high. 50-100 yds N.

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
	53° 46' 30"	2° 5' W	Heddon Bridge	5 m	S.E.	Heptonstall	4 m.	S.E.
			Heptonstall	4 m	S.E.			

RAINFALL at St Helier N.W. (Gosple. Riv.) No. 2.

County of Jersey - West Riding Observer E. P. B. L. G. L. G. L. G.

River Basin St. Helier - Calder - S. J. Noel Wood (1939)

Type of Gauge M.O.

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

f. 660859/26

Diameter											
Height											
Altitude											
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January									8.10	3.00	
February									6.84	3.00	
March									3.85	4.56	
April									2.46	4.50	
May									1.82	1.60	
June								5.57	4.17	1.12	
July								7.05	8.98	5.96	
August								6.29	5.11	3.65	
September								2.52	1.70	5.08	
October								13.79	3.23	5.82	
November								10.49	10.27	10.19	
December								6.41	3.85	6.82	
TOTALS								imp	60.38 W	55.30 W.	

c imp 1938. Site deleted by D. + Glasgow.

June 190. 1938 S Turf wall round gauge (Footnote for B.R.)

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.

RAINFALL at S. Halifax W.A. (Yorkshire) No. 3

County of Yorkshire - W. Riding Observer E. P. B. 60.6 E.

River Basin Swale - Calder - S. T. Rel Wood (1939)

Type of Gauge M.C.

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

f. 660559/26

Diameter								5			
Height									10		
Altitude								1160			
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January									6.96	3.00	
February									5.77	2.85	
March									3.37	4.11	
April									2.36	4.60	
May									2.03	1.43	
June								5.22	3.86	1.00	
July								6.73	8.37	5.74	
August								6.27	4.88	3.55	
September								2.67	1.68	4.80	
October								13.27	2.84	5.40	
November								9.25	9.39	9.29	
December								6.12	3.62	6.75	
TOTALS								imp	55.13	52.52	

c. imp. 1938. Site selected by D. G. Quinprole.

June 1938 5 Turf wall round gauge (Footnote for B.R.)

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge.	Direction

RAINFALL at Halifax W.W. (Gorple)County of West RidingObserver E. P. Brook Esq. C.E.River Basin Ouse Aire Calder 8.J. Noel Wood C.E. (1939)

Type of Gauge

Annual Average 47.2 in. based on 8 years obs. unweighted. Period of average 1881-1915 Ref. 5

66559/26

Diameter	9.										
Height	1.0.										
Altitude	1320.										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	5.13	6.43	3.39	3.98	2.29	5.06	4.01	5.64			
February	4.65	4.40	5.88	4.49	6.77	3.93	5.29	1.97			
March	5.50	2.78	2.16	2.99	1.81	2.65	2.15	2.34			
April	4.52	3.55	1.94	3.07	2.91	1.14	3.59	1.89			
May	2.36	4.59	3.03	3.14	1.27	1.09	2.83	5.10			
June	7.07	1.14	2.60	2.61	4.63	3.93	2.98	#			
July	4.89	4.09	2.72	2.78	2.17	5.09	2.04				
August	5.30	1.56	1.67	4.74	1.84	3.50	1.49				
September	4.70	5.48	2.03	3.75	7.92	4.43	1.02				
October	2.61	7.05	4.69	4.82	10.30	4.99	2.67				
November	8.72	2.94	3.15	2.91	6.66	5.95	1.54				
December	2.98	2.13	0.60	7.34	3.90	5.71	2.83				
TOTALS	53.43	42.14	33.76	42.62	52.47	47.47	32.44				
	W	W	W.	W.	W.	W	W				

Average not to be used. 1937.
 Inspected 6.4.38. Site is unsatisfactory.
 Gauge discontinued 30/5/38

Position of Station on reduced Ordnance Survey Map, }
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
			Helidon Bge.	5 1/4 m	S.E.	Neplons tall	4 1/2 m	S.E.

RAINFALL at 5 Halifax W.W. (Gorple Res.)County of West Riding Observer E. P. Brook, Esq., C.E.River Basin Ouse-Aire-Calder-S. J. Noel Wood, C.E. (1939)

Type of Gauge

Annual Average 41.1 in. based on 7 years obs. un-weighted. Period of average 1881-1915 Ref. S

660559/26

Diameter	5.											
Height	1.6.			10					10			
Altitude	1028.			1030					1028			
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means	Total
January	5.15	6.17	3.50	4.25	2.15	7.18	5.20	8.05	8.28	3.27	53.20	
February	5.27	28	5.94	4.1	7.22	3.56	7.24	2.55	7.37	2.87	42.71	
March	5.4	3.10	2.99	3.02	1.92	3.88	2.52	2.29	4.09	4.43	28.48	
April	4.41	3.85	2.11	2.91	4.16	1.60	4.37	8.7	2.42	4.46	31.16	
May	2.88	4.80	2.74	3.18	9.6	1.63	3.14	5.34	8.71	1.31	27.69	
June	6.47	1.64	3.78	2.42	4.87	4.89	2.94	5.67	4.20	9.1	37.69	
July	5.32	4.52	3.17	2.87	2.20	6.54	2.68	6.99	9.22	5.40	48.91	
August	5.44	1.22	1.90	4.88	2.35	3.89	2.41	7.68	4.52	2.93	37.22	
September	4.41	6.50	1.63	4.01	8.42	5.00	2.56	2.61	1.82	4.49	40.45	
October	2.91	8.22	5.38	5.57	11.73	6.23	3.12	13.63	3.86	5.51	66.16	
November	10.22	3.49	2.80	2.86	7.64	7.41	2.04	10.11	9.34	10.02	65.93	
December	2.55	2.55	0.64	7.86	5.47	7.98	3.35	6.58	4.45	5.91	47.34	
TOTALS	55.57	45.24	36.58	44.24	59.09	59.49	41.57	72.37	61.28	51.51	526.94	
	D	D	D	D	D	D	D	D	D	D		

Average not to be used without comment
 1938 Gauge re-set and turf wall set up.

1/6/1938 5 Turf wall round gauge (Footnote for B.R.)

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
 1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
			Webster Bridge	5 miles	S.E.	Hepston Hall	4 miles	S.E.

Station No. 3252/5 TF

RAINFALL at Halifax W.W. (Cayle Res.) No. 2

41

County of West RidingObserver T. Nash Wood Esq. C.E.River Basin Ouse-Aire-Balders - 8H. F. Lea Esq. C.E. (1944)Type of Gauge M.O.A. S. WILKINS M.A. F.R.S. (1915)Annual Average 5.5 in. based on 5 years obs. un-weighted. Period of average Ref.File No. 66.0559/26

Diameter	5"										
Height	1' 0"										
Altitude	1275'										
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	3.49	5.87	7.79	9.31	5.02	6.80	5.25	11.30	3.95	4.63	
February	6.68	2.28	4.70	2.90	6.70	7.67	5.29	3.94	4.80	7.66	
March	4.77	4.40	1.78	1.07	2.04	1.63	10.38	2.70	2.45	3.35	
April	2.70	2.61	3.60	4.23	3.26	1.76	5.85	3.58	4.88	4.66	
May	2.81	4.73	3.99	3.63	5.50	1.90	3.10	2.20	3.35	2.63	
June	.79	1.56	4.90	4.97	5.88	4.04	3.04	6.36	.98	2.91	
July	2.51	6.71	3.45	4.44	3.56	4.80	4.51	2.93	2.79	5.88	
August	8.71	5.98	7.76	4.18	5.31	8.51	.41	6.01	3.54	8.32	
September	1.12	3.91	5.76	7.77	4.09	8.70	4.43	4.67	1.53	8.75	
October	7.01	10.04	4.22	6.61	7.13	1.51	1.58	3.25	6.98	3.71	
November	3.60	1.63	5.11	3.44	.88	10.82	7.54	3.01	7.93	7.18	
December	4.75	5.34	3.88	6.77	4.29	5.78	5.20	6.08	7.56	3.65	
TOTALS	48.85	55.06	56.94	65.38	53.66	63.92	56.58	56.03	52.74	63.33	

40004

3 Turf wall round gauge.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.

Station No. 3253/8 T.F.

RAINFALL at St. Halifax W.W. (Gayle Res.) No. 3

41

County of West. RidingObserver J. Noel Wood Esq. C.E.River Basin Quar. Area - Calder-8H. F. Lea Esq. C.E. 1944Type of Gauge M.O.A.C. WILKESMITH Esq. (I. VI. 50)

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

File No. 660559/26

Diameter	5"										
Height	1' 0"										
Altitude	1160'										
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	(3.30)	5.90	7.32	8.62	4.98	5.80	4.73	10.00	3.04	4.16	
February	6.67	2.22	4.70	2.91	6.03	6.73	5.29	3.63	3.76	6.94	
March	4.72	3.35	1.60	1.04	1.67	1.60	10.95	2.60	2.03	3.02	
April	2.59	2.52	3.52	3.78	2.83	1.72	5.11	3.22	4.26	4.08	
May	2.67	4.38	3.61	3.97	5.14	1.98	3.01	2.16	2.88	2.54	
June	.73	1.58	4.23	4.83	5.04	3.94	3.10	5.61	.94	2.86	
July	2.25	6.97	3.18	4.07	3.59	4.28	4.38	2.74	2.44	5.88	
August	8.24	5.81	7.22	3.97	5.64	8.53	.39	5.62	3.24	7.80	
September	1.11	3.86	5.24	7.40	3.55	7.68	3.61	4.03	1.54	7.91	
October	6.51	10.35	3.58	6.10	6.63	1.50	1.42	2.73	6.49	3.61	
November	3.43	1.55	4.78	8.41	.78	9.51	6.71	2.54	7.14	6.71	
December	4.55	4.58	3.41	5.95	3.95	5.16	4.45	5.40	8.21	3.17	
TOTALS	46.77	53.67	52.39	60.45	49.83	58.43	53.15	50.28	45.97	58.65	

1941. Jan. lost cal'd.
 Ref. 1945. Engrs. started g. around 3/40

100004

1947. No. 100004

1949. March. Turf wall found to be dilapidated. Reinstated immediately.

St. Turf wall round gauge.

Position of Station on reduced Ordnance Survey Map, }
 1 mile to 1 inch Series

No. of Map.....

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.

Station No. T.F. 3258RAINFALL at S. Halifax W.V. (Cople Res.)

41

County of West RidingObserver J. Noel Wood Esq. C.E.River Basin Ouse-Aire-Caldes-8H. F. Lea Esq. C.E. (Hull)

Type of Gauge.....

A.C. WILKINSON'S (I.V. 50)

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

File No. 66059/26

Diameter	8"										
Height	1' 6"										
Altitude	1028'							1020'			
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means Totals
January	1.77	6.03	8.22	7.33	4.89	5.97	5.26	10.51	3.50	4.31	57.79
February	6.97	2.59	4.06	2.44	6.00	6.69	4.36	3.87	4.24	8.20	49.42
March	5.24	4.06	1.32	.72	1.71	1.68	9.81	2.34	2.25	2.16	32.29
April	2.82	2.61	2.90	3.93	2.74	1.51	5.24	3.26	4.37	4.84	38.92
May	2.48	4.52	3.95	3.47	5.29	3.11	2.82	1.68	2.86	2.56	31.74
June	.89	1.53	4.41	4.63	5.02	4.05	2.51	5.95	.89	2.39	32.27
July	2.32	5.31	2.97	4.02	3.41	4.41	4.05	2.39	2.04	8.02	36.44
August	7.37	5.44	7.17	3.66	4.83	7.56	.43	5.51	3.45	7.50	52.92
September	.93	3.44	5.12	7.26	3.44	7.96	3.48	3.95	1.55	8.44	45.57
October	5.93	8.07	3.53	6.03	6.02	1.51	1.47	2.68	6.91	3.36	45.51
November	3.52	1.23	4.14	8.61	.74	9.76	6.73	2.59	6.81	6.80	50.93
December	3.63	4.51	3.46	5.84	3.76	5.02	4.25	5.87	8.86	4.22	49.42
TOTALS	43.87	49.34	51.25	57.94	47.85	58.23	50.41	50.60	48.23	60.60	518.22

Stimpwell round gauge Re-recorded 8/11/48Position of Station on reduced Ordnance Survey Map, }
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.

BRITISH RAINFALL ORGANIZATION

Station No.
 8 Halifax N.W. (Garple Res.) No. 2

Station No. 3252/5

51

County of West Riding - Yorks.

Observer

31. VII. 5
C. C. Wildsmith Esq, C.E.

River Basin Ouse - Aire - Calder &

A. L. GARY, Esq. BSc. (VIII. 53.)

Type of Gauge

M.O. Mukherjee (an inspection)

Annual Average.....in. based on.....years obs. un-weighted. Period of average

Ref

" " 57.59

17

2000

5TH

19

2-3

28

199

91

50

205

37

7

File No.

660559/20

Diameter	...	5"		077	321								
Height	...	1'0"			1								
Altitude	...	1275			51								
Year	...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means	
January	...	7.88	6-60	2-12	5-29	3-57	6-85	5-52	5-81	4-21	6-56		
February	...	4-85	1-74	3-66	4-51	4-11	1-74	5-38	8-74	1-05	5-30		
March	...	5-19	2-94	2-68	4-02	2-74	2-15	5-10	2-78	2-43	1-99		
April	...	3-53	4-32	4-22	1-04	2-74	4-15	.56	1-83	4-85	3-42		
May	...	3-45	2-37	3-23	4-34	4-90	2-23	2-05	6-02	2-66	2-53		
June	...	1-82	4-32	7-02	3-71	3-63	3-53	2-81	4-94	4-41	1-58		
July	...	4-75	3-18	6-51	6-30	1-01	6-73	6-81	4-70	3-48	6-84		
August	...	6-07	7-33	6-30	9-05	1-46	4-78	7-51	3-96	1-11	6-92		
September	...	4-08	5-08	5-13	7-01	3-64	5-32	7-44	5-94	.47	3-43		
October	...	1-63	6-94	2-86	10-09	3-63	2-99	7-05	5-04	6-70	6-81		
November	...	12-33	3-41	6-48	8-65	3-40	2-43	2-83	2-12	6-83	8-57		
December	...	11-45	5-26	2-70	9-33	6-72	7-25	6-91	5-40	10-17	5-70		
TOTALS	...	67-03 W	53-49 W	52-91 W	73-34 W	41-55 W	57-15 W	59-97 W	57-28 W	48-37 W	59-65 W		

Inspected 16.8.55 Mr. Deeks. Gauge annual, measure under. Site o/s post 3'5 1/2"
Recommended but post be moved to N 12'. Site otherwise satisfactory.
Recomm. carried out letter 19.12.55.

§ Twf wall.

Position of Station on Ordnance One-Inch map :

No. of I

National Grid Reference ...34/9.30301

[illegible]

Summary of Earlier Records from 10-year Sheets :

	1910-19	1920-30	1931-40	1941-50	1951-60
Record D, or d			C imp 1938	✓	

Station No. 3253/8 *RF 44*RAINFALL at Halifax W.W. (Gorple Res.) No. 3.

51

County of West Riding - Yorks Observer C. E. Wiltshire Esq. C.E.River Basin River - Aire - Calder & A.L. Gentry Esq. B.Sc. (Hons)Type of Gauge M.O. Mk II on inspectionAnnual Average in. based on 13 years obs. un-weighted. Period of average 1916-30 Ref. 5" " 53.51 " " " 13 " " within 1939-57 " " 1916-30 File No. 660559/26

Diameter ...	5 "			077	311							
Height ...	1'0"				1							
Altitude ...	1160'				51							
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means	
January ...	5.13	6.12	1.76	5.04	3.23	6.16	5.08	5.75	3.98	6.01		
February ...	4.70	1.38	3.57	4.65	4.20	2.04	5.20	8.48	.98	5.41		
March ...	4.82	2.68	2.54	3.87	2.84	2.09	4.60	2.94	2.39	1.97		
April ...	3.38	4.01	3.98	.87	2.38	4.19	.52	1.68	4.72	3.71		
May ...	3.30	2.46	2.91	4.40	4.34	2.04	2.02	5.84	2.35	2.67		
June ...	1.78	4.15	4.92	3.71	3.64	3.44	2.59	4.99	4.37	1.83		
July ...	4.67	2.97	6.16	5.78	1.02	6.32	6.42	4.72	3.48	7.34		
August ...	5.93	6.32	6.29	8.91	1.63	12.08	7.46	4.21	1.07	6.61		
September ...	3.44	4.83	5.03	6.69	2.54	5.27	7.06	5.73	.48	3.54		
October ...	1.57	6.35	2.74	9.35	3.65	2.81	6.50	4.87	6.38	7.47		
November ...	11.78	3.03	6.02	8.74	3.67	2.14	2.80	2.00	6.90	9.09		
December ...	10.55	4.98	2.34	8.70	6.84	6.75	6.42	5.23	10.01	5.97		
TOTALS ...	61.05	49.28	48.26	70.71	40.93	55.33	56.67	56.44	47.11	61.62		
	W	W	W	W	W	W	W	W	W	W		

Inspected 16.2.55. Mr. Parks. Gauge sound, but tilted. Re-levelled during visit. Measure Gander. Site of E but best available. Recommended rebuild of wall. Carried out latter 19.12.55

3 Twp Wall.

Position of Station on Ordnance One-Inch map: No. of Map 95 National Grid Reference 26 18 311

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
			Camp 1938	✓	

Station No. 3258 T.F. 44

RAINFALL at 3 Halifax W.M. (Boyle Res.)

51

County of West Riding - Yorks.Observer C.P. L. Stidsmith Esq., C.E.River Basin Ouse - Aire Calder &A. L. G. Esq. B.S. (N. 15. 2.)Type of Gauge Mk II (inspection)

Annual Average in. based on years obs. un-weighted.

Period of average

Ref.

5523 " 20 " with 1931-37

1916-1970 S
File No. 660.559/26

Diameter ...	8" 5"	0.77	3.35								
Height ...	1' 0"		1								
Altitude ...	1028	1020	51								
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means Total
January ...	6.37	8.06	2.04	5.41	4.05	7.24	5.57	6.44	4.27	7.02	56.47
February ...	4.97	1.73	4.16	4.79	3.90	2.06	5.36	9.92	1.05	5.82	43.76
March ...	5.46	2.58	2.36	4.18	2.82	2.19	4.98	2.91	2.64	2.09	32.21
April ...	3.19	3.43	4.82	1.03	2.68	4.04	4.45	1.98	5.14	3.73	30.49
May ...	3.92	2.23	3.17	4.31	5.41	2.14	1.87	6.34	2.79	2.74	34.42
June ...	1.55	2.86	6.87	3.76	3.59	3.52	2.87	5.55	3.55	1.88	36.00
July ...	4.33	3.21	5.77	6.25	1.03	6.38	6.42	4.54	3.01	7.16	48.10
August ...	5.19	7.02	6.98	8.75	1.46	11.48	8.04	4.14	.72	6.62	60.40
September ...	3.26	4.83	4.66	7.00	3.64	4.88	7.89	5.65	.40	3.67	45.88
October ...	1.52	6.49	2.61	10.10	3.42	3.02	7.23	5.30	6.85	6.93	53.47
November ...	10.25	3.46	5.90	9.37	3.37	2.42	3.22	2.20	6.69	9.45	56.33
December ...	10.29	5.56	2.37	10.26	7.11	6.91	7.60	5.27	10.90	6.50	72.77
TOTALS ...	59.80	51.46	51.71	75.21	42.48	56.28	61.50	60.24	48.01	63.61	570.30
	D	D	D	D	D	D	D	NP	D	D	

I inspected 16.3.55 Mr. Danks. Gauge found but found tilted. Relaxed during visit. measure London. Site of N. Recommended rebuild air wall.
 Carried out 19.12.55
 2.58. G. tested & found sound.
 1958 & D. W. G.

1959: - Prof.

8 Turf wall

Position of Station on Ordnance One-Inch map :

No. of Map 95

National Grid Reference ⁵⁰ (36/944308)

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
		C 1928 ✓	✓ ✓	✓ ✓	