

RAINFALL at Cleethorpes (The King's Parade)County of Lincolnshire Observer Urban District Council.River Basin Humber - Rt Bank Trib 5 [W Pye (Eng & Surveyor)]

(1925) N.O. Rain Gauge, by \_\_\_\_\_

(1927) Smokedown

Diameter ...					- 5		5					
Height .....	<u>gumby</u>			<u>94.5 ft</u>	<u>1.0</u>		<u>1.0</u>					
Altitude ...	<u>211</u>			<u>211</u>	<u>211</u>		<u>211</u>					
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	MEANS.
January ...	905			850	1.99	1.37	2.49	1.50	3.26	2.15	2.06	2332
February ...	918			870	.94	2.22	1.17	1.26	1.92	.91	.79	1791
March .....	767			670	.59	1.19	.39	1.63	2.04	.09	1.61	1422
April .....	769			720	1.62	2.18	1.75	1.61	1.08	.46	2.30	1850
May .....	995			940	2.13	2.28	2.02	1.00	1.33	1.04	1.23	2043
June .....	318			300	1.23	.17	3.43	2.79	1.98	.93	2.05	1558
July .....	1038			980	3.04	.91	2.33	2.11	.50	1.44	5.26	2539
August .....	878			830	2.17	.93	2.04	4.53	2.38	1.46	2.86	2467
September...	740			700	2.73	2.38	.60	3.02	.30	.94	3.32	2029
October .....	678			640	3.41	2.12	2.79	1.52	2.90	2.79	2.16	2409
November...	663			630	1.57	2.30	2.68	2.39	2.35	3.48	3.07	2414
December...	981			920	1.65	1.98	.68	2.21	1.62	4.27	2.05	2376
TOTALS...	9590			9060	23.07	20.03	22.37	25.57	21.66	20.34	23.76	25230

1925. Stephenson Screen 5 ft. High 10 ft. N.  
 old Barometer Case 7 " " 12 " N.W.  
 anemometer 8 " " 8 " N.N.E.

↑  
 see this

94.5 gumby Abey Rd

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_

Map, 2 miles to 1 inch Series

Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction (1925)	Parish Church.	Distance from gauge	Direction
1924	53° 33' 3"	0° 1'	Cleethorpes	1 mi	N.W.	St. Peter's	3/4 mi	N.W.

RAINFALL at Cleethorpes (Kings Parade) M.W.R.County of LincolnshireObserver Urban District CouncilRiver Basin Humber-Right Bank 5The Engineer & SurveyorType of Gauge M.O.

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

Diameter	5				5"						
Height	10				1'0"						
Altitude	23				23'						
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means Totals
January	2.36	.81	1.33	1.37	2.17	3.26	3.23	1.63	3.49	1.58	2123
February	2.45	.60	2.69	1.26	2.57	2.75	2.14	.81	.59	1.69	1755
March	.62	1.69	2.25	2.67	.59	.63	2.68	.31	1.70	1.54	1468
April	2.91	2.27	.96	1.80	2.52	1.72	2.99	.22	1.71	1.07	1817
May	3.05	4.22	2.38	.89	.33	1.63	3.43	1.99	1.14	1.36	2042
June	2.80	.39	.86	1.14	2.52	3.43	.97	1.27	3.32	.48	1718
July	5.77	2.26	1.23	1.00	.31	3.90	2.92	2.20	2.52	4.71	2682
August	4.68	1.69	.37	1.90	.96	1.26	.64	2.99	1.67	1.09	1725
September	2.37	1.72	2.78	1.33	4.91	1.69	.93	1.79	1.07	.89	1948
October	.95	2.98	3.80	1.22	3.67	1.82	2.23	2.46	3.30	3.20	2563
November	2.00	1.34	1.87	1.73	3.60	2.42	2.14	2.31	4.22	3.43	2546
December	1.48	.94	.51	3.14	2.03	1.18	3.79	3.86	2.35	1.59	2087
TOTALS	31.44	20.91	21.03	19.45	26.18	25.69	28.09	21.34	27.08	23.03	24474
	D.	D.	D.	D.	D.	D.	D.	D.	D.	D.	

1935. Inspected 15/10. Gauge &amp; site satisfactory

1936. Inspected 21/9/36. No change.

† Inspected 24.V.38. No change. Semo rather over-sheltered in all directions due to shrubs. No sufficient to alter readings beyond allowed limit.

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....  
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge

Station No. M.W.R. 2574RAINFALL at Glentworth (King's Parade)

41

County of LincolnshireObserver The Engineer & SurveyorRiver Basin Stamford - Right Bank - 6Type of Gauge M.O. New M.O. 9 sec 30.10.99Annual Average 24.0 in. based on        years obs. un-weighted. Period of average Ref AWS  
(Cont'd)File No.       

Diameter	5"			13.4	17.2							
Height	1' 0"				1							
Altitude	23'				41							
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	Totals
January	2.69	2.46	3.73	2.64	2.33	1.85	2.08	4.27	1.13	1.19	26.37	
February	2.91	(.81)	.47	2.60	1.65	2.61	2.23	1.03	.59	3.98	16.78	
March	3.55	.71	.26	.45	.76	1.15	4.36	.59	.81	.67	13.31	
April	1.06	.95	.96	1.81	2.15	.93	1.65	2.67	2.02	3.05	17.25	
May	1.77	2.75	2.46	1.82	1.41	1.82	.58	2.00	1.26	2.31	16.16	
June	.30	1.41	1.66	1.88	1.57	2.31	2.24	2.99	.66	1.98	17.00	
July	4.11	1.58	1.15	2.48	1.38	2.45	1.06	.76	2.10	2.16	19.23	
August	1.89	.81	1.95	2.35	3.75	2.92	.08	2.49	1.54	2.06	20.44	
September	.61	2.01	2.28	3.26	1.14	3.62	.87	2.13	.58	2.89	19.39	
October	2.92	1.58	.90	2.72	1.37	2.32	.47	1.68	2.61	1.01	17.58	
November	3.57	2.20	2.51	3.76	.91	4.57	1.20	.92	2.64	4.11	26.39	
December	.44	1.81	.83	1.45	1.87	1.83	2.59	2.05	1.94	2.71	17.52	
TOTALS	25.72	19.08	19.16	27.82	20.29	28.38	19.41	23.58	17.88	28.12	229.44	
	D	D	D	D	D	D	D	D	D	D	D	

1941 Aug. 21 amended. 1942 Feb. post corr. AWSR

Inspected 20.7.49 by Mr. Saunders. Satisfactory

Inspected 1st and 2nd F.O. 1949. Gauge not used. S.O. 4 satisfactory. New gauge recommended.

Inspected 5th. 12/10/50. Recommended. area around gauge to be covered with sheet glass. ① higher new rain gauge to be put down. ② new rain measure be purchased. ③ 1/2 Winchester bottle to be used in rain gauge.

Dist. between 0° 15' 46" - 6' 0" high.

20004

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map       Reference No.       

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge.	Parish Church.	Distance from gauge.	Direction from gauge.

BRITISH RAINFALL ORGANIZATION



Station No. 2574 <sup>11.1.2.</sup> ~~STET.~~RAINFALL at CLETHORPES (KING'S PARADE)

51

County of LINCOLNSHIREObserver BoRo ENGINEER & SURVEYORRiver Basin HUMBER - R. BANK - 6Type of Gauge M.O.Annual Average 24.5 in. based on ..... years obs. un-weighted. Period of average 1881-1950 Ref. A.W.S. P23.41 " " 35 " " 1916-1950File No. E. 15038/52

Diameter ...	5"			134	172					6"	
Height ...	1' 0"				1					0' 10"	
Altitude ...	23'				51					53'	
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means Totals
January ...	2.14	1.21	1.05	1.40	1.76	5.46	1.11	1.53	2.40	4.76	22.81
February ...	2.69	.53	1.68	2.52	2.46	3.22	1.66	3.85	.31	2.05	20.97
March ...	2.44	2.79	.95	1.97	2.56	.69	.99	2.03	1.89	1.09	17.40
April ...	1.44	1.02	2.18	.40	.82	.70	.30	1.01	1.75	1.02	10.64
May ...	3.51	1.57	2.45	1.80	3.29	.75	1.28	2.23	.26	0.49	17.63
June ...	1.51	1.70	2.29	1.86	2.22	3.02	1.04	4.75	1.72	0.19	20.30
July ...	1.38	.51	1.62	2.52	.43	4.11	3.10	3.76	1.58	2.59	21.60
August ...	4.24	2.27	2.78	4.29	1.25	4.16	3.51	1.50	1.21	3.39	28.60
September ...	1.05	2.73	1.01	1.81	1.39	1.96	3.81	1.85	.26	2.08	17.95
October ...	1.44	2.26	2.15	2.85	1.52	1.15	1.03	1.70	1.47	5.45	21.02
November ...	3.18	3.26	1.29	3.48	1.33	1.18	1.97	.66	2.87	3.07	22.29
December ...	2.00	2.08	.83	2.18	2.37	1.21	2.53	2.43	4.24	2.87	22.74
TOTALS ...	27.02	21.93	20.28	27.08	21.40	27.60	22.33	27.30	19.96	29.05	243.95

1955 Inspected by J.F. Brazell 19/10/55 No comments.

1956 Imp. N.P.

Terminated

Records for Dec. 1956, Jan to Dec. 1957 rec'd in Sept. 1958.

1958 F. 1854 - 12-Commenced 21/6/58.

Imp 13/7/58, m/s of Thornton Smith, slight tilt to N.W. hole in side of main casing below level of the top of the bucket, 1/2 by screws.

Position of Station on Ordnance One-Inch map :

No. of Map.....

National Grid Reference TA 54/314079

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

1916-1950, P-accepted

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
		C1929	✓	✓	✓