

RAINFALL AT *Slaidburn, Breunand*

80

Lat. _____

Lon. _____

County of *Yorks*

Rain Gauge, by _____

Observer. *H. B. Bryan Esq., C.E.*
J. B. McCallum Esq., C.E.

Ribble - 2.

| | | | | | | | | | | | |
|---------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Diameter | 8 | | | | | | | | | | |
| Height | 1.6 | | 1.3 | | | | | 1.0 | | | |
| Altitude | 520 ft | | | | | | | | | | |
| Year | 1880 | 1881 | 1882 | 1883 | 1884 | 1885 | 1886 | 1887 | 1888 | 1889 | MEANS. |
| January | 1.71 | 5.6 | 5.27 | 7.05 | 8.21 | 5.03 | 9.28 | 5.70 | 4.37 | 5.02 | 5.160 |
| February | 5.20 | 6.15 | 4.99 | 5.66 | 5.33 | 6.72 | 2.01 | 3.64 | 2.99 | 5.05 | 4.774 |
| March | 4.21 | 5.89 | 6.65 | 1.25 | 5.31 | 6.32 | 6.00 | 3.91 | 6.29 | 8.87 | 5.470 |
| April | 2.71 | 2.38 | 6.47 | 2.89 | 1.56 | 2.60 | 4.22 | 2.87 | 3.84 | 3.15 | 3.269 |
| May | 3.27 | 5.91 | 3.08 | 1.84 | 3.72 | 2.32 | 6.22 | 3.46 | 2.29 | 3.88 | 3.618 |
| June | 6.35 | 5.33 | 6.29 | 5.06 | 1.13 | 3.77 | 3.33 | 5.53 | 2.87 | 1.61 | 3.627 |
| July | 6.37 | 7.54 | 10.37 | 5.57 | 6.19 | 2.62 | 8.05 | 4.04 | 11.85 | 3.99 | 6.659 |
| August | 2.99 | 8.72 | 5.72 | 6.50 | 2.23 | 3.57 | 3.75 | 2.89 | 6.44 | 10.79 | 5.3514 |
| September.... | 5.04 | 2.73 | 3.59 | 9.22 | 6.17 | 8.83 | 5.96 | 6.84 | 4.63 | 7.39 | 6.040 |
| October | 3.32 | 3.50 | 5.62 | 8.38 | 6.99 | 7.90 | 7.47 | 3.78 | 4.27 | 7.17 | 5.840 |
| November.... | 7.72 | 8.18 | 8.77 | 6.61 | 3.43 | 5.14 | 6.50 | 4.57 | 10.48 | 3.30 | 6.464 |
| December | 9.15 | 6.40 | 5.94 | 6.11 | 8.13 | 4.09 | 7.90 | 4.63 | 5.94 | 6.56 | 6.485 |
| TOTALS | 57.44 | 63.29 | 72.70 | 66.14 | 58.40 | 59.05 | 70.69 | 46.80 | 66.25 | 66.78 | 62.760 |

1888 *L* Andrews Slaidburn 4 miles SE + E

RAINFALL AT *Staidburn Burnand*

Lat. _____ Lon. _____ County of *York W.R.*
 Rain Gauge, by _____ Observer *J.B. McCallum Esq. cl.*
W. Stubbs Esq. cl.

Ribble 2

| | | | | | | | | | | | |
|---------------|--------|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Diameter | 8 | | | | | | | | | | |
| Height | 10 | | | | | | | | | | |
| Altitude | 820 ft | | | | | | | | | | |
| Year | 1890 | 1891 | 1892 | 1893 | 1894 | 1895 | 1896 | 1897 | 1898 | 1899 | MEANS. |
| January | 10.74 | 11.01 | 8.33 | 3.67 | 7.65 | 3.95 | 6.11 | 2.03 | 7.90 | 10.59 | 6.498 |
| February | 1.45 | 1.76 | 4.72 | 8.95 | 10.53 | 1.05 | 5.60 | 6.75 | 6.06 | 2.77 | 4.964 |
| March | 7.80 | 3.77 | 1.34 | 3.45 | 5.69 | 8.18 | 11.68 | 9.60 | 4.22 | 4.90 | 6.063 |
| April | 2.47 | 2.86 | 2.75 | .81 | 2.94 | 4.52 | 3.45 | 4.71 | 4.44 | 5.90 | 3.185 |
| May | 3.39 | 3.54 | 7.12 | 2.67 | 4.02 | .94 | 1.26 | 4.50 | 3.82 | 4.34 | 3.560 |
| June | 6.91 | 1.51 | 4.78 | 2.89 | 5.89 | 2.07 | 5.31 | 6.18 | 5.42 | 1.81 | 4.277 |
| July | 6.78 | 5.17 | 2.90 | 5.71 | 6.37 | 7.81 | 5.86 | 3.19 | 1.24 | 4.11 | 4.914 |
| August | 8.40 | 16.65 | 10.08 | 5.72 | 10.42 | 9.28 | 5.16 | 9.00 | 8.17 | 2.41 | 8.529 |
| September.... | 9.05 | 8.59 | 9.94 | 9.42 | .80 | 2.15 | 10.78 | 6.81 | 3.65 | 8.72 | 6.991 |
| October | 7.60 | 7.77 6.96 | 8.30 | 10.81 | 7.73 | 9.58 | 5.48 | 3.47 | 6.57 | 4.73 | 7.122 |
| November.... | 12.94 | 7.24 | 5.03 | 7.35 | 7.00 | 6.25 | 2.75 | 7.79 | 7.61 | 5.55 | 6.951 |
| December | .91 | 13.30 | 5.21 | 7.61 | 7.64 | 8.62 | 9.80 | 9.61 | 8.86 | 5.51 | 7.707 |
| TOTALS | 78.44 | 76.47 75.36 | 70.50 | 69.06 | 76.68 | 64.40 | 73.24 | 73.64 | 67.96 | 61.34 | 71.062 |

Correction sent 17-XI-92

1880-

RAINFALL AT

Shadburne, Penna.

Lat.

Lon.

County of

York W.R. Northern

Rain Gauge, by

Observer

W. H. E. C. L.

Ritole - 2.

| | | | | | | | | | | | | |
|---------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|------|
| Diameter .. | 8 | | | | | | | | | | | |
| Height | 1.0 | | | | | | | | | | | |
| Altitude .. | 820 π | | | | | | | | | | | |
| Year | 1900 | 1901 | 1902 | 1903 | 1904 | 1905 | 1906 | 1907 | 1908 | 1909 | MEANS. | |
| January .. | 8.88 | 4.09 | 8.04 | 8.52 | 7.57 | 6.55 | 10.97 | 4.06 | 7.47 | 4.51 | 7.06 | 6 |
| February .. | 4.90 | 2.93 | 2.21 | 8.34 | 6.46 | 4.57 | 4.98 | 4.49 | 7.29 | 6.79 | 5.29 | 6 |
| March | 1.27 | 6.54 | 5.52 | 8.34 | 4.65 | 6.27 | 6.65 | 6.92 | 4.87 | 4.68 | 5.57 | 1 |
| April | 5.63 | 4.39 | 3.14 | 4.12 | 6.72 | 5.97 | 2.58 | 3.89 | 3.31 | 5.14 | 4.48 | 9 |
| May | 2.70 | 1.21 | 4.85 | 4.61 | 3.71 | 1.99 | 7.98 | 4.66 | 4.81 | 3.54 | 4.00 | 6 |
| June | 4.05 | 2.65 | 1.74 | 2.45 | 2.35 | 3.52 | 3.68 | 10.53 | 4.19 | 2.35 | 3.75 | 1 |
| July | 3.92 | 2.14 | 8.50 | 4.70 | 4.70 | 4.83 | 4.32 | 4.26 | 6.64 | 11.45 | 5.54 | 6 |
| August | 7.69 | 6.86 | 4.86 | 9.70 | 5.96 | 6.52 | 7.25 | 8.67 | 6.55 | 6.41 | 7.04 | 7 |
| September .. | 4.76 | 3.33 | 2.92 | 8.34 | 2.03 | 6.84 | 2.83 | 1.55 | 8.75 | 4.71 | 4.60 | 6 |
| October | 11.21 | 6.83 | 7.28 | 14.97 | 6.06 | 7.38 | 11.58 | 6.64 | 3.66 | 10.41 | 8.60 | 2 |
| November .. | 6.69 | 10.58 | 5.20 | 6.21 | 7.56 | 7.15 | 6.57 | 5.65 | 7.40 | 4.55 | 6.75 | 0 |
| December .. | 8.46 | 7.65 | 6.96 | 6.04 | 6.14 | 2.26 | 7.34 | 8.16 | 6.05 | 9.82 | 6.88 | 8 |
| TOTALS .. | 70.16 | 59.20 | 61.22 | 86.34 | 63.85 | 63.85 | 76.73 | 69.48 | 70.99 | 74.36 | 69.68 | 45.1 |

H. H.

RAINFALL at Slaidburn BremandCounty of W. R. YorkshireObserver W. Stubbs Esq. C.E.River Basin Ribble 2J. F. Shuldby C.E. 1915
A. Y. Gooseman Esq. B.E. 1918

Rain Gauge, by _____

| | | | | | | | | | | | | |
|--------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------------|--------|
| Diameter ... | 8 | | | | | | | | | | | |
| Height | 10 | | | | | | | | 1.6 | | | |
| Altitude ... | 820 π | | | | | | | | | | | |
| Year ... | 1910 | 1911 | 1912 | 1913 | 1914 | 1915 | 1916 | 1917 | 1918 | 1919 | 1910-1919 Means: | 1052.5 |
| January ... | 9.45 | 3.44 | 6.46 | 7.99 | 8.39 | 8.41 | 8.57 | 4.69 | 6.88 | 7.92 | 28.06 | |
| February ... | 11.03 | 8.14 | 2.85 | 3.27 | 6.11 | 7.73 | 6.35 | 2.01 | 8.20 | 1.82 | 18.38 | |
| March | 1.99 | 3.95 | 11.03 | 9.22 | 8.70 | 4.44 | 2.33 | 4.23 | 2.67 | 8.50 | 17.73 | |
| April | 5.24 | 4.99 | 2.12 | 7.18 | 2.13 | 4.26 | 3.96 | 3.06 | 1.89 | 4.05 | 12.66 | |
| May | 4.32 | 3.63 | 3.55 | 4.02 | 4.03 | 1.80 | 4.77 | 2.80 | 2.35 | 3.17 | 13.09 | |
| June | 3.56 | 5.57 | 10.57 | 4.61 | 2.35 | 99 | 3.80 | 4.37 | 3.37 | 2.31 | 13.85 | |
| July | 7.95 | 1.34 | 5.67 | 1.79 | 5.58 | 5.29 | 4.97 | 2.59 | 5.55 | 3.01 | 16.12 | |
| August | 10.31 | 5.55 | 9.10 | 3.37 | 3.47 | 6.71 | 4.38 | 10.95 | 6.41 | 6.75 | 28.49 | |
| September .. | 1.45 | 5.37 | 3.64 | 3.81 | 5.16 | 1.15 | 4.89 | 5.26 | 12.40 | 5.23 | 27.78 | |
| October ... | 5.02 | 6.54 | 6.41 | 3.43 | 2.85 | 2.04 | 11.48 | 10.94 | 7.61 | 3.65 | 33.68 | |
| November .. | 7.53 | 9.38 | 8.92 | 8.70 | 10.04 | 2.99 | 6.60 | 9.45 | 3.84 | 4.84 | 24.73 | |
| December... | 9.41 | 12.88 | 7.07 | 6.15 | 8.70 | 11.01 | 4.35 | 4.11 | 10.47 | 11.43 | 30.36 | |
| TOTALS ... | 77.26 | 70.73 | 77.40 | 63.54 | 67.51 | 56.92 | 66.45 | 64.46 | 71.34 | 62.68 | 264.93 | |

| Date. | Lat. N. | Long. | Railway Station. | Distance. | Direction. | Church. | Distance. | Direction. |
|-------|---------|-------|------------------|-----------|------------|---------|-----------|------------|
| | | | | | | | | |

RAINFALL at Slaidburn BurnandCounty of N. B. YorkshireObserver A. J. Gooseman Esq. C.E.River Basin Pittbl 2

(H.M. Webb Esq. C.E. 1920)

L.O. Rain Gauge, by

W. J. Long Blackburn

| | | | | | | | | | | | | |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|-------------------|
| Diameter ... | 8 | | | | | | | | | | | |
| Height | 1 0 | | | | | | | 1 6 | | | | |
| Altitude ... | 820 | | | | | | | | | | | |
| Year | 1920 | 1921 | 1922 | 1923 | 1924 | 1925 | 1926 | 1927 | 1928 | 1929 | 1930 MEAN | 1920-30 Totals |
| January ... | 6.99 | 12.03 | 5.60 | 12.73 | 5.38 | 5.54 | 8.83 | 7.67 | 18.80 | 2.53 | 9.06 | 95.16 |
| February ... | 5.24 | 1.20 | 9.50 | 8.09 | 1.71 | 8.56 | 9.26 | 4.55 | 8.51 | 1.36 | .33 | 58.37 |
| March | 7.36 | 7.41 | 4.54 | 2.20 | 2.81 | 3.42 | 3.91 | 5.93 | 5.69 | 2.07 | 5.26 | 50.60 |
| April..... | 8.29 | 3.00 | 3.32 | 4.99 | 2.90 | 3.83 | 3.60 | 6.00 | 2.97 | 2.42 | 2.15 | 43.58 |
| May | 7.91 | 3.72 | 2.54 | 6.15 | 7.51 | 5.63 | 4.21 | 2.48 | 1.09 | 3.49 | 2.18 | 46.91 |
| June | 3.16 | 1.19 | 5.40 | 2.71 | 4.13 | .81 | 5.70 | 5.19 | 10.65 | 2.97 | 2.39 | 44.30 |
| July | 8.49 | 2.46 | 7.94 | 8.68 | 6.16 | 4.07 | 5.10 | 6.31 | 6.97 | 6.31 | 5.29 | 67.78 |
| August | 4.04 | 8.24 | 7.99 | 9.30 | 9.30 | 5.34 | 5.64 | 9.33 | 9.76 | 9.57 | 10.26 | 88.77 |
| September... | 4.19 | 3.32 | 8.08 | 9.23 | 7.82 | 5.89 | 6.60 | 10.17 | 2.23 | 3.77 | 4.26 | 65.56 |
| October..... | 1.76 | 4.92 | 2.33 | 11.23 | 7.76 | 9.21 | 5.89 | 7.25 | 9.25 | 11.13 | 12.21 | 82.24 |
| November... | 4.11 | 3.74 | 5.51 | 10.84 | 6.04 | 3.47 | 10.76 | 7.39 | 11.36 | 12.40 | 8.64 | 84.26 |
| December... | 5.91 | 12.63 | 9.44 | 6.99 | 11.33 | 4.99 | 3.96 | 1.97 | 6.16 | 12.87 | 7.01 | 83.26 |
| TOTALS... | 67.45 | 63.92 | 72.19 | 93.14 | 72.85 | 60.46 | 72.76 | 74.24 | 92.54 | 70.90 | 70.04 | 810.79 |

X/28 Inspected by M. Colless see green file

Position of Station on reduced Ordnance Survey }
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

| Date. | Lat. N. | Long. | Railway Station. | Distance from gauge | Direction | Parish Church. | Distance from gauge | Direction |
|-------|---------|-------|------------------|---------------------|-----------|----------------|---------------------|-----------|
| 1920 | | | Slitheroe | 10 1/2 m. | S.E. | Slaidburn | 5 1/2 m. | E.S.E. |

RAINFALL at Slaidburn (Brennand)County of West RidingObserver H. M. Webb, Esq., C.E.River Basin Ribble - 2W. Pickett Esq. C.E.Type of Gauge M.O. SnowdonG. M. Kay Esq. C.E. from 1939Annual Average 18.30 in. based on 44 years obs. un-weighted. Period of average 1881-1915 1915-1926 5Ref. 6955166553/26

| | | | | | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------|
| Diameter | 8. | | | | | | | | | | |
| Height | 1.6. | | | | | | | | | | |
| Altitude | 820. | | | | | | | | | | |
| Year | 1931 | 1932 | 1933 | 1934 | 1935 | 1936 | 1937 | 1938 | 1939 | 1940 | 1931-40 Means |
| January | 11.69 | 9.32 | 5.72 | 7.35 | 4.61 | 6.20 | 6.10 | 10.15 | 6.95 | 3.89 | 72.58 |
| February | 9.41 | .22 | 6.97 | 4.6 | 11.28 | 3.10 | 9.20 | 3.68 | 6.52 | 2.65 | 53.49 |
| March | .91 | 4.43 | 3.24 | 3.94 | 2.12 | 4.36 | 2.67 | 3.64 | 4.16 | 6.47 | 35.94 |
| April | 5.26 | 5.50 | 3.23 | 3.41 | 4.28 | 1.44 | 5.00 | 2.11 | 3.89 | 4.54 | 38.66 |
| May | 3.43 | 5.86 | 2.12 | 5.83 | 1.72 | 1.53 | 2.63 | 4.83 | 1.06 | 1.67 | 30.66 |
| June | 9.12 | 2.08 | 3.45 | 3.20 | 6.17 | 5.26 | 4.76 | 7.47 | 4.62 | 0.67 | 46.80 |
| July | 7.48 | 7.46 | 6.03 | 3.88 | 4.36 | 7.31 | 2.96 | 6.54 | 8.47 | 7.66 | 62.15 |
| August | 7.55 | 2.47 | 4.27 | 8.21 | 3.49 | 4.58 | 2.42 | 5.41 | 2.55 | 5.27 | 46.22 |
| September | 3.72 | 10.59 | 1.77 | 6.08 | 12.15 | 7.65 | 3.59 | 3.62 | 3.03 | 9.31 | 61.51 |
| October | 4.40 | 10.29 | 6.94 | 13.54 | 15.08 | 8.27 | 2.61 | 17.27 | 3.67 | 6.45 | 88.52 |
| November | 12.35 | 5.09 | 3.10 | 2.83 | 6.66 | 8.87 | 1.82 | 8.30 | 9.46 | 7.88 | 66.36 |
| December | 5.92 | 4.75 | 1.07 | 9.77 | 5.45 | 9.93 | 3.94 | 7.92 | 3.82 | 9.80 | 62.37 |
| TOTALS | 81.24 | 68.06 | 47.91 | 68.50 | 77.37 | 64.10 | 47.70 | 80.94 | 68.20 | 66.26 | 665.28 |
| | D | D | D | D | D | D | D | D | D | D | |

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map.....

Reference No.....

| Date. | Lat. N. | Long. | Railway Station. | Distance from gauge | Direction from gauge | Parish Church. | Distance from gauge | Direction from gauge |
|-------|---------|-------|------------------|---------------------|----------------------|----------------|---------------------|----------------------|
| 1931 | | | Citheroe | 10 1/2 mls. | SE. | Slaidburn | 5 1/2 mls. | E. SE |

Station No. 3052

RAINFALL at Slaidburn (Brennand)

41

County of West Riding Observer G. H. E. Kay Esq. R.E.

River Basin Ribblesdale

Type of Gauge Snowdon

Annual Average 68.3 in. based on 35 years obs. un-weighted. Period of average 1881-1915 Ref. S

File No. 66.0.553.126

| | | | | | | | | | | | |
|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|----------------------------|
| Diameter | 8 | | | 573 | 696 | | | | | | 8" [*] 5" |
| Height | 1 6 | | | | 1 | | | | | | 1'6" 1'0" |
| Altitude | 820 | | | | 41 | | | | | | |
| Year | 1941 | 1942 | 1943 | 1944 | 1945 | 1946 | 1947 | 1948 | 1949 | 1950 | 1941-50 Means Totals |
| January | 1.67 | 7.84 | 9.33 | 10.93 | 4.50 | 6.66 | 5.96 | 12.93 | 5.31 | 7.41 | 72.54 |
| February | 7.06 | 3.03 | 3.72 | 3.76 | 7.85 | 6.94 | .97 | 4.28 | 5.55 | 7.39 | 50.54 |
| March | 4.17 | 3.86 | 1.91 | 1.33 | 3.93 | 1.55 | 7.19 | 4.36 | 3.57 | 4.08 | 36.01 |
| April | 2.84 | 2.92 | 4.05 | 4.09 | 2.86 | 1.88 | 5.35 | 2.87 | 7.57 | 4.33 | 38.76 |
| May | 4.74 | 5.91 | 4.32 | 4.09 | 3.01 | 1.89 | 3.10 | 2.48 | 2.82 | 2.78 | 35.64 |
| June | .75 | 1.05 | 5.29 | 4.95 | 5.30 | 3.90 | 4.06 | 8.90 | 1.66 | 6.66 | 42.52 |
| July | 2.19 | 7.60 | 5.16 | 4.47 | 3.85 | 6.80 | 5.69 | 4.23 | 4.33 | 7.62 | 51.94 |
| August | 9.27 | 7.95 | 10.28 | 3.26 | 3.57 | 10.89 | .08 | 6.74 | 4.48 | (10.46) | 66.98 |
| September | 2.98 | 6.26 | 6.34 | 3.53 | 5.72 | 9.38 | 5.87 | 7.30 | 3.70 | 10.89 | 68.03 |
| October | 7.63 | 12.17 | 5.05 | 8.30 | 7.78 | 1.17 | 1.01 | 6.36 | 8.47 | 4.88 | 67.39 |
| November | 3.75 | 2.27 | 4.26 | 8.22 | .90 | 10.99 | 8.72 | 4.37 | 8.70 | 7.50 | 59.68 |
| December | 6.56 | 5.30 | 4.95 | 5.31 | 4.25 | 7.04 | 5.48 | 5.75 | 9.77 | 3.66 | 58.67 |
| TOTALS | 53.60 D | 66.16 D | 64.66 D | 63.56 D | 53.52 D | 69.09 D | 53.48 D | 71.07 D | 65.93 D | 77.63 D | 644.70 D |

* 1950 a 6" gauge was installed on Aug 26th when 8" gauge was washed away in floods in relation to Aug part estimated by Engineer.

00204

567.07

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No.

| Date. | Lat. N. | Long. | Railway Station. | Distance from gauge | Direction from gauge | Parish Church. | Distance from gauge. | Direction from gauge. |
|-------|---------|-------|------------------|---------------------|----------------------|----------------|----------------------|-----------------------|
| 1941 | | | Slithouse | 10 1/2 m. | S.E. | Slaidburn | 5 1/2 m. | E.S.E. |

BRITISH RAINFALL ORGANIZATION

RAINFALL at ⁵ Slaidburn (Brennand) Station No. 3082 51
 County of West Riding - Yorks Observer G. Mc Kay Esq. C.F.
 River Basin Pitt-River Hydride Water Board (1/4/60)
 Type of Gauge Chorlton Octapent

Annual Average 68.30 in. based on 35 years obs. un-weighted. Period of average 1881-1915 Ref. S
68.16 - - - - - 1916-1950 1916-1950
 File No. 660553/26 P
2012/1/50

| Diameter ... | <u>8"</u> | <u>573</u> | <u>696</u> | | | | | | | | |
|---------------|-------------|-------------|------------|--------|-------|-------|-------|-------|-------|-------|-------|
| Height ... | <u>1'6"</u> | <u>1'3"</u> | <u>1</u> | | | | | | | | |
| Altitude ... | <u>820'</u> | | <u>51</u> | | | | | | | | |
| Year ... | 1951 | 1952 | 1953 | 1954 | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | Means |
| January ... | 7.52 | 8.46 | 4.18 | 6.44 | 4.86 | 5.23 | 5.96 | 5.68 | 3.44 | 5.35 | |
| February ... | 5.50 | 3.70 | 3.52 | 5.13 | 2.70 | 1.51 | 5.02 | 10.73 | 1.56 | 4.54 | |
| March ... | 7.17 | 4.44 | 1.54 | 4.40 | 2.31 | 1.71 | 4.20 | 2.13 | 2.81 | 1.71 | |
| April ... | 4.03 | 5.03 | 4.81 | 2.02 | 4.27 | 2.30 | .52 | 1.85 | 2.77 | 5.15 | |
| May ... | 3.18 | 4.01 | 3.67 | 4.41 | 7.17 | 3.63 | 2.95 | 5.89 | 2.41 | 2.19 | |
| June ... | 1.62 | 5.66 | 3.87 | 6.68 | 4.92 | 4.17 | 1.97 | 4.01 | 4.18 | 2.60 | |
| July ... | 6.47 | 5.31 | 10.10 | 13.07 | 1.70 | 5.52 | 7.14 | 3.98 | 4.82 | 17.37 | |
| August ... | 5.71 | 9.81 | 7.39 | 9.94 | 1.03 | 15.37 | 6.95 | 4.90 | .88 | 6.80 | |
| September ... | 5.44 | 8.49 | 8.94 | 10.94 | 5.54 | 5.27 | 12.20 | 5.41 | .56 | 5.28 | |
| October ... | 2.74 | 6.00 | 3.40 | 14.92 | 4.56 | 3.95 | 7.58 | 5.10 | 6.47 | 4.95 | |
| November ... | 11.73 | 3.29 | 8.37 | 10.95 | 3.46 | 2.69 | 2.84 | 2.18 | 6.22 | 12.50 | |
| December ... | 13.06 | 6.33 | 3.40 | 13.50 | 7.95 | 7.27 | 8.12 | 4.98 | 10.69 | 7.85 | |
| TOTALS ... | 79.17 | 70.53 | 63.19 | 102.40 | 50.47 | 58.62 | 65.45 | 56.84 | 46.75 | 76.29 | |
| | D | D | d | d | d | d | np | np | np | M | |

Ins. 4.10.53. G. sound. Four bar iron fence 3'6" high 4'4" south. S. about 10' from edge of culvert to west. Vertical drop of 8' in to culvert.
 1956 Rather low, but accept. 3.12.59. Letter from Eng. Fylde Water Board says ~~move~~
 1957 np. low. 8" g. to be replaced by Octapent site to be moved 20' and + w built.
 1958 - p low.
 Jan 1960. G. moved 20'. Octapent installed S.W. built.
 1959: - np low

Position of Station on Ordnance One-Inch map: No. of Map..... National Grid Reference SD632547

| Date. | Lat. N. | Long. | Railway Station. | Distance Direction from gauge | Parish Church. | Distance Direction from gauge. |
|-------|---------|-------|------------------|-------------------------------|----------------|--------------------------------|
| 1951 | | | Coltsworth | 10'6m SW | Slaidburn | 5'6m ESE |

Summary of Earlier Records from 10-year Sheets:

1916-1950, P - accepted

| Record D, or d | 1910-19 | 1920-30 | 1931-40 | 1941-50 | 1951-60 |
|----------------|---------|---------|---------|---------|---------|
| | ✓ | ✓ | ✓ | ✓ | |
| | | D25-30 | ✓ | Vald 45 | |