

RAINFALL AT *Beckenham Foxgrove*

Lat..... Lon..... County of..... *Kent*

Rain Gauge, by..... Observer *Percy Bicknell Esq*

S. Parent

Diameter5											
Height5											
Altitude	<i>141</i>	<i>141</i>										
YEAR	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.	
January.....	<i>1.66</i>	<i>2.53</i>	<i>4.61</i>	<i>3.04</i>	<i>1.30</i>	<i>3.32</i>	<i>.96</i>	<i>5.00</i>	<i>.95</i>	<i>2.34</i>	<i>2.571</i>	
February	<i>1.12</i>	<i>1.02</i>	<i>.88</i>	<i>1.82</i>	<i>1.61</i>	<i>.80</i>	<i>1.95</i>	<i>1.76</i>	<i>1.25</i>	<i>3.22</i>	<i>1.543</i>	
March	<i>2.04</i>	<i>1.34</i>	<i>2.02</i>	<i>1.46</i>	<i>.66</i>	<i>.58</i>	<i>2.76</i>	<i>2.30</i>	<i>.92</i>	<i>.53</i>	<i>1.461</i>	
April	<i>.37</i>	<i>3.06</i>	<i>1.32</i>	<i>.98</i>	<i>1.64</i>	<i>1.67</i>	<i>1.49</i>	<i>3.89</i>	<i>5.21</i>	<i>2.43</i>	<i>2.206</i>	
May	<i>.72</i>	<i>.82</i>	<i>3.58</i>	<i>1.46</i>	<i>.58</i>	<i>.94</i>	<i>1.03</i>	<i>2.11</i>	<i>3.30</i>	<i>3.49</i>	<i>1.803</i>	
June	<i>.30</i>	<i>3.04</i>	<i>1.63</i>	<i>2.53</i>	<i>2.38</i>	<i>2.17</i>	<i>1.14</i>	<i>.76</i>	<i>2.49</i>	<i>3.75</i>	<i>2.027</i>	
July	<i>1.91</i>	<i>3.01</i>	<i>1.93</i>	<i>2.15</i>	<i>1.20</i>	<i>4.63</i>	<i>.35</i>	<i>1.98</i>	<i>1.56</i>	<i>3.06</i>	<i>2.178</i>	
August	<i>1.63</i>	<i>.90</i>	<i>2.38</i>	<i>3.21</i>	<i>1.94</i>	<i>2.66</i>	<i>2.18</i>	<i>2.36</i>	<i>6.73</i>	<i>4.10</i>	<i>2.809</i>	
September.....	<i>1.97</i>	<i>5.19</i>	<i>1.41</i>	<i>2.14</i>	<i>2.49</i>	<i>2.60</i>	<i>2.25</i>	<i>1.01</i>	<i>.91</i>	<i>2.98</i>	<i>2.295</i>	
October.....	<i>3.54</i>	<i>.80</i>	<i>5.05</i>	<i>3.01</i>	<i>4.01</i>	<i>3.82</i>	<i>1.19</i>	<i>1.88</i>	<i>2.20</i>	<i>.54</i>	<i>2.604</i>	
November.....	<i>1.36</i>	<i>.51</i>	<i>3.23</i>	<i>2.66</i>	<i>2.49</i>	<i>2.93</i>	<i>2.57</i>	<i>4.52</i>	<i>4.05</i>	<i>1.16</i>	<i>2.548</i>	
December.....	<i>2.70</i>	<i>1.44</i>	<i>4.22</i>	<i>.37</i>	<i>1.58</i>	<i>1.34</i>	<i>6.20</i>	<i>1.67</i>	<i>1.42</i>	<i>.92</i>	<i>2.186</i>	
TOTALS	<i>19.40</i>	<i>23.66</i>	<i>32.26</i>	<i>24.83</i>	<i>21.88</i>	<i>27.46</i>	<i>24.07</i>	<i>29.24</i>	<i>30.99</i>	<i>28.52</i>	<i>26.231</i>	

C C C

RAINFALL AT Beckenham Foxgrove

Lat.....

Lon.....

County of.....

Kent

Rain Gauge, by..... Observer Percy Picknall Esq.

S-Daunt

Diameter	5	5										
Height	4	4										
Altitude	145	145										
YEAR	1870	1871	1872	1873	1874	1875	1876	1877	1878	1879	MEANS.	
January.....	1.60	2.43	4.53	2.97	1.25	3.22	.90	4.87	.90	2.31	2.498	
February	1.03	.96	.81	1.51	1.54	.74	1.85	1.73	1.23	2.97	1.437	
March	1.95	1.28	1.93	1.31	.56	.53	2.68	2.24	.91	.49	1.388	
April37	2.99	1.28	.87	1.61	1.63	1.37	3.78	5.10	2.36	2.136	
May71	.79	3.46	1.40	.56	.93	1.02	2.06	3.23	3.48	1.764	
June.....	.38	2.95	1.55	2.50	2.35	2.12	1.14	.73	2.35	3.64	1.971	
July	1.08	2.90	1.88	2.12	1.16	4.45	.35	1.91	1.42	2.96	2.103	
August.....	1.61	.91	2.32	3.16	1.90	2.50	2.16	2.30	6.59	4.02	2.747	
September.....	1.95	5.15	1.37	2.08	2.38	2.50	2.17	1.00	.86	2.90	2.236	
October.....	3.47	.78	4.95	2.96	3.99	3.72	1.16	1.85	2.13	.52	2.533	
November.....	1.32	.47	3.11	2.61	2.35	2.83	2.48	4.44	3.99	.98	2.458	
December.....	2.56	1.36	4.03	.34	1.52	.94	6.08	1.61	1.35	.84	2.063	
TOTALS	10.83	22.97	31.22	23.83	21.17	26.11	23.36	28.62	30.06	27.47	25.354	

RAINFALL AT *Fotgrove, Beckenham*

80

Lat. _____

Lon. _____

County of *Kent*

Rain Gauge, by _____

Observer *Percey Bucknell, Esq.*

5-Daent

Diameter	<i>5</i>										
Height	<i>0.5</i>										
Altitude	<i>142 ft</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>3.5</i>	<i>1.40</i>	<i>1.25</i>	<i>1.74</i>	<i>2.37</i>	<i>1.76</i>	<i>3.26</i>	<i>1.41</i>	<i>.98</i>	<i>.91</i>	<i>1.543</i>
February	<i>2.31</i>	<i>2.67</i>	<i>1.48</i>	<i>3.63</i>	<i>1.54</i>	<i>2.58</i>	<i>.53</i>	<i>.55</i>	<i>.97</i>	<i>2.53</i>	<i>1.879</i>
March	<i>.54</i>	<i>1.37</i>	<i>.82</i>	<i>.67</i>	<i>1.48</i>	<i>1.24</i>	<i>1.25</i>	<i>1.74</i>	<i>2.66</i>	<i>1.70</i>	<i>1.347</i>
April	<i>1.83</i>	<i>.52</i>	<i>2.90</i>	<i>1.50</i>	<i>1.32</i>	<i>2.19</i>	<i>1.37</i>	<i>1.59</i>	<i>1.75</i>	<i>2.13</i>	<i>1.710</i>
May	<i>.44</i>	<i>1.08</i>	<i>.95</i>	<i>1.82</i>	<i>.72</i>	<i>2.46</i>	<i>3.88</i>	<i>1.50</i>	<i>.69</i>	<i>2.61</i>	<i>1.615</i>
June	<i>2.50</i>	<i>1.94</i>	<i>2.29</i>	<i>1.04</i>	<i>2.05</i>	<i>1.13</i>	<i>.84</i>	<i>1.07</i>	<i>3.74</i>	<i>2.36</i>	<i>1.896</i>
July	<i>3.11</i>	<i>1.72</i>	<i>2.32</i>	<i>1.97</i>	<i>2.77</i>	<i>.29</i>	<i>2.41</i>	<i>.83</i>	<i>6.05</i>	<i>2.78</i>	<i>2.424</i>
August	<i>.47</i>	<i>3.67</i>	<i>1.07</i>	<i>.67</i>	<i>.81</i>	<i>1.81</i>	<i>1.05</i>	<i>2.45</i>	<i>2.52</i>	<i>2.08</i>	<i>1.660</i>
September	<i>3.87</i>	<i>2.09</i>	<i>2.51</i>	<i>3.15</i>	<i>2.19</i>	<i>3.71</i>	<i>1.58</i>	<i>2.56</i>	<i>.68</i>	<i>1.33</i>	<i>2.367</i>
October	<i>7.17</i>	<i>2.37</i>	<i>5.25</i>	<i>1.72</i>	<i>1.09</i>	<i>3.44</i>	<i>1.84</i>	<i>1.45</i>	<i>1.39</i>	<i>3.68</i>	<i>2.940</i>
November	<i>2.09</i>	<i>3.03</i>	<i>2.13</i>	<i>3.21</i>	<i>1.27</i>	<i>2.65</i>	<i>2.82</i>	<i>4.45</i>	<i>3.72</i>	<i>.67</i>	<i>2.604</i>
December	<i>3.00</i>	<i>2.65</i>	<i>1.90</i>	<i>.67</i>	<i>2.09</i>	<i>1.12</i>	<i>3.97</i>	<i>1.51</i>	<i>1.15</i>	<i>1.34</i>	<i>1.940</i>
TOTALS	<i>27.68</i>	<i>24.51</i>	<i>24.87</i>	<i>21.79</i>	<i>19.70</i>	<i>24.87</i>	<i>24.80</i>	<i>21.11</i>	<i>26.30</i>	<i>24.12</i>	<i>23.925</i>

1880. Beckenham Ch. $\frac{1}{2}$ mile S.W.

1880 Gauge moved a few yards to avoid growing shrubs.

Annual average rejected from London Survey as 1" too.

RAINFALL AT *Fotgrove, Beckenham*

80

Lat. _____

Lon. _____

County of *Kent*

Rain Gauge, by _____

Observer *Peray Becknell, Esq.*

5-Darent.

Diameter	<i>5"</i>										
Height	<i>4.0</i>										
Altitude	<i>145 N</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.30</i>	<i>1.32</i>	<i>1.20</i>	<i>1.65</i>	<i>2.28</i>	<i>1.64</i>	<i>3.13</i>	<i>1.38</i>	<i>.93</i>	<i>.87</i>	<i>1.470</i>
February	<i>2.19</i>	<i>2.53</i>	<i>1.42</i>	<i>3.48</i>	<i>1.46</i>	<i>2.48</i>	<i>.50</i>	<i>.53</i>	<i>.82</i>	<i>2.41</i>	<i>1.782</i>
March	<i>.52</i>	<i>1.29</i>	<i>.79</i>	<i>.62</i>	<i>1.41</i>	<i>1.26</i>	<i>1.19</i>	<i>1.62</i>	<i>2.53</i>	<i>1.64</i>	<i>1.287</i>
April	<i>1.78</i>	<i>.51</i>	<i>2.81</i>	<i>1.48</i>	<i>1.25</i>	<i>2.12</i>	<i>1.30</i>	<i>1.50</i>	<i>1.67</i>	<i>2.01</i>	<i>1.643</i>
May	<i>.44</i>	<i>1.03</i>	<i>.93</i>	<i>1.80</i>	<i>.68</i>	<i>2.36</i>	<i>3.84</i>	<i>1.41</i>	<i>.67</i>	<i>2.58</i>	<i>1.574</i>
June	<i>2.43</i>	<i>1.92</i>	<i>2.22</i>	<i>1.03</i>	<i>2.02</i>	<i>1.11</i>	<i>.82</i>	<i>1.05</i>	<i>3.89</i>	<i>2.26</i>	<i>1.855</i>
July	<i>3.05</i>	<i>1.66</i>	<i>2.28</i>	<i>1.94</i>	<i>2.69</i>	<i>.28</i>	<i>2.37</i>	<i>.81</i>	<i>6.00</i>	<i>2.71</i>	<i>2.379</i>
August	<i>.46</i>	<i>3.66</i>	<i>1.01</i>	<i>.67</i>	<i>.79</i>	<i>1.77</i>	<i>1.00</i>	<i>2.45</i>	<i>2.46</i>	<i>2.03</i>	<i>1.630</i>
September	<i>3.88</i>	<i>2.03</i>	<i>2.46</i>	<i>3.12</i>	<i>2.17</i>	<i>3.63</i>	<i>1.56</i>	<i>2.51</i>	<i>.66</i>	<i>1.27</i>	<i>2.326</i>
October	<i>7.03</i>	<i>2.34</i>	<i>5.09</i>	<i>1.68</i>	<i>1.08</i>	<i>3.36</i>	<i>1.78</i>	<i>1.40</i>	<i>1.36</i>	<i>3.62</i>	<i>2.871</i>
November	<i>2.01</i>	<i>2.92</i>	<i>2.03</i>	<i>3.08</i>	<i>1.23</i>	<i>2.56</i>	<i>2.77</i>	<i>4.30</i>	<i>3.65</i>	<i>.64</i>	<i>2.519</i>
December	<i>2.94</i>	<i>2.55</i>	<i>1.81</i>	<i>.62</i>	<i>2.02</i>	<i>1.07</i>	<i>3.64</i>	<i>1.46</i>	<i>1.07</i>	<i>1.25</i>	<i>1.843</i>
TOTALS	<i>27.00</i>	<i>23.76</i>	<i>27.05</i>	<i>21.17</i>	<i>19.05</i>	<i>23.64</i>	<i>23.90</i>	<i>20.42</i>	<i>25.51</i>	<i>23.29</i>	<i>23.179</i>

1880. Beckenham, Ch., $\frac{1}{2}$ mile SW.

1880 Gauge moved a few yards to avoid growing shrubs.

Annual average rejected from London Survey as 2" low.

RAINFALL AT Beckenham Foxgrove

Lat. _____

Lon. _____

County of Kent

Rain Gauge, by _____

Observer Percy Bicknell Esq.

5-Daunt.

Diameter	5											
Height	- 6											
Altitude	142 π											
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.	
January	2.30	1.51	.46	1.46	2.59							
February86	.01	1.34	2.99	1.65							
March	2.21	1.85	1.19	.40	.82							
April	1.78	.54	1.20	.08	1.63							
May	1.30	2.18	1.34	.36	1.33							
June	2.71	.94	2.42	.98	2.23							
July	3.72	3.55	1.65	1.73	3.22							
August	2.23	3.48	3.24	.42	#							
September....	.52	.62	1.78	.98								
October.....	1.05	4.78	3.57	3.83								
November....	1.70	2.00	2.03	2.16								
December68	2.82	1.15	2.28								
TOTALS ...	21.06	24.28	21.37	17.67								

Annual average rejected from London Survey as 1" low.

RAINFALL AT Beckenham Foxgrove

Lat. _____

Lon. _____

County of Kent

Rain Gauge, by _____

Observer Percy Bicknell Esq

5-Daunt

Diameter	5											
Height	4.0											
Altitude	145 ∇											
Year	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	MEANS.	
January	2.15	1.42	.41	1.33								
February82	.00	1.26	2.77								
March	2.12	1.68	1.08	.34								
April	1.70	.52	1.15	.05								
May	1.27	2.10	1.28	.31								
June	2.62	.93	2.39	.90								
July	3.65	3.49	1.63	1.62								
August	2.18	3.34	3.20	.38								
September....	.50	.55	1.74	.94								
October	1.01	4.64	3.47	3.70								
November....	1.61	1.92	1.99	2.09								
December64	2.68	1.12	2.16								
TOTALS . . .	20.27	23.27	20.72	16.59								

Annual average rejected from London Survey as 20" low.

