

RAINFALL at Thirlhead WaterworksCounty of SurreyObserver Wey Valley Water Co.River Basin Thames - Wey 6Type of Gauge B. A.

Annual Average in. based on years obs. un-weighted. Period of average Ref.

Diameter											
Height											
Altitude											
Year	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	Means
January		1.73	3.49	5.67	5.52	5.07	2.07	1.52	4.29	6.85	
February		2.20	2.30	1.53	8.05	5.45	6.82	1.46	2.13	5.80	
March		2.78	4.63	4.22	6.04	1.72	5.29	3.58	1.38	8.75	
April		2.07	NIL	4.08	2.60	2.28	1.80	3.64	5.05	4.50	
May		2.42	1.80	4.00	1.05	4.50	2.46	1.10	1.88	NIL	
June		2.25	4.26	1.33	.63	2.20	3.64	1.70	.90	1.30	
July		.70	3.07	3.00	2.40	6.00	1.31	9.40	6.77	2.28	
August		1.27	7.50	1.10	2.15	2.28	6.17	8.99	1.90	2.96	
September		1.24	4.07	4.22	1.60	2.28	5.00	3.34	8.30	1.78	
October		5.30	5.94	6.00	2.18	4.48	9.43	7.10	5.00	1.14	
November		5.78	2.20	3.51	3.57	3.94	8.00	1.92	3.91	2.28	
December		10.97	5.00	1.68	11.20	7.98	4.22	2.15	5.75	8.27	
TOTALS		38.71	44.26	40.34	41.89	48.18	56.21	45.90	47.26	45.91	

Both years 1911-21, 24-34. 1911-14 are reasonable, 1915-26 high, ^{engineer} agrees that site was unsatisfactory. 1927-34 are reasonable (except 1933 & 34 which are high) ^{engineer} does not consider site satisfactory on top of reservoir. ^{engineer} 1915-1926 site near house 25 ft high + 3 ft above ground.

1915-1926 site near house 25 ft high + 3 ft above ground.

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance	Direction	Parish Church.	Distance	Direction
				from gauge			from gauge.	

RAINFALL at Hindhead WaterworksCounty of SurryObserver Key Valley Water Co.River Basin Thames KeyType of Gauge B.A.

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

Diameter												
Height												
Altitude												
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941	Means
January	6.56	5.34			5.09	5.49	8.32	3.79	6.12	1.93	6.01	
February	1.05	.15			.42	8.48	2.32	5.46	2.63	.87	1.45	
March	4.20	1.41			.77	.43	.53	5.30	3.70	.11	1.27	
April	5.85	1.41			5.24	3.92	3.23	2.56	1.90	.73	3.01	
May	1.77	3.41			6.49	6.12	2.85	.88	2.41	3.19	2.61	
June	2.90	NIL			1.72	NIL	3.30	3.67	2.99	1.79	.48	
July	9.79	.47			6.25	3.60	2.01	4.95	2.11	1.92	3.33	
August	3.43	1.86			7.30	6.23	1.90	5.02	2.16	2.72	3.99	
September	5.50	1.15			5.18	3.67	1.06	7.57	1.53	.31	3.36	
October	2.50				7.83	5.27	3.19	3.05	8.29	4.83	1.62	
November	4.57				4.49	1.88	7.68	4.70	3.62	9.03	6.04	
December	5.16			4.43	6.87	3.26	.41	5.03	3.60	8.63	3.48	
TOTALS	53.31				57.65	48.35	36.80	51.98	41.06	36.06	36.65	

Each year 1911-21 + 24-34, 1911-14 are reasonable 1915-26 high, engineer agrees that site was unsatisfactory. 1927-34 are reasonable (except 1933, '34 which are high) but. Engineer does not consider site on top of reservoir satisfactory.

H. Russell 4-4-44

1915-1926 site now house 25 ft high + 3 ft above ground. Site & obs. changed 1926

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge

RAINFALL at Hindhead WaterworksCounty of Sumner Observer Wey Valley Water Co.River Basin Thames - WeyType of Gauge B.A.Annual Average in based on 34.5 years obs. un-weighted. Period of average Ref. 1904-37/40
" 34.5 is computed by Mr. Gerrish (1940)

Diameter					5"							
Height					2' 7" 0 9 1.0							
Altitude					840 849							
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Meads	
January					85	6.59	7.37	4.53	5.88	3.27		
February					4.92	2.91	8.03	4.1	1.93	3.04		
March					4.9	2.20	3.88	3.2	1.53	3.32		
April					4.13	2.09	3.49	0.5	2.73	2.08		
May					1.73	.69	3.05	1.99	2.43	.94		
June					4.03	3.91	1.91	.66	1.82	.72		
July					.90	4.37	1.00	3.34	4.60	3.58		
August					3.33	1.08	.76	1.29	1.78	.23		
September					5.20	3.10	2.40	2.01	.76	1.85		
October					5.02	1.95	3.82	3.77	7.02	4.88		
November					7.91	4.39	3.27	5.89	5.99	8.72		
December					4.59	3.70	5.27	(4.51)	2.00	1.69		
TOTALS					42.10 38.2	36.98 d	41.35 D	28.77 D	38.47 D	31.32 D		

1938. Dec. partly void. for Snow.

Oct 1935. Obsv stake now in entry of 0.67" .27 in now 1.27 in. This is in better ground with falls in district
5.444 HRPosition of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1935 from map 38.			Hablemere	3 1/2 ml 2 ml S	S SSE	Hindhead	2 1/2 ml 3 ml	N. N.W.

Station No. 1.69/5

RAINFALL at Hindhead Waterworks

41

County of Surrey

Observer Wey Valley Water Co.

River Basin Thames Wey

Type of Gauge B.A.

Annual Average in. based on years obs. un-weighted. Period of average

Ref.

34.5 - compiled by Mr. Bannish (1940)

File No. 502743/36

Ref. A.200487/40

Diameter	5"				28 1	629						
Height	1' 0"					1						
Altitude	849'		834'	839		41						
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	
January	3.03	3.30	7.44	2.65	2.36	3.43	3.33	6.69	1.11	1.02		
February	2.98	.62	1.73	.85	2.62	2.95	2.54	2.82	1.63	6.20		
March	3.13	2.52	.67	.23	1.26	1.46	6.77	1.26	1.51	2.10		
April	1.34	2.29	1.51	1.52	1.35	2.96	3.15	2.06	2.36	2.68		
May	2.27	3.57	3.66	.77	1.93	3.24	1.82	3.12	2.92	1.75		
June	2.62	.29	1.85	2.60	2.41	3.84	2.48	3.01	.53	1.50		
July	2.40	2.10	2.55	2.18	7.48	2.43	1.39	1.12	1.36	4.78		
August	5.20	1.24	2.00	2.04	1.54	6.06	.67	4.92	1.23	6.39		
September	.07	2.43	2.09	3.06	3.10	5.33	1.87	2.62	1.75	4.40		
October	1.11	3.72	3.94	5.25	4.29	1.75	.89	2.47	9.09	.68		
November	2.85	1.77	2.14	6.21	.35	7.52	1.90	2.08	3.73	7.11		
December	2.22	4.66	2.43	3.74	5.38	3.98	3.25	5.63	2.28	2.26		
TOTALS	29.22	31.51	32.01	31.10	34.07	44.95	30.06	37.80	29.50	40.87		

(7/4) Engineer not satisfied with position of gauge on top of reservoir - considered to be unsuitable. Gauge moved from site on top of reservoir to normal ground level, free from any building, bushes, or trees.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Haslemere	3 1/2 miles	S	Hindhead	3/4 mile	N.

Station No. 169/5

51

Observer Way Valley Water Co.

XX

[illegible]

" " 34.5" computed by Mr. Cornish (1940) Ref. H200487/20

" " 36.46 " based on 13 years obs. 1944-56. Period of av. 1916-1950. File No. 802743/36 Ref. S

1955 Nov. amended M.O. 3b

1959 n.p. leaking.

1960 a.p. mē.

1960 new go

(from July)

1960 new gauge from 16th Dec. 1959 amounts estimated because of leaking gauge.

National Grid Reference *SO418935*

Summary of Earlier Records from 10-year Sheets :

(62) Wt. 13072—389 1cm 6/50 T.S. 841