

RAINFALL at LOCH AN T-SEILICH

County of *INVERNESS*Observer *Mess^{rs} Balfour Beatty & Co. Ltd.*River Basin *82 - Spey - Rt. Bank*Type of Gauge *M.O.*

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

Diameter								5"			
Height								1'			
Altitude								1424'			
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January								9.26	4.63	.89	
February								3.81	5.09	1.20	
March								2.92	5.04	3.42	
April								.65	1.94	2.57	
May								3.49	1.70	1.54	
June								5.75	2.91	1.09	
July								4.00	5.13	6.84	
August								2.49	2.44	1.72	
September								4.48	2.69	2.09	
October								9.79	3.11	6.03	
November								8.78	7.45	7.69	
December								4.98	3.18	6.23	
TOTALS								60.40	45.31	40.31	
								d	D	D	

1938. Fence protecting gauge 3ft - 6ft away.

Plotted on $\frac{1}{2}$ in series from 1 in map. 49Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1938.			Kingussie	9m	N.	Kingussie	9m	N.

Station No. 5692/2

RAINFALL at Loch an t-Seilich

41

County of Inverness

Observer Messrs Balfour Beatty & Co Ltd

River Basin 2- Shey - Rt Bank

Graham's Electric Supply Co.

Type of Gauge M.O.

N. of S. Hydro Electric Board.

Annual Average 46.6 in. based on 5 years obs. un-weighted. Period of average 1881-1915 Ref. S

File No.

Diameter	5"			815	521						
Height	1'0"				1						
Altitude	1424'	1424'			41	1430'	1430.5'				
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	(1.04)	(4.70)	7.00	6.70	(4.40)	5.27	5.05	5.97	4.17	4.00	
February	3.64	0.96	5.27	3.12	5.32	4.41	1.22	5.15	4.54	4.21	
March	1.62	1.27	3.26	3.22	2.47	1.21	3.01	5.03	2.16	2.86	
April	1.61	2.65	14.45	2.71	1.20	1.57	9.24	2.84	3.27	4.36	
May	8.70	3.69	3.31	2.64	4.85	1.18	3.65	3.08	2.45	1.42	
June	0.51	1.56	4.67	3.61	2.89	4.15	3.50	5.25	1.82	2.45	
July	3.09	3.53	2.38	1.86	2.06	5.28	3.60	3.54	.83	4.49	
August	5.38	4.44	4.05	2.88	1.76	3.22	2.00	7.17	4.06	5.28	
September	1.72	4.89	3.74	3.51	5.59	4.22	5.03	4.14	.98	8.31	
October	4.24	5.97	8.47	4.99	3.80	.27	1.68	3.64	3.78	4.09	
November	7.77	2.01	3.64	5.13	.57	5.31	6.67	4.46	4.01	4.35	
December	5.80	8.22	2.14	8.04	6.96	3.77	1.87	8.36	6.52	3.74	
TOTALS	40.12	43.89	52.38	48.01	41.87	39.86	44.52	58.63	38.57	52.56	

41 Jan. estd. for snow 1941 fence protecting gauge 3' high 6' away.

Gauge moved 500 yds N. 15 Oct/1941.

1944 G. moved in Feb. 200 ft N. 5 hrs foggy mth.

1945 Jan. part estd. for snow.

1946. Fence protecting gauge 3' high 6' away.

1949 imp. 1000.

40004

40004 40004

may be low

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Kingussie	9 m	N.	Kingussie	9 m	N.

BRITISH RAINFALL ORGANIZATION

Station No. 5692/2

RAINFALL at

Loch Seliach (Dromie Dam) 1954 Clyde Water

51

County of Inverness

Observer

N & S. Hydro Electric Board

River Basin 2 Grey - Right Bank

Type of Gauge M.O.

Annual Average 45.6 in. based on 5 years obs. un-weighted. Period of average 1881-1915 Ref. 5
51.3

File No.

Diameter ...	5"				8 1/2	5 1/2						
Height ...	1' 0"					1						
Altitude ...	1430'				M	51						
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means	
January ...	2.98	3.17	5.51	4.53	3.13	3.79	7.67	4.86	3.05	5.04		
February ...	2.50	3.46	2.23	2.99	5.10	3.72	6.23	3.62	1.75	6.16		
March ...	1.83	2.69	1.98	3.89	4.31	4.49	5.16	4.37	3.59	1.54		
April ...	4.34	2.81	3.56	2.17	1.15	2.60	1.19	1.66	3.83	4.68		
May ...	1.77	2.80	4.03	4.91	3.61	4.18	1.54	3.65	2.10	1.97		
June ...	2.46	2.72	4.89	2.27	1.39	4.15	1.99	2.23	2.53	2.25		
July ...	2.38	2.10	4.22	2.66	0.32	7.37	4.92	5.04	4.74	3.35		
August ...	6.39	2.79	3.93	2.63	1.20	5.06	5.42	5.60	2.20	9.89		
September ...	2.65	3.18	4.70	6.10	4.63	5.77	2.71	4.61	8.84	4.57		
October ...	1.05	7.03	2.68	7.90	6.11	5.57	2.01	4.36	5.85	2.72		
November ...	7.26	3.92	7.14	10.85	2.36	4.46	3.64	1.46	6.51	4.44		
December ...	5.88	4.15	6.80	9.24	9.83	11.46	6.98	3.47	7.70	4.82		
TOTALS ...	41.49	40.82	51.67	60.14	42.14	62.62	47.46	44.93	44.89	51.43		
	D	D	D	D	D	D	D	D	D	D		

1953. Appears high but due to several heavy falls so accept.
 1955. Inspected by Mr. Thomson 19.4.55. Gauge sound. Site W. of Tromie Dam on gentle slope to E. and S. No better site available. Top wall recommended.
 In June 1959 Mr. A.H. S.B. Site very dry especially towards S. A good T.W. has been built into hill side. G. has apparently been at 763883 since 1941.

763883

Position of Station on Ordnance One-Inch map :

No. of Map.....

National Grid Reference 87/76880

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
			C 1938 ✓ built 1938	1.04.49 ✓ built 1941-42	