

RAINFALL at LOCH CUAICHCounty of INVERNESSObserver Mess^{rs} Balfour Beatty & Co. Ltd.River Basin 2 - Spey - Rt. Bank.Type of Gauge Max. Cassin

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

Diameter								5"			
Height								1'2"			
Altitude								1340'			
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January								5.22	3.80	.50	
February								2.16	3.56	1.50	
March								2.80	3.44	3.42	
April								.46	1.56	2.12	
May								3.66	.84	1.40	
June								4.69	1.56	.89	
July								3.88	5.31	4.80	
August								1.71	1.41	2.95	
September								3.99	2.13	2.12	
October								6.62	3.66	4.15	
November								7.81	5.90	6.25	
December								7.77	2.62	3.22	
TOTALS								50.77	35.69	33.32	
								d	d	d	

1938. Fence protecting gauge 3ft - 6ft away.

1940. July. Aug. part estd.

Plotted on $\frac{1}{2}$ in series from tin map 48.Position of Station on reduced Ordnance Survey Map, }
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1938.			Balwhinnie	5m	S.W.	Balwhinnie	5m	S.W.

Station No. 5692/3

RAINFALL at Shoch Cuach

41

County of InvernessObserver Messrs Balfour Beatty & Co Ltd.River Basin 2- Shoch - Rt BankGranville Electric Supply CoType of Gauge M.O.N. of S. Hydro Electric Board

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

File No.

Diameter	5"			8 1/4	3 6/8						
Height	1' 2"				1		1'				
Altitude	1340'				41						
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	112 42	3.00	5.59	4.46	3.70	5.90	5.50	5.95	5.40	4.90	
February	(350) (110)	(1.00)	3.68	2.12	5.70	4.25	7.70	5.60	4.15	5.15	
March	159	2.12	3.29	2.59	1.46	1.43	7.65	3.36	3.00	3.83	
April	2.93	3.25	3.11	2.86	4.07	1.45	5.00	3.20	(2.85)	1.90	
May	0.50	1.40	(4.28)	3.86	3.00	2.90	3.95	5.00	(2.05)	1.85	
June	2.95	4.02	1.61	2.36	1.90	5.64	3.44	1.85	1.85	4.35	
July	5.00	3.20	4.22	2.78	1.59	2.30	0.00	6.19	3.99	3.95	
August	1.45	4.10	2.77	3.90	4.47	4.40	4.30	3.40	1.10	7.17	
September	4.20	4.33	6.40	3.75	3.67	.25	1.30	4.42	3.60	3.25	
October	6.35	1.59	3.09	5.70	.63	6.66	7.75	2.49	3.50	3.15	
November	4.35	5.90	2.00	6.50	7.45	5.10	1.70	7.95	(11.00)	2.60	
December											
TOTALS	35.04	35.21	42.61	42.91	40.74	41.43	44.12	53.91	44.79	44.40	

Feb and Mar. app. and 11.25.74. fence protecting gauge 3' high 6' away.

1943 June est'd. Gauge tampered with

1944 G. moved in Feb. 1948 S.W. & T.W. well erected.

1949. App. for May & June. Dec. in H.O. Ed.

1950 Nov./Dec. atch.

Aw. computed for Survey 11/43. on years 1938-42, too low.

03014

30004 20004 01004

5 Turf wall round gauge.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Dalwhinnie	5 m	S.W.	Laggan	5 m	N.W.

BRITISH RAINFALL ORGANIZATION

Station No. 5692/3RAINFALL at Loch Guaisich

51

County of InvernessObserver N.G.S. Hydro Electric BoardRiver Basin 2 Inay - Right BankType of Gauge M.O.Annual Average 17.2 in. based on years obs. un-weighted. Period of average Ref. File No.

Diameter ...	5"				8 1/4	3 6/8					
Height ...	1' 0"					1					
Altitude ...	1340'					5'					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	1.85	3.50	(5.85)	3.35	2.59	4.30	7.05	7.32	3.00	5.50	
February ...	1.98	2.64	1.50	2.40	2.60	3.70	6.10	3.73	1.27	7.48	
March ...	1.76	2.63	1.20	2.83	.80	4.20	3.75	3.44	3.84	1.26	
April ...	4.00	2.36	2.90	1.65	.70	1.83	1.06	1.60	3.99	4.68	
May ...	1.48	2.20	3.50	3.25	3.05	2.38	1.35	3.34	1.95	.75	
June ...	1.80	2.25	2.50	1.70	.95	3.63	1.85	2.13	2.21	2.23	
July ...	2.80	1.59	4.15	2.38	.50	4.28	4.35	5.20	3.46	2.53	
August ...	5.80	2.97	3.10	2.30	.95	5.25	5.22	3.55	2.29	6.87	
September ...	2.15	2.73	2.60	4.60	2.65	5.90	2.34	4.22	0.71	3.41	
October ...	0.75	5.20	3.35	6.30	3.65	4.00	2.86	3.34	5.34	2.45	
November ...	6.68	2.50	4.25	(10.00)	2.15	4.35	2.13	.82	5.71	4.52	
December ...	4.45	3.76	5.35	6.10	7.70	8.60	4.85	4.09	6.85	4.89	
TOTALS ...	35.50	34.33	40.25	46.86	28.19	52.42	42.91	42.78	40.64	46.57	
	M	M		M	N.P.	M	M	M	M	M	

1953 Jan part ext. 1953b.

1955 inspected by Mr. Thomson 19.4.55. Gauge sound. At head of Loch Guaisich on almost level ground with a turf wall 4" below rim of gauge. To be moved 150' S.W. in a natural hollow because gauge liable to flooding.

1955 N.P. Low.

A0004 00024

2 Turf wall on 1/2 gauge

701956

Position of Station on Ordnance One-Inch map :

No. of Map National Grid Reference RT/701956

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
			C 1938	✓	
			d'28-40	M 43-50	