

RAINFALL at Rannoch (Power House)County of PerthObserver Balfour, Beatty & Co.River Basin 14 - Tay - Tummel.Type of Gauge StandardAnnual Average 42.434 in. based on 2 years obs. un-weighted. Period of average 1921-1915 Ref. P.B. 375

Diameter	5"										
Height	1' 0"										
Altitude	675'										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	4.60	10.65	6.76	8.48	3.09	2.77	10.39	9.79	3.97	.87	
February	3.80	.00	4.30	1.31	7.02	2.13	4.13	4.25	6.32	2.43	
March	1.00	2.19	2.40	3.80	2.90	2.14	1.24	5.44	3.82	3.65	
April	2.56	4.04	2.05	3.34	2.14	1.84	1.24	.61	2.80	3.89	
May	3.45	2.58	1.63	2.87	.75	1.32	3.29	2.19	.75	1.95	
June	3.51	.69	1.96	1.19	3.80	1.41	2.19	5.11	1.33	.87	
July	3.89	4.33	2.76	2.58	.90	4.25	3.22	3.89	4.77	5.04	
August	1.84	2.37	2.53	3.62	2.94	2.88	3.00	2.92	2.00	1.65	
September	1.27	3.95	1.25	5.28	6.81	2.84	3.21	4.10	2.33	2.21	
October	3.72	6.49	4.55	7.45	9.27	6.81	2.33	9.53	3.29	5.30	
November	6.63	5.60	2.03	.43	5.03	3.43	.64	11.49	9.14	5.81	
December	5.56	7.46	.65	7.15	1.90	8.63	1.55	5.38	2.05	5.60	
TOTALS	<u>41.86</u>	<u>50.35</u>	<u>32.87</u>	<u>47.50</u>	<u>46.55</u>	<u>40.45</u>	<u>36.43</u>	<u>64.70</u>	<u>42.57</u>	<u>39.27</u>	

1936 Power Station 30' high, 60 yds N.

Position of Station on reduced Ordnance Survey Map, }
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1937.			Rannoch	6 1/2 m	N.	Bridge of Gair	1 1/2 m	S.W.

Station No.

5560/5

RAINFALL at Loch Rannoch (Power House)

41

County of

Perth

Observer

Balfour Beatty & Co.

River Basin

14 - Tay TunnelGranbrian / Electric Supply Co.

Type of Gauge

ShannonN. of S. Highland Electric Bd.S (1943)Annual Average 43.4 in. based on 21 years obs. unweighted. Period of average 1881 - 1915 Ref. P.B. 375.

File No.

Diameter	5"				866	079					
Height	1' 0"										
Altitude	675'					4					
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	0.95	3.80	5.51	6.21	3.74	6.59	5.98	7.10	5.93	4.05	
February	3.91	1.53	6.10	2.28	7.73	4.64	1.74	5.96	5.90	6.66	
March	1.41	2.40	3.88	1.27	4.53	2.37	2.44	5.80	2.39	2.31	
April	1.34	2.00	4.03	2.95	1.66	1.58	8.63	3.71	4.05	4.04	
May	1.60	3.66	2.54	3.21	4.39	1.24	3.76	2.22	2.37	1.64	
June	0.49	1.65	4.22	4.45	3.48	3.23	3.03	3.36	1.32	2.51	
July	2.59	3.17	2.42	2.05	2.62	4.17	4.21	2.97	1.83	5.24	
August	4.41	3.15	4.44	3.86	2.05	3.55	0.03	5.90	4.70	5.63	
September	1.55	5.56	3.84	3.28	5.31	5.57	5.22	5.64	1.44	4.85	
October	6.02	6.15	9.25	4.26	3.53	.51	3.26	5.06	4.70	5.23	
November	6.28	1.59	3.08	6.31	.42	4.32	8.30	3.48	4.31	4.08	
December	5.02	6.67	2.81	5.99	5.67	5.03	2.57	8.07	11.16	2.29	
TOTALS	35.57	41.33	52.12	46.12	45.13	42.80	49.16	58.97	50.10	51.53	

1941. Power house 30' high 60 yds N.

Gauge open. No fence in grounds.

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Rannoch	6 3/4 m.	W.	Bridge of Gaur	1 3/4 m.	S.W.

BRITISH RAINFALL ORGANIZATION

RAINFALL at Loch Rannoch (Power House) Station No. 5562/5
 County of Perth Observer North of Scotland Hydro. E. McC. B. D.
 River Basin Fay-Tummel-Lt
 Type of Gauge Snowdon

51

Annual Average 43.4 in. based on 11 years obs. un-weighted. Period of average 1881-1915 Ref. S

45.2

File No.

Diameter ...	5"				866	079					
Height ...	1'0"					1					
Altitude ...	675'					51					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	4.01	3.02	2.71	4.23	2.04	3.28	6.48	3.61	1.79	3.00	
February ...	3.13	1.73	2.43	2.60	2.84	2.25	3.96	2.05	1.55	3.07	
March ...	2.24	2.49	1.80	2.94	.73	3.50	3.92	.85	2.29	1.59	
April ...	3.73	2.17	2.98	1.39	1.44	1.86	1.50	1.84	3.64	5.01	
May ...	0.80	2.51	2.44	4.14	2.26	2.61	1.11	4.14	1.36	2.61	
June ...	1.43	2.89	2.24	1.83	1.25	2.53	2.17	2.52	2.78	1.85	
July ...	2.28	2.52	5.20	1.67	.68	4.97	3.90	3.37	3.86	1.96	
August ...	3.37	3.98	3.06	3.30	1.20	4.38	4.00	5.59	2.34	3.30	
September ...	2.61	3.10	4.48	4.90	3.73	4.73	1.78	4.35	1.21	3.11	
October ...	1.61	5.15	2.89	8.23	3.61	3.77	5.05	4.72	6.03	3.60	
November ...	6.61	2.58	6.59	7.26	1.80	3.35	.74	.89	4.94	4.34	
December ...	6.48	4.72	6.54	9.14	8.10	6.80	6.49	5.89	5.87	5.98	
TOTALS ...	38.30 mp	36.86 D	43.96 D	51.65 D	29.58 D	44.02 D	41.09 mp	39.82 D	37.66 D	39.42 D	

1951 mp
 as 24.57. G. rather battered. Concrete pillar 6' high 12' SE. Ground slopes down to S
 airfield is level. Exp generally safe
 in Oct. 1955 H.C.B. Exp safe in middle of level field. Only to W is
 there possibility of o/c - here exp. high bank lies between g. and
 tail race. No reason why g. should be low.

John

Position of Station on Ordnance One-Inch map : No. of Map National Grid Reference 27/531582

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
			C imp. 1931	✓	