

RAINFALL

Station North Hill, Bastreet No. _____
 County Cornwall (Old No. 1945/7)
 Authority S.E. Cornwall Water Board Grid Ref. _____
 Altitude 233m 765 ft.
 River Basin Tamar & C.S.
 File E 1709/44 TF _____ / MWR / m / a Tributary _____

YEAR	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January ...					3.80	7.22	5.62	12.69	2.37	2.61	
February ...					6.60	6.31	1.39	2.83	2.38	10.88	
March ...					2.21	3.44	11.00	2.92	2.44	2.87	
April ...					1.86	2.75	2.75	2.81	2.65	3.81	
May ...					4.58	6.29	3.82	3.23	3.64	2.10	
June ...					5.75	3.92	4.21	3.27	1.93	2.30	
July ...					4.68	2.80	3.44	3.04	2.71	4.81	
August ...				3.86	2.86	8.03	1.81	3.51	2.70	9.56	
September ...				5.93	3.05	8.25	2.27	3.30	6.09	8.08	
October ...				6.45	7.01	4.67	3.09	6.84	10.63	2.68	
November ...				12.00	1.43	9.43	5.32	4.15	6.75	11.50	
December ...				5.99	8.10	7.46	6.07	9.61	4.65	7.06	
TOTAL ...				111.1	51.83	70.57	51.79	58.20	47.94	69.26	
Percentage				NP	D	D	D	D	D	D	

AVERAGE ANNUAL RAINFALL

Actual

Estimated from data for:-

1881-1915 _____ in. _____
 1916-1950 _____ in. _____
 _____ in. _____

Type and capacity of gauge _____ M.O. _____

*NOTES on unorthodox equipment or exposure, inspections, changes of equipment, site or altitude:-

1944 Filter House 10 ft high, 60 ft S.E. Stone 6 ft high, 28 ft W.

[Gauge reported to be on roof of a 9 ft hlg]

** Various known "Lanncoston (Bastreet, North Hill)", "Lanncoston (Bastreet)", etc. but name clarified in retrospect 7/1975.

Earliest year with complete data (D : W : M) _____ 8/1944

*NOTES on years with incomplete or unsatisfactory data:-

METEOROLOGICAL OFFICE.
RAINFALL

** Station North Hill, Bastreet No. 374323
County Cornwall (Old No. 1945/7)
Authority X.E. Cornwall Water Board † Grid Ref. SX (20) 244 765
Altitude 233m = 765 ft.
River Basin Tamar + C.3
File E 1709/74 M.16621/60 TF 1 MWR 1 m 1 a Tributary

YEAR	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	6.88	7.75	1.37	3.50	7.20	6.74	5.21	8.09	9.76	5.39	
February ...	6.24	1.80	2.49	6.22	4.84	.62	7.41	6.83	.57	6.09	
March ...	6.71	5.07	1.43	4.85	1.68	3.89	6.37	2.64	7.25	4.51	
April ...	3.93	4.20	3.74	1.48	1.97	1.37	.43	1.90	5.10	5.37	
May ...	4.33	3.47	4.81	5.78	4.66	1.43	2.86	5.86	2.20	2.94	
June ...	1.18	1.99	3.11	5.64	3.38	2.99	3.41	6.58	2.18	2.31	
July ...	2.17	1.60	5.26	5.53	.85	5.70	4.65	3.57	3.14	6.55	
August ...	6.08	7.94	2.90	5.26	.68	5.69	4.78	9.53	2.45	4.10	
September ...	5.02	5.62	4.86	7.07	3.61	7.49	6.31	7.17	.53	6.71	
October ...	2.94	7.81	4.15	5.91	3.72	3.58	5.28	5.37	8.72	12.98	
November ...	9.58	4.69	4.24	10.02	6.09	2.77	3.04	5.21	11.83	9.61	
December ...	6.34	5.69	1.87	6.10	10.30	9.49	5.07	8.65	14.37	8.05	
TOTAL ...	61.46	57.53	40.23	67.36	47.98	51.76	54.82	71.40	68.10	74.61	
Percentage ...	D	D	D	D	D	D	D	D	D	D	

AVERAGE ANNUAL RAINFALL

Actual Estimated from data for:-

1881-1915 in. _____
1916-1950 in. _____
in. _____

Type and capacity of gauge 5" M.O.

*NOTES on unorthodox equipment or exposure, inspections, changes of equipment, site or altitude:-

† NGR initially logged as SX 248 768, but this was found to be incorrect at inspection in 1961.

[Gauge reported to be on roof of a 9ft building]

** Various known "Launceston (Bastreet, North Hill)", "Launceston (Bastreet) &c." Amended 7/15

Earliest year with complete data (D : W : M) 8/1944

*NOTES on years with incomplete or unsatisfactory data:-

1956 totals appear low compared with S/no 1945/5, Launceston (North Hill)

*Each note to be dated. Continue notes overleaf if necessary.

Belfast 3/63:500:KW

Proforma for retrospective data