

RAINFALL at *Phylomon (Hyggad Rheidol)* (Higher G.) 31

County of *Cardigan* Observer *Borough Surveyor.*

River Basin *2- Ystwyth & C.*

Type of Gauge *Bradford 2.2"*

Annual Average *86.5* in. based on years obs. un-weighted. Period of average Ref.

605683/37

Diameter												
Height									5			
Altitude									100			
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means	
January								12.10	16.11	(7.50)		
February								5.06	10.02	(7.40)		
March								5.02	5.02	6.05		
April								1.50	5.02	5.05		
May								3.50	1.03	3.08		
June							6.03	10.30	4.05	(1.08)		
July							6.03	9.50	13.00	9.04		
August							2.00	6.20	4.06	4.06		
September							4.04	4.05	2.03	8.09		
October							4.01	12.06	4.00	7.05		
November							4.00	11.00	20.06	17.00		
December							6.00	6.04	8.01	9.06		
TOTALS							imp	86.33	92.11	(84.46)		

Back years 1937 and 1938 entered 22/5/40. Record satisfactory with site selected by Dr. Glaspoole.

9.10 Jan. Feb. May. June Sept partial. by ref. to monthly maps.

how for altitude 111.

5 Turf wall round gauge.

N6R (SN.22) 743 875

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series } No. of Map..... Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.

RAINFALL at *Plynlimon (Llygad Rheidol)* (Lower C.)

County of *Cardigan* Observer *Rough Surveyor.*

River Basin *2. Llynwysthle & C.*

Type of Gauge *Bradford 27"*

Annual Average *88.95* in. based on *18* years obs. un-weighted. Period of average *1916-50* Ref. *605683/37*
1935-57

Diameter									5		
Height									1.0		
Altitude									1150		
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January								14.06	16.13	(7.50)	
February								6.03	10.04	(7.42)	
March								5.05	5.04	6.06	
April								1.50	5.04	5.06	
May								3.60	1.03	3.08	
June							6.03	10.50	4.07	(1.08)	
July							6.05	9.20	13.00	9.06	
August							2.01	6.40	4.07	4.07	
September							4.04	4.05	2.04	9.01	
October							4.03	12.03	4.02	7.06	
November							4.02	11.03	20.00	17.05	
December							6.03	6.07	8.03	9.03	
TOTALS							imp.	93.60	93.93	91.02	
								90.07	92.51	85.53	
									M	M	

Each year entered for 1937 and 1938 24/5/40. Record satisfactory.

Site selected by Dr. Glasspool
1940 Jan. Feb. May-June past abtd by ref. to monthly maps.
1550. Corr. for transposition of decimals.
107 110 105

5 Turf wall round gauge *NGR SN(22) 791 878*

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.

Station No. 4129/3

RAINFALL at S Plynlimon (Llygad Rhedol) Higher gauge

41

County of SandwichObserver Borough SurveyorRiver Basin 2 - Ystwyth & c.Water Engineer, AberystwythType of Gauge Bradford 27"Annual Average in. based on years obs. un-weighted. Period of average Ref.

File No. 605683/37

Diameter	5				519	960						
Height	10					1						
Altitude	1660			M		41						
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	
January	(4.80)	10.00	8.70	15.30	6.50	11.10	(5.50)	14.60 4.40	5.70	4.00		
February	6.40	3.40	7.80	4.80	11.30	13.50	(2.30)	4.40 6.40	5.40	12.10		
March	7.60	4.80	3.00	2.00	7.00	3.00	(11.50)	6.40 6.40	4.90	4.20		
April	3.70	3.20	3.40	4.10	3.00	2.80	4.90	4.00	8.20	8.20		
May	6.00	7.00	6.30	3.70	7.30	4.60	3.20	3.00	9.30	2.00		
June	1.60	1.50	9.80	7.50	8.10	7.80	3.90	9.50 5.90	1.50	4.80		
July	5.30	12.00	7.30	6.30	3.60	8.10	6.10	5.90 10.20	7.60	7.00		
August	10.40	6.40	10.10	5.10	7.10	13.20	7.0	10.20 9.30	3.70	12.10		
September	2.10	9.00	11.70	9.00	7.40	15.90	5.90	9.30 9.20	2.80	17.50		
October	11.00	14.80	8.40	11.10	5.70	3.20	2.80	9.20 6.30	9.40	7.20		
November	4.75	1.50	9.10	15.30	1.40	11.90	9.50	6.30 9.20	10.10	10.30		
December	8.40	10.50	5.00	5.00	7.80	6.80	12.10	9.20 7.02	11.50	6.20		
TOTALS	72.05 M	84.10 M	90.60 M	89.20 M	76.20 M	101.90 M	68.40 M	95.30 M	80.10 M	95.60 M		

1941 - Jan. & Feb. corr. for snow.

Nov. & Dec. approximated.

1947 - Jan. Feb. & Mar. approximated

1948 - better 9.02 = 9.20 etc. 1948 adopted

A 0004

70004

§ Turf wall round gauge

NG-R SN(22) 791878

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge

BRITISH RAINFALL ORGANIZATION

Station No. 412913/5

RAINFALL at § Plynlimon (Llygad Rhedol) lower gauge

41

County of CardiganObserver Borough SurveyorRiver Basin 2-4 Stungth & c.Water Engineer, A. BransburythType of Gauge Bradford 27"Annual Average 87.9 in. based on 10 years obs. un-weighted. Period of average 1881-1915 Ref. P.B. 494

88.95

18

1938-57

1916-1950.

File No.

Diameter	5					519	963				
Height	10						1				
Altitude	1650						41				
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	(4.80)	10.80	9.00	16.20	6.80	11.80	(5.50)	15.40 15.24	5.90	4.10	
February	6.50	3.50	8.00	4.90	11.80	14.00	(2.30)	7.90 7.09	5.50	12.80	
March	7.80	4.00	3.10	2.00	7.20	3.10	(12.20)	6.50 6.05	4.70	4.40	
April	3.80	3.30	3.50	4.20	3.00	2.80	5.00	4.10 4.01	8.40	8.40	
May	6.40	7.40	6.50	3.80	7.50	4.60	3.30	3.00	9.40	2.00	
June	1.60	1.50	10.40	7.80	8.50	3.00	4.10	10.30 6.10	1.50	4.10	
July	5.40	12.50	7.80	6.50	3.60	8.30	6.20	6.01 10.80	7.80	7.20	
August	10.80	6.60	10.70	5.20	7.40	14.00	.70	10.08 9.50	3.80	12.10	
September	2.10	9.50	12.40	9.30	7.80	16.10	6.10	9.05 9.60	2.80	18.30	
October	11.30	14.00	8.90	11.40	5.80	3.20	2.90	9.06 6.50	9.70	7.40	
November	4.78	1.60	9.50	16.00	1.40	12.50	9.80	6.05 9.50	10.40	10.70	
December	8.80	10.00	5.20	5.20	7.90	6.90	12.80	4.05 4.50	12.20	6.40	
TOTALS	74.08	84.70	95.00	92.50	78.70	105.30	70.90	99.20 94.79	82.10	97.90	

1941 Jan Feb cond the snow

1947 Jan Feb & mar. apparitioned

40024

§ Turf wall sound gauge

NCR SN(22) 793875

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge

Air Ministry, Meteorological Office

Station No. 4129/3

TF 81

RAINFALL at g Plympton (Hyad Rheidd) Higher Gauge

County of Gardigan

Observer Water Engineer Aberystwyth

River Basin 2 - Ynnyth + C

Type of Gauge Bradford 27"

Annual Average in. based on years obs. un-weighted. Period of average Ref.

File No. 605683/37

Diameter ...	5"			5 1/4	9 60	5"					
Height ...	1'			1		1'0"					
Altitude ...	1660			51		1650'					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	2.20	8.30	5.50	8.00	4.60	9.20	10.20	6.50	7.00	8.00	
February ...	8.30	5.30	6.30	6.20	4.50	1.60	5.80	12.10	2.00	5.00	
March ...	11.20	5.20	5.60	4.80	4.10	3.00	7.30	2.10	4.00	2.60	
April ...	6.50	4.20	5.80	3.00	7.20	2.80	1.00	3.40	5.60	4.08	
May ...	3.20	3.68	5.00	4.40	8.00	3.10	3.20	6.60	2.00	2.10	
June ...	3.24	6.60	2.60	7.80	8.40	4.50	3.10	5.60	4.50	4.20	
July ...	7.20	3.70	12.30	13.70	2.10	6.10	10.60	7.28	4.60	8.00	
August ...	11.30	5.00	2.10	10.20	2.70	10.00	10.40	6.10	1.40	8.40	
September ...	8.50	2.30	7.40	7.50	7.00	7.20	13.00	8.00	1.00	9.08	
October ...	3.70	8.50	3.40	17.00	5.10	5.60	13.00	7.60	12.40	5.40	
November ...	12.10	7.00	2.20	11.10	2.70	4.40	4.40	6.20	2.00	12.00	
December ...	14.10	9.20	(2.50)	13.00	8.10	8.20	8.80	5.60	11.20	12.60	
TOTALS ...	78.54	73.98	75.00	106.70	64.60	65.70	90.80	76.08	69.70	81.46	
	M	M	M	M	M	M	M	M	M	M	

158. n.p. low.

1260 sup. Hn. Chuter (6/60) Unsat. factory site. Steep hillside to SW seems to q/s. Not much improvement poss. but set E may be better

1454 n.p. low.

1460 n.p. low

Annual Average 26.15 in. based on 15 yrs obs. within 1938-56. 4° low. Period of average 1916-53. Rf. 8.

~~Rejected -~~

Position of Station on Ordnance One-Inch map: No. of Map National Grid Reference SN/22/793875

Date	Lat. N.	Long.	Railway Station	Distance Direction from gauge	Parish Church	Distance Direction from gauge

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
			(337-40 only) 1932 sup. 38.4 p. 1932-40 M. Ref. 2nd	✓ 41-50 M	

Air Ministry, Meteorological Office

Station No. 4129/35 TF 81

RAINFALL at 9 Plinlimon (Hygda Rheidal) lower Gauge

County of Cardigan

Observer Water Engineer Aberystwyth

River Basin 2 - Ystwyth & C

Type of Gauge Bredford 27"

Annual Average 87.0 in. based on 10 years obs. un-weighted. Period of average 1881-1915 Ref. B3474
 " 88.95 " " 18 " " within 1885-57 " " 1916-50 File No. _____

Diameter ...	<u>5"</u>				<u>6"</u>		<u>5 1/4</u>	<u>9 1/2</u>			
Height ...	<u>1'</u>				<u>1'0"</u>			<u>1</u>			
Altitude ...	<u>1650'</u>				<u>1660</u>			<u>51</u>			
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	<u>9.70</u>	<u>8.50</u>	<u>5.60</u>	<u>8.00</u>	<u>4.70</u>	<u>4.60</u>	<u>10.50</u>	<u>6.50</u>	<u>7.20</u>	<u>8.02</u>	
February ...	<u>8.50</u>	<u>5.90</u>	<u>6.60</u>	<u>6.00</u>	<u>(4.10)</u>	<u>1.60</u>	<u>6.80</u>	<u>12.60</u>	<u>2.00</u>	<u>5.00</u>	
March ...	<u>11.70</u>	<u>5.30</u>	<u>5.80</u>	<u>5.00</u>	<u>(3.40)</u>	<u>3.10</u>	<u>7.70</u>	<u>2.10</u>	<u>9.00</u>	<u>2.60</u>	
April ...	<u>6.70</u>	<u>4.30</u>	<u>6.00</u>	<u>3.00</u>	<u>7.40</u>	<u>2.80</u>	<u>1.00</u>	<u>3.40</u>	<u>5.80</u>	<u>5.00</u>	
May ...	<u>3.30</u>	<u>3.67</u>	<u>5.10</u>	<u>4.50</u>	<u>8.20</u>	<u>3.10</u>	<u>3.20</u>	<u>6.80</u>	<u>2.00</u>	<u>2.10</u>	
June ...	<u>3.25</u>	<u>6.80</u>	<u>2.80</u>	<u>8.00</u>	<u>8.80</u>	<u>4.70</u>	<u>3.10</u>	<u>6.80</u>	<u>4.00</u>	<u>4.40</u>	
July ...	<u>7.40</u>	<u>3.80</u>	<u>12.70</u>	<u>13.10</u>	<u>2.30</u>	<u>6.40</u>	<u>11.00</u>	<u>8.00</u>	<u>4.80</u>	<u>8.40</u>	
August ...	<u>11.80</u>	<u>5.20</u>	<u>9.30</u>	<u>10.40</u>	<u>2.70</u>	<u>10.80</u>	<u>10.80</u>	<u>5.10</u>	<u>1.40</u>	<u>8.80</u>	
September ...	<u>8.70</u>	<u>7.40</u>	<u>7.70</u>	<u>7.80</u>	<u>7.20</u>	<u>7.00</u>	<u>13.50</u>	<u>8.40</u>	<u>1.00</u>	<u>10.00</u>	
October ...	<u>3.80</u>	<u>8.70</u>	<u>3.50</u>	<u>12.80</u>	<u>5.30</u>	<u>5.80</u>	<u>13.50</u>	<u>7.80</u>	<u>12.00</u>	<u>5.60</u>	
November ...	<u>12.70</u>	<u>7.20</u>	<u>9.50</u>	<u>11.30</u>	<u>2.70</u>	<u>4.20</u>	<u>4.40</u>	<u>6.40</u>	<u>9.40</u>	<u>12.40</u>	
December ...	<u>14.80</u>	<u>7.40</u>	<u>(2.60)</u>	<u>13.40</u>	<u>8.40</u>	<u>8.40</u>	<u>9.00</u>	<u>6.60</u>	<u>12.00</u>	<u>13.00</u>	
TOTALS ...	<u>102.35</u>	<u>75.69</u>	<u>77.20</u>	<u>108.30</u>	<u>65.70</u>	<u>67.50</u>	<u>93.30</u>	<u>78.40</u>	<u>65.60</u>	<u>85.32</u>	
	<u>M</u>	<u>M</u>	<u>M</u>	<u>M</u>	<u>M</u>	<u>M</u>	<u>M</u>	<u>M</u>	<u>M</u>	<u>M</u>	

3. Dec. Supplied Lake.

1955 Feb + Mar app M.O.J.

1958 N.P. Low.

1960 Sup. Mr. Chubb (9/60) Near edge of lake 10° SE or NE-S. liable to spray & interference. Hillside SSW way
 Nearly 0/5 suggested move N.N.W. away from lake.

1955 N.P. Low.

1960 N.P. Low

Position of Station on Ordnance One-Inch map:

No. of Map: _____

National Grid Reference SX(22) 791 878

Date	Lat. N.	Long.	Railway Station	Distance Direction from gauge	Parish Church	Distance Direction from gauge

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
			<u>1937-40</u> <u>1237 in. 38 n.p.</u> <u>33-40 M. R. 10/10/40</u>	<u>✓</u> <u>AM M</u>	

FRB/M036