

RAINFALL at Stirling, North Third Water Works.County of StirlingObserver David Donald Esq. C.E.River Basin Forl - Right bank trib. 1.(1926) J. G. WallaceHowdon Rain Gauge, by N. 53

Diameter ...	8		8								
Height	1 0		1 0								
Altitude ...	560		560								
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. Mean.
January ...	8.03	5.47	5.72	5.91	6.85	6.88	6.50	10.11	2.47	8.46	
February ...	.88	4.25	5.83	1.01	5.63	5.88	4.32	4.37	2.67	.69	
March	6.22	3.05	2.49	1.32	1.45	3.17	5.57	5.28	.77	4.19	
April	1.12	3.32	4.78	2.95	7.69	2.91	4.86	2.24	1.51	1.42	
May	4.30	3.60	1.70	6.46	7.94	4.80	5.45	1.89	4.21	2.60	
June	.53	1.69	1.50	2.69	.72	3.24	9.26	6.40	3.23	3.06	
July	4.87	5.06	4.19	5.13	1.32	4.14	7.60	3.12	4.67	4.55	
August	6.77	2.76	7.38	3.46	4.95	3.82	9.20	6.00	7.06	7.21	
September...	2.72	2.64	7.34	5.27	4.42	4.04	6.21	3.89	1.38	5.21	
October	4.79	2.59	6.75	4.40	4.22	5.30	6.90	9.01	7.15	7.14	
November...	4.28	3.94	3.61	3.45	.99	6.29	4.18	7.78	9.70	6.75	
December...	6.23	5.23	(5.70)	9.43	4.84	1.41	1.57	7.10	11.49	6.10	
TOTALS...	50.85	43.60	54.99	52.13	51.02	51.88	71.62	67.19	56.31	57.38	
	D	D	D	D	D	D	D	D	D	D	

1924. Gauge 8 ft. above water level preservation.

Borehole 15 ft. Rge 40 ft. S.E.

1923. Correction for snow in Dec. 2.2 in.

Position of Station on reduced Ordnance Survey } No. of Map

Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1921	55° 47'	4° 0' 20"	Stirling	3 1/4 mi	N.E.	Cambusnaw	2 1/4 mi	N.N.E.

RAINFALL at Stirling (North Third Reservoir)County of Stirling Observer J.C. Wallace, C.E.River Basin 1st Forth - Right Bank

Type of Gauge

Annual Average 4.94 in. based on 12 years obs. un-weighted. Period of average 1881-1915 Ref. Summary
computed XII/36

Diameter	8										
Height	1.0			10							
Altitude	560			574							
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	5.26	8.94	6.39	7.85	2.29	4.85	6.37	10.06	4.63	2.12	
February	4.32	.07	3.39	.42	5.60	2.28	5.43	2.93	7.40	1.94	
March	1.44	2.46	3.77	3.95	1.72	3.15	2.60	4.22	4.13	3.97	
April	2.74	6.11	1.99	5.59	3.90	1.69	2.41	.77	2.80	3.79	
May	4.66	3.99	2.73	2.21	.37	1.14	2.39	4.82	1.41	1.06	
June	7.08	2.13	1.50	2.95	5.41	2.02	2.80	5.83	2.91	1.28	
July	5.38	4.61	4.29	3.39	1.96	4.78	4.18	4.06	5.02	5.26	
August	2.44	1.68	2.79	5.10	2.64	3.19	3.86	2.84	1.71	1.71	
September	1.77	4.10	1.23	6.43	7.69	4.12	4.05	4.62	2.07	2.94	
October	4.23	6.88	3.80	8.68	10.59	8.92	4.46	9.15	2.62	5.58	
November	10.25	4.67	2.89	1.43	5.07	4.33	.97	9.34	8.87	5.41	
December	4.82	11.76	1.09	6.35	3.17	7.79	2.89	4.34	2.37	4.94	
TOTALS	54.39	57.40	35.86	54.35	50.31	48.26	41.41	62.98	45.94	40.00	
	D.	D	D	D.	D	D	D	D	D	D	

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge

BRITISH RAINFALL ORGANIZATION, EXHIBITION ROAD, LONDON, S.W.7.

Station No. 5354

RAINFALL at Stirling (North Third Reservoir) No. 41

County of Stirling

Observer T. C. Wallace, Esq., C.E.

River Basin 1. Forth. Right Bank

Type of Gauge

Annual Average ^{44.4} in. based on 12 years obs. ~~un~~-weighted. Period of average 1881-1915. Ref. S

File No. -

Diameter	8"				894	297					
Height	10"					1					
Altitude	574'					41					
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	1.39	6.44	6.99	6.43	3.15	7.84	5.61	9.31	7.37	4.45	
February	3.96	1.89	5.56	2.07	8.16	4.41	2.33	8.26	6.77	6.41	
March	1.62	4.19	3.60	0.42	4.64	3.09	4.75	6.03	6.84	4.14	
April	1.36	4.11	3.14	3.86	2.87	1.44	5.55	4.21	5.19	4.64	
May	2.85	3.57	4.14	3.61	6.32	2.07	3.96	2.63	3.03	2.31	
June	1.07	1.92	3.94	3.89	5.28	4.41	4.82	5.73	1.28	1.84	
July	2.67	2.37	3.04	3.97	3.25	4.84	4.46	4.95	3.51	6.46	
August	4.24	6.48	7.88	3.93	2.58	4.33	.05	11.47	5.88	6.08	
September	1.56	7.26	3.85	5.79	6.78	7.98	6.78	8.12	1.95	11.38	
October	5.20	4.75	10.46	5.25	8.14	.95	3.26	7.36	6.41	5.29	
November	3.21	1.37	3.17	7.93	.75	7.67	7.98	5.22	4.76	3.50	
December	3.01	6.93	2.39	5.73	5.00	5.68	2.76	9.89	10.24	2.68	
TOTALS	32.14	51.28	58.16	52.88	56.92	54.71	52.31	83.18	58.23	59.18	

1941 up low. Gauge leaking - repaired in Dec.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge

BRITISH RAINFALL ORGANIZATION

Station No.

5354

5345/1

RAINFALL at Stirling (North Third Reg.) No. 2

41

County of StirlingObserver J. C. Wallace Esq. SE.River Basin 1 - Forth - Right BankType of Gauge OctapentAnnual Average in. based on years obs. un-weighted. Period of average Ref

File No.

Diameter					5"		894	285			
Height					1' 0"			1			
Altitude					825'			41		825'	
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January					-100	7.2	6.40	7.80	6.60	4.20	
February						4.40	2.50	7.10	6.40	6.45	
March						3.70	5.50	5.80	1.85	4.25	
April						1.55	9.45	3.95	5.04	4.70	
May						2.30	4.50	2.35	2.53	2.05	
June						4.40	5.10	6.20	1.04	1.85	
July						4.70	4.30	4.95	2.57	6.75	
August					-100	4.60	.05	11.80	6.59	6.40	
September					# 6.75	7.85	5.90	7.95	2.05	10.65	
October					8.30	1.00	3.20	7.15	6.25	5.30	
November					0.70	8.50	7.80	4.90	(5.30)	3.75	
December					4.95	6.10	2.65	9.35	10.05	2.25	
TOTALS					-190 inc m.p.	57.02 M.	57.35 M.	79.30 M.	56.27 M.	58.60 M.	

Gauge site is on south side of road near Townhead,
1949. Nov. 28. T. Moss.

00024

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1945			Stirling	4 1/2 m	NE			

RAINFALL at *Stirling (North Third Res.)* No. 3Station No. *5354/2*

41

County of *Stirling* Observer *J. C. Wallace Esq. C.E.*River Basin *1. Forth - Right Bank*Type of Gauge *Octapent*Annual Average *in.* based on *years* obs. un-weighted. Period of average *Ref.*

File No.

Diameter					5"			894	269		
Height					1' 0"				1		
Altitude					1010'		1014'		41		
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January					-100	8.00	6.55	8.05	6.70	4.35	
February						4.10	2.50	7.05	6.65	6.60	
March						4.00	5.50	6.15	1.90	1.45	
April						1.65	9.75	4.30	5.09	4.70	
May						2.35	4.60	2.45	2.56	2.10	
June						4.50	5.15	6.00	1.05	2.05	
July						5.15	4.20	5.35	2.57	6.90	
August					# -100	5.00	0.05	12.50	7.05	6.80	
September					7.20	8.50	6.50	8.30	2.35	11.10	
October					8.70	1.10	3.50	7.90	6.40	5.45	
November					0.75	9.00	8.60	5.10	5.25	3.90	
December					5.40	6.15	2.75	9.25	11.10	2.15	
TOTALS					-100 inc m.p.	59.50 11	59.65 M	82.40 M	58.67 M	60.55 M	

Gauge site is about 1 mile SW of N82 on the north side of track

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1945			Stirling	5m	NE			

RAINFALL at Stirling (North Third Reservoir) No. 1 Station No. 5354 51
 County of Stirling Observer J. C. Wallace Esq. C.E.
 River Basin Forth Right Bank - 1 Burgh Eyrie
 Type of Gauge N+1

Annual Average 49.4 in. based on 12 years obs. un-weighted. Period of average 1881-1915 Ref. 5
54.11 " " 37 " with 1921-59 " " 1916-50 File No. 3

Diameter ...	88"				894	297						
Height ...	0' 10"					1						
Altitude ...	574'					51						
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means	
January ...	7.05	5.12	1.84	6.29	3.94	3.95	9.82	6.57	2.18	5.40		
February ...	3.59	1.19	2.10	5.77	3.43	1.66	5.21	2.95	2.56	4.86		
March ...	4.51	4.51	2.55	4.75	2.66	3.28	5.59	2.02	3.47	2.58		
April ...	4.56	2.48	2.53	2.47	2.30	1.17	2.13	1.40	4.46	5.12		
May ...	1.90	2.38	3.21	5.31	4.61	2.66	3.71	4.03	1.49	3.86		
June ...	2.66	3.76	3.88	3.42	2.13	4.27	2.26	4.28	3.26	2.95		
July ...	4.48	3.10	6.59	2.24	1.18	6.23	5.13	7.39	6.20	4.41		
August ...	7.73	6.56	3.04	5.08	1.55	7.97	4.90	5.65	1.55	3.64		
September ...	5.52	3.14	6.15	7.24	4.39	7.15	3.62	4.59	1.14	3.27		
October ...	1.40	5.16	3.16	10.67	3.89	5.94	5.30	5.80	4.91	5.40		
November ...	7.97	2.45	8.59	9.03	2.69	1.45	1.44	1.92	6.73	7.22		
December ...	8.92	5.00	7.10	8.59	10.50	8.36	7.10	7.93	4.32	6.30		
TOTALS ...	60.29	44.85	50.74	70.86	43.27	54.09	56.21	54.47	47.27	55.01		
	D	D	D	D	D	D	D	D	D	D		

1951 Gauge tested & found sound, letter from Eng. on 10/1/52
 14.5.57 G. poor - many leaks. T.W. just usable - ~~but not necessary~~
 Re new g. and visit S.W.
 Nov 1957. New g. installed in new site

Position of Station on Ordnance One-Inch map : No. of Map National Grid Reference 26/ 756896

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
		C 1921	✓	✓ but n.p. 41	
		✓ but - 24	✓	✓ but - 42	

RAINFALL at Stirling (North Third Runway) Station No. 5354/1 51
 County of Stirling Observer J. H. Wallace Eng. C.E.
 River Basin Forth-River Bank - 1 Resident Engineer
 Type of Gauge Octapend.

Annual Average in. based on years obs. un-weighted. Period of average Ref.
55.52 - - 13 - - within 1946-59, " 1916-50 S
 File No.

Diameter ...	5"				894	285						
Height ...	1'0"					1						
Altitude ...	825'		825'			51						
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means	
January ...	6.30	3.50	2.00	5.65	3.05	3.35	8.66	6.60	1.75	5.85		
February ...	4.35	1.00	1.95	5.70	2.70	1.60	3.85	3.80	2.40	5.25		
March ...	3.80	4.60	2.20	4.90	2.05	2.90	6.00	2.00	3.30	2.10		
April ...	4.15	2.15	2.30	2.35	2.30	0.90	2.00	1.35	4.50	5.05		
May ...	1.70	2.40	3.15	5.60	4.10	2.40	3.30	4.00	1.30	3.80		
June ...	2.65	3.65	3.65	3.42	2.20	4.15	2.10	4.30	3.15	3.20		
July ...	4.20	2.65	6.75	2.01	1.05	5.40	5.35	7.70	6.55	4.75		
August ...	8.05	6.75	2.55	4.95	1.06	7.15	5.00	6.10	1.39	3.85		
September ...	4.90	2.95	6.55	7.10	4.05	6.45	3.80	4.50	1.30	3.40		
October ...	1.40	4.75	2.90	10.65	3.70	6.05	6.25	6.95	5.00	5.35		
November ...	8.05	2.05	9.00	9.30	2.75	1.40	1.44	1.95	6.45	7.30		
December ...	8.45	4.70	7.20	8.20	9.75	7.25	7.20	7.60	9.15	6.20		
TOTALS ...	58.00	41.15	50.20	67.83	38.76	49.60	53.94	55.85	46.24	56.10		
	M	M	M	M	M	M	M	M	M	M		

1956 low has Sept. 1957. 9. sound. Site reasonably good but a f.w. to be provided after a 2-3 year link with new sites at 1 and 3

Position of Station on Ordnance One-Inch map : No. of Map National Grid Reference 26/742891

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
				C imp 1945 M	

RAINFALL at Stirling (North Third Roseway) No. 3Station No. 5354/2

51

County of StirlingObserver J. B. Wallace Esq. et.River Basin Forth Right Bank 1Type of Gauge OctapentAnnual Average in. based on years obs. un-weighted. Period of average 1916-50 Ref. S." " 57.41 " " 13 " Jan 1946-59 " File No.

Diameter ...	5"			894	264							
Height ...	1'0"				1							
Altitude ...	1014'				51		on rising 989					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means	
January ...	6.40	4.10	1.95	5.60	3.65	3.40	9.75	7.33	2.35	6.50		
February ...	4.25	1.85	2.00	4.65	2.65	1.65	4.50	3.33	2.60	5.85		
March ...	3.55	4.65	2.00	4.65	1.65	2.30	6.15	2.35	3.60	2.60		
April ...	4.35	2.25	2.15	2.05	2.30	1.25	2.30	1.70	4.70	5.45		
May ...	1.65	2.60	3.20	6.00	4.00	3.05	3.35	4.35	1.30	4.00		
June ...	2.90	4.00	2.55	3.45	2.20	4.35	2.05	4.45	3.30	3.30		
July ...	4.20	2.90	7.55	2.55	1.05	6.95	5.15	7.55	6.90	4.85		
August ...	7.90	6.45	2.70	5.30	1.08	7.45	5.10	6.05	1.62	4.20		
September ...	4.75	3.00	6.60	7.20	4.45	7.40	3.80	4.70	1.40	3.80		
October ...	1.50	4.80	2.90	10.70	3.50	6.35	5.40	6.45	5.25	5.95		
November ...	7.95	2.00	3.70	9.50	2.80	1.70	1.85	2.15	6.85	7.35		
December ...	8.35	4.65	6.25	8.00	9.95	9.15	7.35	8.25	9.25	6.30		
TOTALS ...	57.75	43.25	48.55	69.65	39.28	55.60	56.75	58.66	44.12	60.15		
	M	M	M	M	M	M	M	M	M	M		

Ins. Sept 1957. E. South. Slight slope down to c. SE + NE. Rec. more sheltered hollow 100 ft.

NW 1957. G. moved to selected site. 100 yds E, 10 yds E of Wood.

26/733886

Position of Station on Ordnance One-Inch map : No. of Map National Grid Reference 26/733888

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.

Summary of Earlier Records from 10-year Sheets :

26/6

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
				C. imp. 1945 M	