

RAINFALL at Woldingham ReservoirCounty of SurryObserver W. Vane Latham Esq. C.E.River Basin Thames Sandle 4Rain Gauge, by No 3

Diameter ...						5						
Height						16						
Altitude ...						851						
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.	1916 - 19 SUMS
January ...						4.17	1.67	1.33	3.40	4.00		10.40
February ...						4.90	3.80	1.00	1.60	2.80		9.20
March						.65	3.82	1.70	1.10	3.70		10.32
April						1.50	1.70	2.08	3.80	3.10		10.68
May						2.85	3.25	1.72	2.15	.10		7.22
June						.59	3.60	1.90	.72	(1.14) (1.24)		7.36
July						4.90	1.27	4.70	5.90	2.00		13.87
August						3.45	3.12	6.80	1.40	(2.70)		14.02
September ..						2.26	1.70	2.60	5.95	(1.30) (4.00)		11.55
October ...						2.59	5.10	4.75	2.60	.90		13.25
November ..						3.00	5.90	1.90	2.40	2.00		12.20
December...						7.00	3.33	1.90	3.20	5.00		13.43
TOTALS ...						37.76	38.26	32.38	34.12	(28.74) (26.74)		

1915 Collage 12 ft above gauge 90 ft 5

133.50

* Values estimated to agree with neighbouring stations at Caterham, Oxted & Chelms. 210.50 ft.

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
			Woldingham B.R.S.C.	2 M	NW	St Pauls	1/2	NW

RAINFALL at Holdingham Reservoir No 1County of SurreyObserver H. Vase Graham Esq. C.E.River Basin Thames - Handle 4East Surrey W. Com.Rain Gauge, by No 3

Diameter ...	5"										
Height	1	6									
Altitude ...	851										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 1930.
January ...	3.65	3.03	3.78	1.73	2.92	2.95	3.40	2.55	4.45	1.50	3.55
February ...	.60	.33	2.84	3.98	.75	4.20	3.10	5.00	1.75	.67	1.30
March	1.60	1.80	2.20	2.44	1.50	.90	.35	3.70	2.65	.00	1.90
April	3.20	1.52	3.39	2.55	3.86	2.50	5.05	2.10	2.00	1.35	2.10
May	1.00	1.57	1.45	2.91	3.58	2.55	1.39	1.35	2.55	2.07	3.29
June	1.15	.09	1.61	.53	2.75	.27	3.90	4.48	3.10	1.12	.55
July	(5.20)	.21	3.96	3.42	5.15	2.90	1.60	(2.50)	1.95	2.37	3.35
August	1.75	1.42	3.12	2.34	3.30	2.45	3.91	6.50	3.50	2.64	3.95
September...	4.80	1.17	2.72	1.70	4.90	1.90	1.10	6.22	.80	.12	3.98
October	1.50	1.56	1.25	6.70	4.10	4.35	2.90	2.26	5.80	4.40	2.10
November...	1.80	1.59	2.24	2.10	3.90	2.85	6.60	3.31	3.40	7.70	#
December...	3.05	2.01	4.49	3.42	4.40	3.40	.64	(5.50)	4.00	7.80	
TOTALS...	(29.30)	16.30	33.05	33.52	41.11	31.22	33.94	(45.47)	36.25	31.74	
			M				M.P.		M.	M	

1920 Cottages 12 ft. above gauge 90 ft. S.

1925: Not printed, most months low.

1926. .. low.

1927 Inspected by M. Corless 28/27 - see green file

1928 To be printed, see file 667037/26.

17/21/30 Inspected See green file

1930. Gauge taken away.

Position of Station on reduced Ordnance Survey } No. of Map

Map, 2 miles to 1 inch Series

Reference No.

Date	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920			Holdingham	2 mi	N.W.	St. Pauls	1 mi	N.W.

RAINFALL at Woldingham Reservoir (new gauge) N^o 2County of SurreyObserver W. Isaac Graham Esq. C.E.River Basin Thames. Warde H.A. E. Cornwall-Walker Esq.

Rain Gauge, by _____

Diameter ...									5		
Height									1.6		
Altitude ...									841.		
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	<u>alt. gauge</u> 1930.
January ...									5.10	2.10	3.75
February ...									1.80	.78	1.30
March									2.85	.00	2.00
April									2.45	1.30	2.25
May									2.75	2.33	3.28
June									3.45	1.22	.55
July									1.40	2.52	3.55
August									3.50	2.73	4.10
September...									.75	.15	4.05
October									6.00	4.45	2.25
November...									3.85	8.00	5.25
December...									3.95	8.20	2.60
TOTALS...									27.85 M.	33.78 M.	34.93 M.

1928 bottages 22 ft. above gauge 150 ft. S.

17/5/30 Inspected per Gen. File

1930. Inlet new observer.

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map. _____

Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			<u>Woldingham</u>	<u>2 mls.</u>	<u>N.W.</u>	<u>St. Pauls.</u>	<u>1 ml.</u>	<u>N.W.</u>

RAINFALL at Woldingham Reservoir (New S.)County of SurreyObserver A. E. Cornwall Walker, Esq.River Basin Thames-Wandle &Type of Gauge BroadfordAnnual Average 32.9 in. based on 11 years obs. un weighted. Period of average 1881-1915 Ref. F.W.S.32.8 compiled by Mr. G. Smith (1916) of Wokingham667036/26

Diameter	5											
Height	1 6											
Altitude	841	840										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means	
January	2.49	3.02	2.50	2.70	1.47	5.85	6.23	4.16	5.34	2.55	36.41	
February	3.20	.63	2.90	.40	4.20	2.26	5.30	1.06	1.85	2.53	24.33	
March	.40	2.00	4.05	2.63	.32	1.48	3.30	.41	1.79	3.10	19.98	
April	4.80	2.88	.96	3.12	3.65	2.46	2.70	.40	3.12	2.10	27.19	
May	3.37	4.41	1.90	.70	1.87	.42	2.30	2.21	1.90	1.57	20.25	
June	1.65	1.49	1.72	1.49	3.65	2.92	2.20	.60	1.13	.65	17.50	
July	3.23	2.70	1.49	2.09	.85	4.95	.86	1.40	2.45	2.91	22.93	
August	6.40	.94	.78	2.17	3.35	.63	2.05	1.73	3.40	.10	21.55	
September	2.20	2.25	2.10	2.22	4.70	2.57	2.16	3.01	1.69	1.77	24.67	
October	1.02	7.48	2.25	2.77	4.67	2.65	3.17	4.26	8.20	3.39	39.86	
November	4.50	1.76	1.23	4.12	5.94	5.05	2.22	4.18	6.90	8.66	44.56	
December	.85	.95	.50	8.30	4.57	3.90	4.94	3.98	2.10	2.13	32.22	
TOTALS	34.11	30.51	22.38	32.71	39.24	35.14	39.23	27.40	39.87	31.46	332.05	

1931. Reservoir 9' 6" high, 67' S. by E.
 Location & pattern of R. retained, but old R. on top of Reservoir removed.

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
 1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge

Station No. 78

RAINFALL at Walsingham Reservoir

41

County of SurreyObserver A. F. Hornum & Walter R. CBERiver Basin Thames, Wandale H.East Surrey Water Co.Type of Gauge BroadfordAnnual Average 32.9 in. based on 11 years obs. un-weighted. Period of average 1881-1915 Ref. I.W.S.File No. 67036/26

Diameter	5"			287	610						
Height	1' 0				1						
Altitude	840'				41						
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	2.82	4.13	6.39	2.85	2.98	3.81	3.00	4.57	1.59	1.15	33.29
February	3.31	.90	2.24	1.11	2.45	3.15	2.03	2.39	1.51	5.19	24.28
March	3.64	2.54	.44	.09	1.50	1.63	7.73	.93	.69	1.68	20.87
April	1.96	1.65	1.46	1.89	1.52	3.12	2.12	1.93	2.10	3.65	21.40
May	2.31	3.68	2.76	.52	2.53	3.89	1.78	1.85	1.91	1.34	22.57
June	2.18	.13	1.71	2.10	2.27	3.95	3.11	3.68	1.22	2.05	22.40
July	2.83	2.54	1.95	2.48	3.62	2.95	1.73	1.95	1.22	3.04	24.31
August	5.41	3.27	1.33	3.31	2.46	5.85	.25	6.15	1.34	2.42	31.79
September	.87	2.33	2.36	3.06	2.59	4.29	1.45	1.90	.67	4.26	23.88
October	1.75	3.92	3.69	5.18	4.72	1.34	.36	2.06	8.28	.41	31.71
November	3.55	2.07	2.28	5.53	.44	5.14	1.52	1.85	3.32	7.05	32.75
December	3.28	3.38	2.48	2.60	3.99	3.37	2.00	5.34	2.20	2.28	30.92
TOTALS	33.91	30.54	29.09	30.72	31.07	42.59	27.08	34.60	26.05	34.52	320.17

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.

BRITISH RAINFALL ORGANIZATION

Station No. 78

RAINFALL at Woldingham Reservoir (162)

51

County of Surrey Observer East Surrey Water Co

River Basin 4 Thames Wandle

Type of Gauge Broadford

Annual Average 32.9 in. based on 11 years obs. un-weighted. Period of average 1881-1915 Ref. 1.05
" 34.78 " " 16 " 1941-56 " " " 1916-1950 " " " 1.25 " 5

File No. 42529/52

Diameter ...	5"			287	610						
Height ...	1' 0"				1						
Altitude ...	840'				51						
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	4.38	2.80	1.50	1.75	3.80	4.70	2.52	2.95	3.15	3.25	30.80
February ...	7.28	1.10	1.90	2.60	2.10	.40	4.60	2.05	.01	2.70	24.74
March ...	4.42	4.80	.50	3.00	1.60	.85	1.77	(1.80)	2.40	2.05	22.89
April ...	3.50	1.95	2.65	.37	.40	1.40	.40	1.30	(2.25)	0.95	15.17
May ...	2.43	1.70	2.10	3.23	4.70	.30	1.70	2.01	1.00	1.80	20.97
June ...	1.65	2.23	1.80	4.81	2.10	3.10	1.70	4.65	1.10	1.70	24.84
July ...	2.40	.83	4.14	3.50	.20	(5.50)	3.55	1.80	1.20	3.45	26.57
August ...	3.95	3.45	2.05	3.65	1.05	3.30	1.75	3.40	1.30	2.85	26.75
September ...	3.10	3.43	4.30	2.90	2.90	3.35	3.00	5.70	(.20)	4.30	33.18
October ...	1.55	3.66	4.73	2.70	5.20	1.55	1.65	3.55	(3.65)	6.85	35.09
November ...	5.89	3.90	1.70	6.20	1.60	1.05	2.70	2.25	3.15	5.75	34.19
December ...	3.70	3.15	1.00	2.27	2.10	4.30	2.35	3.65	6.05	4.04	33.61
TOTALS ...	44.25 PX	32.70 PX	28.37	36.98	28.75	(29.80)	27.69	35.11	25.46 PX	39.69 H	328.80

Inspected 18.1.55. NW P.M. 6.00 a.m. Stem blocked with ice debris. Measure 47.5" o/s
 trees E 37° SE 40°, N 45°
 1956 July est. gauge blocked.
 1957 March est. gauge out of order.
 1959 April, Sept, Oct est. np too much est.

Position of Station on Ordnance One-Inch map: No. of Map... (17)..... National Grid Reference TQ 37 52.9

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
	✓ 1915	✓ 1925-27	✓	✓	