

RAINFALL at Afton Reservoir, (Tilton)County of Dev.Observer William Gray Esq.River Basin 13 - WithType of Gauge M.O. +A 1934Annual Average 8.47 in. based on 5 years obs. un-weighted. Period of average 1881-1915 Ref. P.B. 418

c. 1932.

computed x/37

Diameter	5"											
Height	1' 0"											
Altitude	1328'				1361							
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means	
January		17.10	10.41	14.36	5.75	8.57	14.14	12.93	7.44	2.44		
February		21	7.01	1.54	11.83	3.19	6.76	6.99	11.86	2.84		
March		5.12	5.52	4.34	4.19	5.27	2.09	6.49	9.78	3.87		
April		8.09	4.97	6.17	6.59	1.72	4.20	1.55	4.53	3.30		
May		4.85	5.97	7.33	1.26	2.71	3.23	7.63	1.58	1.97		
June		3.66	4.72	3.39	9.51	3.02	4.87	11.01	6.08	2.14		
July		8.33	9.40	4.93	4.42	9.00	8.17	8.71	6.66	7.65		
August		3.04	4.67	8.91	2.25	6.16	4.35	5.53	1.87	4.43		
September		9.54	1.92	12.22	9.74	7.79	5.08	8.20	4.03	3.22		
October		12.19	5.31	15.02	15.85	9.41	6.27	14.27	4.69	9.49		
November		6.57	3.50	3.06	10.00	8.32	1.23	14.83	14.99	10.96		
December		17.81	2.93	17.04	7.21	12.27	3.51	7.72	5.87	12.25		
TOTALS		96.51	66.33	98.31	88.60	77.83	63.90	105.86	79.27	74.56		
		D.	D.	D.	D.	D.	D.	D.	D.	D.		

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1932			New Bunnock	6m.	N.	New Bunnock	5½m.	N.

RAINFALL at Ayton Rest (Fulcrum)Station No. 527818

41

County of AyrObserver W. Gray Esq.River Basin 13-N.H.Type of Gauge (M)Annual Average 77.2 in. based on 5 years obs. un-weighted. Period of average 1881-1915 Ref. P.B. 418File No. 1.4.8

Diameter	5"				6.20	167					
Height	1'0"					1					
Altitude	1361'					41					
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	1.64	8.86	11.38	10.65	6.00						
February	7.05	3.76	9.95	4.32	12.52						
March	3.76	4.70	4.34	1.50	4.63						
April	3.33	5.93	7.08	4.07	3.67						
May	5.67	6.21	5.50	4.70	6.43						
June	1.89	1.80	7.97	5.17	6.92						
July	5.01	8.06	3.87	5.87	5.38						
August	9.20	11.04	8.81	5.30	2.71						
September	5.31	9.44	5.88	7.76	11.75						
October	6.64	11.83	14.41	8.94	7.65						
November	9.69	2.37	6.16	10.88	1.26						
December	5.36	16.37	5.61	12.04	8.40						
TOTALS	64.55	90.37	89.78	81.20	77.32	/					

P.B. 537 An average of 78.2 in. was computed on records for 3 years up to 1945 (1937 not included)

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No. 26 621049

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			New Cumnock	6 m	N	New Cumnock	5 1/2 m	N.

BRITISH RAINFALL ORGANIZATION

Station No. 5273/9

RAINFALL at Afton Reservoir (Fitter) new gauge

41

County of DaysObserver H. Gray Esq.River Basin 13. NithT.W. Leslie Esq. 1948

Type of Gauge.....

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

File No. X

Diameter					5"		6.20	16.5			
Height					1' 0"			1			
Altitude					1366'			41			
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January					# 6.14	11.91	9.82	10.18	7.59	6.03	
February					12.80	5.37	6.90	7.58	8.44	6.00	
March					4.67	3.17	6.58	7.49	3.63	4.10	
April					3.67	3.16	14.41	4.54	9.60	5.95	
May					6.50	1.94	6.36	2.62	3.38	2.72	
June					7.11	5.03	6.89	8.32	1.53	5.11	
July					5.48	6.50	6.27	5.33	1.88	8.04	
August					2.74	5.46	0.11	9.06	5.31	9.03	
September					12.38	12.93	9.38	9.13	3.49	14.57	
October					8.07	1.23	3.00	7.40	8.20	7.15	
November					1.25	14.68	10.54	5.48	10.83	6.90	
December					9.38	7.97	4.51	12.45	14.38	4.24	
TOTALS					80.19	79.35	78.77	90.08	78.26	85.84	

New gauge is set up 800' NW of the old one

20004

* Ref. P8 537. Ar. of 74.4 based on 1945-48 not adopted. Kind. to check for this mistake

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map.....

Reference No. 26 629049

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1945			New Annock	6.4	N	New Annock	5 1/2	N

Station No. 5273/9

RAINFALL at Affon Reservoir (Fellers)

51

County of AyrshireObserver J. W. Taylor Esq.River Basin 13 - hiteWater and Drainage

Type of Gauge

EngineerAnnual Average 8.22 in, based on 15 years obs. un-weighted. Period of average 1945 - 1959 Ref.File No. 196-50

Diameter ...	5"				620	165					
Height ...	1'0"					1					
Altitude ...	1366'					51					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	8.43	9.61	4.31	8.91	6.70	5.42	10.26	11.82	4.53	7.59	
February ...	7.04	3.77	2.73	6.03	1.88	2.07	7.32	7.27	3.31	10.88	
March ...	5.01	4.90	1.33	5.98	2.14	4.95	8.33	2.29	7.19	2.84	
April ...	4.48	5.40	4.89	3.19	4.34	2.43	3.98	2.90	7.31	8.43	
May ...	3.24	3.40	4.08	8.66	6.04	3.77	5.13	4.79	2.97	2.94	
June ...	2.46	4.62	3.01	7.08	3.94	7.04	2.67	5.15	4.17	6.20	
July ...	4.19	7.37	6.51	8.52	2.73	8.80	6.42	5.81	8.96	6.50	
August ...	11.24	6.03	4.67	7.45	2.19	11.63	8.76	7.75	3.84	5.46	
September ...	7.57	4.72	8.55	14.43	7.03	7.67	6.27	8.90	2.76	5.86	
October ...	1.44	9.38	5.56	13.86	6.54	5.87	7.30	6.91	10.91	5.56	
November ...	14.33	4.83	10.06	14.37	5.91	6.61	4.43	2.96	11.96	16.93	
December ...	13.45	8.07	6.41	13.16	12.18	11.88	8.53	8.92	14.85	7.46	
TOTALS ...	82.82	72.10	62.11	111.64	62.62	76.16	79.40	75.51	81.99	86.65	
	D	D	D	D	D	D	D	D	D	D	

Imp IV Thomson 24.7.24 Riv missing otherwise sound. Newwin h. 6 ft. 10 in. Lake on slope down to N.E. No Cuckoo-like available as original ground near road so forested. Newwin to River as NO.1 gauge. See 5273/9/11.

1956. np. check.
1959 np. check.
1960 np. check.

* Wrong NGR. Corrected by Met. O. Edin. 14/1/72 J.

See over

Position of Station on Ordnance One-Inch map: No. of Map National Grid Reference 26/122000

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1951			New Cumnock	6 mi	N	New Cumnock	5 mi	N.

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
				C 194-5	
				✓	

Station No. 5273/9/1

RAINFALL at Afren Reservoir (No. 2)

51

County of Ayr

Observer T. W. Kestie Esq.

River Basin 13 - Nidd

42 ft and Drainage

Type of Gauge

Engineer

Annual Average in. based on years obs. un-weighted. Period of average Ref.

File No.

Diameter ...				5"		620	166				
Height ...				1' 0"			1				
Altitude ...				1763			51	1277			
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...				8.50	6.67	5.58	9.59	10.58	4.13		
February ...				6.10	2.19	2.02	6.84	6.50	2.90		
March ...				5.93	2.73	4.80	7.86	2.06	6.84		
April ...				3.10	4.07	2.29	3.87	2.71	6.63		
May ...				8.48	6.23	3.49	4.99	4.28	2.73		
June ...				6.98	4.23	6.93	2.49	4.91	3.62		
July ...				8.36	2.90	8.44	6.25	5.63	8.27		
August ...				7.20	2.20	11.90	7.98	7.21	2.57		
September ...				4.17	7.79	7.63	5.80	8.46	2.52		
October ...				13.59	6.57	5.63	6.80	6.49	10.30		
November ...				4.02	5.89	4.26	4.09	2.70	11.04		
December ...				12.49	12.44	11.51	8.05	8.39	13.56		
TOTALS ...				108.92	63.91	74.48	74.61	70.12	74.85		
				NP	NP	NP	NP	D	0.793		

1954 Gauge set up by 65 check to 5273/9 but site also on steep slope to N.E. (worse than No. 1.) New site suggested on lower below dam, with pond of overlap (newer) 100 yds check. See note on back of 5273/9 * Wrong NGR. Corrected by M.O. Edin 15/5/55 J.

New site adopted 11/55. 68 yds SE of barham plant house. 1959 states barham plant house 70 yds to N at 8 ft. Gauge moved to 5273/92 at end of 1957.

Position of Station on Ordnance One-Inch map :

No. of Map

National Grid Reference 26/55444 *

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60

Air Ministry, Meteorological Office

620168

RAINFALL at Afton Reservoir (New site) Station No. 5273/9/2
 County of Ayrshire Observer Water & Drainage
 River Basin 13 - Nith Engineer
 Type of Gauge _____

Annual Average _____ in. based on _____ years obs. un-weighted. Period of average _____ Ref. _____

File No. _____

Diameter ...					620	168					5	
Height ...						1						
Altitude ...						51					1275	
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means	
January ...										7.89		
February ...										11.18		
March ...										2.99		
April ...										8.81		
May ...										3.11		
June ...										6.37		
July ...										6.63		
August ...										5.56		
September ...										5.88		
October ...										5.71		
November ...										16.75		
December ...										7.47		
TOTALS ...										88.35		D

199 Gauge moved from 5273/11 at end of 1959 to about 180 yds N.W. of about 12-15 yds from E fence and 15-20 yds from S fence just beyond bank house. Rec partial info with on N side until trees grow to provide necessary shelter.

Position of Station on Ordnance One-Inch map: _____ No. of Map _____ National Grid Reference 26/630050

Date	Lat. N.	Long.	Railway Station	Distance Direction from gauge	Parish Church	Distance Direction from gauge

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
c 1960					

FRB/M036